

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 11/11/2020 Document Number: 402466349

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 46290 Contact Person: Mani Silva Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822 Address: 1675 BROADWAY, STE 2800 Email: regulatory@kpk.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 336485 Location Type: Production Facilities Name: STATE-62N68W Number: 36NESW County: WELD Qtr: NESW Section: 36 Township: 2N Range: 68W Meridian: 6 Latitude: 40.093234 Longitude: -104.954660

Description of Corrosion Protection

High-Density Polyethylene("HDPE") pipes are corrosion, abrasion and chemical resistant. They can withstand high amounts of pressure and are unaffected by rust due to their thermoplastic quality. Due to durability and toughness of HDPE, additional corrosion protection is not needed for these pipelines. Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines. Carbon Steel pipelines are typically covered with a protective external coating and are subject to rigorous fabrication, inspection, and quality control standards to reduce the occurrence of pipe and coating defects that can lead to external corrosion. While the likelihood of corrosion is minimal due to low operating pressures, KPK regularly inspects and pressure tests all lines to ensure corrosion is not occurring

Description of Integrity Management Program

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476033 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 318014 Location Type: Well Site   
Name: STATE-62N68W Number: 36SWSW  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.089522 Longitude: -104.958881

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 12/05/1974  
Maximum Anticipated Operating Pressure (PSI): 37 Testing PSI: 37  
Test Date: 11/20/2018

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476255 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 333158 Location Type: Well Site   
Name: STATE-62N68W Number: 36SENE  
County: WELD No Location ID  
Qtr Qtr: SENE Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.096881 Longitude: -104.944584

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 4.000  
Bedding Material: Native Materials Date Construction Completed: 07/03/1978  
Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50  
Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476258 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318580 Location Type: Well Site   
Name: STATE-62N68W Number: 36SESE  
County: WELD No Location ID  
Qtr Qtr: SESE Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.089455 Longitude: -104.944551

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 07/03/1978  
Maximum Anticipated Operating Pressure (PSI): 21 Testing PSI: 21  
Test Date: 07/10/2019

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476252 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336507 Location Type: Well Site   
Name: STATE-62N68W Number: 36SWNE  
County: WELD No Location ID  
Qtr Qtr: SWNE Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.096824 Longitude: -104.949277

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 09/03/1975  
Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50  
Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476256 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336165 Location Type: \_\_\_\_\_ Well Site   
Name: STATE-62N68W Number: 36NWSW  
County: WELD No Location ID  
Qtr Qtr: NWSW Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.093170 Longitude: -104.958810

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 08/02/1978  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475607 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336143 Location Type: \_\_\_\_\_ Well Site

Name: STATE-62N68W

Number: 36SESW

County: WELD

No Location ID

Qtr Qtr: SESW

Section: 36

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.089490

Longitude: -104.954030

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 11/12/2018

Maximum Anticipated Operating Pressure (PSI): 24 Testing PSI: 24

Test Date: 12/06/2018

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476034

Flowline Type: Wellhead Line

Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336096 Location Type: Well Site

Name: STATE-62N68W

Number: 36SWSE

County: WELD

No Location ID

Qtr Qtr: SWSE

Section: 36

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.090010

Longitude: -104.949280

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 10/30/1975

Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50

Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476035 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336485 Location Type: Well Site   
Name: STATE-62N68W Number: 36NESW  
County: WELD No Location ID  
Qtr Qtr: NESW Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.093234 Longitude: -104.954660

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 05/05/1972  
Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50  
Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475606 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336096 Location Type: Well Site   
Name: STATE-62N68W Number: 36SWSE  
County: WELD No Location ID  
Qtr Qtr: SWSE Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.090010 Longitude: -104.949280

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 10/19/2018  
Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50  
Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476257 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336425 Location Type: Well Site   
Name: STATE-62N68W Number: 36NWNW  
County: WELD No Location ID  
Qtr Qtr: NWNW Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.100474 Longitude: -104.958684

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 04/25/1978  
Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50  
Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476036 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336143 Location Type: Well Site   
Name: STATE-62N68W Number: 36SESW  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.089490 Longitude: -104.954030

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 09/02/1978  
Maximum Anticipated Operating Pressure (PSI): 24 Testing PSI: 24  
Test Date: 12/04/2018

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475608 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318014 Location Type: \_\_\_\_\_ Well Site   
Name: STATE-62N68W Number: 36SWSW  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 36 Township: 2N Range: 68W Meridian: 6  
Latitude: 40.089522 Longitude: -104.958881

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 11/12/2018  
Maximum Anticipated Operating Pressure (PSI): 38 Testing PSI: 38  
Test Date: 11/20/2018

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476253 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 332928 Location Type: \_\_\_\_\_ Well Site

Name: FREDERICK STATE TANK BATTERY Number: 2-36

County: WELD No Location ID

Qtr Qtr: NWSE Section: 36 Township: 2N Range: 68W Meridian: 6

Latitude: 40.093580 Longitude: -104.949060

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/19/1978

Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50

Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 476254 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336215 Location Type: Well Site

Name: STATE-62N68W Number: 36SENV

County: WELD No Location ID

Qtr Qtr: SENW Section: 36 Township: 2N Range: 68W Meridian: 6

Latitude: 40.096760 Longitude: -104.953940

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/15/1978

Maximum Anticipated Operating Pressure (PSI): 50 Testing PSI: 50

Test Date: 08/18/2020

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**OPERATOR COMMENTS AND SUBMITTAL**

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 11/11/2020 Email: regulatory@kpk.com

Print Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ **Director of COGCC** Date: \_\_\_\_\_

## Conditions of Approval

**COA Type**

**Description**

--	--

## Attachment Check List

**Att Doc Num**

**Name**

402530795	PRESSURE TEST
402530796	PRESSURE TEST

Total Attach: 2 Files

## General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)

