

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 11/18/2020 Document Number: 402472046

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 46290 Contact Person: Mani Silva Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822 Address: 1675 BROADWAY, STE 2800 Email: regulatory@kpk.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 317790 Location Type: Manifold Name: NESSU-62N66W Number: 17SESE County: WELD Qtr Qtr: SESE Section: 17 Township: 2N Range: 66W Meridian: 6 Latitude: 40.132547 Longitude: -104.794060

Description of Corrosion Protection

High-Density Polyethylene ("HDPE") pipelines are corrosion, abrasion, and chemical resistant. They can withstand high amounts of pressure and are unaffected by rust due to their thermoplastic quality. Due to durability and toughness of HDPE, additional corrosion protection is not needed for these pipelines.

Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines.

Description of Integrity Management Program

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 476288 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317790 Location Type: Well Site

Name: NESSU-62N66W Number: 17SESE

County: WELD No Location ID

Qtr Qtr: SESE Section: 17 Township: 2N Range: 66W Meridian: 6

Latitude: 40.132547 Longitude: -104.794060

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/17/1973

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475559 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 333124 Location Type: Well Site

Name: NESSU-KINDER-62N66W Number: 20NESE

County: WELD No Location ID

Qtr Qtr: NESE Section: 20 Township: 2N Range: 66W Meridian: 6

Latitude: 40.121948 Longitude: -104.794150

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Mixed HDPE and Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/17/1976

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475561 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 317831 Location Type: Well Site
Name: NESSU-62N66W Number: 20NWSE
County: WELD No Location ID
Qtr Qtr: NWSE Section: 20 Township: 2N Range: 66W Meridian: 6
Latitude: 40.122128 Longitude: -104.797500

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Mixed HDPE and Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 09/01/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 476286 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 336277 Location Type: Well Site
Name: NESSU-62N66W Number: 17SWSE
County: WELD No Location ID
Qtr Qtr: SWSE Section: 17 Township: 2N Range: 66W Meridian: 6
Latitude: 40.132400 Longitude: -104.798970

Well

Equipment at Start Point Riser:

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/15/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475558 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 317947 Location Type: _____ Well Site
Name: LAMB-DALTON NESSSU-62N66W Number: 20NWSW
County: WELD No Location ID
Qtr Qtr: NWSW Section: 20 Township: 2N Range: 66W Meridian: 6
Latitude: 40.121857 Longitude: -104.807630

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Mixed HDPE and Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 05/18/1974
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 476287 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 336275 Location Type: Well Site
Name: NESSSU-62N66W Number: 17SESW
County: WELD No Location ID
Qtr Qtr: SESW Section: 17 Township: 2N Range: 66W Meridian: 6
Latitude: 40.132420 Longitude: -104.803400

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 06/30/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475560 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318302 Location Type: Well Site
Name: NESSSU-62N66W Number: 20NESW
County: WELD No Location ID
Qtr Qtr: NESW Section: 20 Township: 2N Range: 66W Meridian: 6
Latitude: 40.121847 Longitude: -104.804340

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Mixed HDPE and Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 10/04/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 476285 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318277 Location Type: Well Site

Name: NESSU-62N66W Number: 17SWSW

County: WELD No Location ID

Qtr Qtr: SWSW Section: 17 Township: 2N Range: 66W Meridian: 6

Latitude: 40.132957 Longitude: -104.807921

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/22/1976

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 11/18/2020 Email: regulatory@kpk.com

Print Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Conditions of Approval

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

--	--

Total Attach: 0 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)

