

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

11/19/2020

Document Number:

402462088

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 46290 Contact Person: Mani Silva
Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822
Address: 1675 BROADWAY, STE 2800 Email: regulatory@kpk.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 475322 Location Type: Production Facilities
Name: Yoxall Lucke Number: _____
County: WELD
Qtr Qtr: SESW Section: 28 Township: 1N Range: 67W Meridian: 6
Latitude: 40.018180 Longitude: -104.899160

Description of Corrosion Protection

Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines.

Description of Integrity Management Program

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475330 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 318269 Location Type: Well Site ☐
Name: HARRIET W LUCKE-61N67W Number: 28SWSW
County: WELD No Location ID
Qtr Qtr: SWSW Section: 28 Township: 1N Range: 67W Meridian: 6
Latitude: 40.016600 Longitude: -104.902130
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/29/1976
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475327 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 318343 Location Type: Well Site ☐
Name: YOXALL FARMS-61N67W Number: 28NESW
County: WELD No Location ID
Qtr Qtr: NESW Section: 28 Township: 1N Range: 67W Meridian: 6
Latitude: 40.020150 Longitude: -104.898860
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 10/10/1976
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475333 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 318442 Location Type: Well Site ☐
Name: YOXALL FARMS-61N67W Number: 28NENW
County: WELD No Location ID
Qtr Qtr: NENW Section: 28 Township: 1N Range: 67W Meridian: 6
Latitude: 40.027520 Longitude: -104.898700

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 02/08/1977
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475329 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 317795 Location Type: Well Site ☐
Name: HARRIET W LUCKE-61N67W Number: 28NWSW
County: WELD No Location ID
Qtr Qtr: NWSW Section: 28 Township: 1N Range: 67W Meridian: 6
Latitude: 40.020230 Longitude: -104.902570

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 08/02/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475332 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 317890 Location Type: _____ Well Site ☐
Name: YOXALL FARMS-61N67W Number: 28NWNW
County: WELD No Location ID
Qtr Qtr: NWNW Section: 28 Township: 1N Range: 67W Meridian: 6
Latitude: 40.027450 Longitude: -104.902270

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/08/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475326 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 317824 Location Type: _____ Well Site ☐

Name: YOXALL FARMS-61N67W

Number: 28SENW

County: WELD

No Location ID

Qtr Qtr: SENW Section: 28 Township: 1N Range: 67W Meridian: 6

Latitude: 40.023900 Longitude: -104.897930

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 10/20/1973

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475328 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

Flowline Start Point Location Identification

Location ID: 318344 Location Type: Well Site

Name: YOXALL FARMS-61N67W

Number: 28SWNW

County: WELD

No Location ID

Qtr Qtr: SWNW Section: 28 Township: 1N Range: 67W Meridian: 6

Latitude: 40.023900 Longitude: -104.901870

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 10/04/1976

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 475331 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Manifold**Flowline Start Point Location Identification**

Location ID: 317766 Location Type: _____ Well Site ☐

Name: YOXALL FARMS-61N67W Number: 28SESW

County: WELD No Location ID

Qtr Qtr: SESW Section: 28 Township: 1N Range: 67W Meridian: 6

Latitude: 40.016760 Longitude: -104.897800

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/05/1973

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 11/19/2020 Email: regulatory@kpk.comPrint Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 12/28/2020

Conditions of Approval

COA Type

Description

Attachment Check List

Att Doc Num

Name

402462088

Form44 Submitted

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

Stamp Upon
Approval

Total: 0 comment(s)

