

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

11/20/2020

Document Number:

402467260

**Off-Location Flowline**

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

**Operator Information**

OGCC Operator Number: 46290 Contact Person: Mani Silva  
Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822  
Address: 1675 BROADWAY, STE 2800 Email: regulatory@kpk.com  
City: DENVER State: CO Zip: 80202  
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

**OFF LOCATION FLOWLINE**

**FLOWLINE ENDPOINT LOCATION IDENTIFICATION**

Location ID: 336221 Location Type: Manifold  
Name: COSSLETT-61N68W Number: 1SWNW  
County: WELD  
Qtr Qtr: SWNW Section: 1 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.082370 Longitude: -104.958840

**Description of Corrosion Protection**

High-Density Polyethylene ("HDPE") pipelines are corrosion, abrasion, and chemical resistant. They can withstand high amounts of pressure and are unaffected by rust due to their thermoplastic quality. Due to durability and toughness of HDPE, additional corrosion protection is not needed for these pipelines.

Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines.

**Description of Integrity Management Program**

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 474772 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Manifold**Flowline Start Point Location Identification**

Location ID: 317983 Location Type: Well Site ☐  
Name: COSSLETT-61N68W Number: 1SWSW  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 1 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.075000 Longitude: -104.958780

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 01/25/1975  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or  
Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 474769 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Manifold**Flowline Start Point Location Identification**

Location ID: 318434 Location Type: Well Site ☐  
Name: COSSLETT-61N68W Number: 1SEnw  
County: WELD No Location ID  
Qtr Qtr: SEnw Section: 1 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.082500 Longitude: -104.953550

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 01/26/1977  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 474775 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318121 Location Type: \_\_\_\_\_ Well Site ☐  
Name: COSSLETT-61N68W Number: 1NESW  
County: WELD No Location ID  
Qtr Qtr: NESW Section: 1 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.078350 Longitude: -104.954190

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 07/30/1975  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 474771 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318122 Location Type: \_\_\_\_\_ Well Site ☐  
Name: COSSLETT A-61N68W Number: 1NENW  
County: WELD No Location ID  
Qtr Qtr: NENW Section: 1 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.085910 Longitude: -104.954120

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 07/18/1975  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 474774 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318428 Location Type: \_\_\_\_\_ Well Site ☐  
Name: COSSLETT-61N68W Number: 1SESW  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 1 Township: 1N Range: 68W Meridian: 6  
Latitude: 40.074970 Longitude: -104.954080

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: HDPE Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 02/10/1977  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 474776 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 336221 Location Type: \_\_\_\_\_ Well Site ☐

Name: COSSLETT-61N68W

Number: 1SWNW

County: WELD

No Location ID

Qtr Qtr: SWNW Section: 1 Township: 1N Range: 68W Meridian: 6

Latitude: 40.082370 Longitude: -104.958840

Equipment at Start Point Riser: Well

#### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 02/27/1975

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

#### **OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

#### **Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

#### **FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 474773 Flowline Type: Wellhead Line Action Type:

#### **OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

#### **Flowline Start Point Location Identification**

Location ID: 318427 Location Type: Well Site

Name: COSSLETT-61N68W Number: 1NWSW

County: WELD No Location ID

Qtr Qtr: NWSW Section: 1 Township: 1N Range: 68W Meridian: 6

Latitude: 40.078620 Longitude: -104.958850

Equipment at Start Point Riser: Well

#### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 10/01/1991

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

#### **OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

#### **Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 474770 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Manifold**Flowline Start Point Location Identification**

Location ID: 336071 Location Type: \_\_\_\_\_ Well Site ☐

Name: COSSLETT UNIT D-61N68W Number: 1NWNW

County: WELD No Location ID

Qtr Qtr: NWNW Section: 1 Township: 1N Range: 68W Meridian: 6

Latitude: 40.085910 Longitude: -104.958900

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 02/08/1977

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**OPERATOR COMMENTS AND SUBMITTAL**

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 11/20/2020 Email: regulatory@kpk.comPrint Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 1/7/2021

## Conditions of Approval

COA Type

Description

--	--

## Attachment Check List

Att Doc Num

Name

402467260	Form44 Submitted
-----------	------------------

Total Attach: 1 Files

## General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)

