

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 11/20/2020 Document Number: 402470919

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 46290 Contact Person: Mani Silva Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822 Address: 1675 BROADWAY, STE 2800 Email: regulatory@kpk.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 450409 Location Type: Production Facilities Name: LANSONS FARMS BATTERY Number: County: WELD Qtr: NWNE Section: 35 Township: 2N Range: 68W Meridian: 6 Latitude: 40.102003 Longitude: -104.966802

Description of Corrosion Protection

Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines.

Description of Integrity Management Program

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475988 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317931 Location Type: Well Site
Name: LANSONS FARM-62N68W Number: 35SWSE
County: WELD No Location ID
Qtr Qtr: SWSE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.089470 Longitude: -104.968690

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 02/15/1974
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475978 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318246 Location Type: Well Site
Name: LANSONS FARM-62N68W Number: 35NWSW
County: WELD No Location ID
Qtr Qtr: NWSW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.092810 Longitude: -104.977220

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 08/08/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475987 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317899 Location Type: Well Site
Name: LANSONS FARMS-62N68W Number: 35NENW
County: WELD No Location ID
Qtr Qtr: NENW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.100478 Longitude: -104.972922

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/13/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475976 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318243 Location Type: Well Site
Name: LANSONS FARM-62N68W Number: 35SEnw
County: WELD No Location ID
Qtr Qtr: SEnw Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.096940 Longitude: -104.972940

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/18/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475983 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318242 Location Type: _____ Well Site
Name: LANSONS FARM-62N68W Number: 35NWSE
County: WELD No Location ID
Qtr Qtr: NWSE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.093170 Longitude: -104.968180

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) _____
Bedding Material: Native Materials Date Construction Completed: 07/10/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475981 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318244 Location Type: _____ Well Site

Name: LANSONS FARM-62N68W

Number: 35SESW

County: WELD

No Location ID

Qtr Qtr: SESW

Section: 35

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.089547

Longitude: -104.973025

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 08/02/1976

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475985 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317930 Location Type: _____ Well Site

Name: LANSONS FARMS-62N68W

Number: 35SWNE

County: WELD

No Location ID

Qtr Qtr: SWNE

Section: 35

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.096920

Longitude: -104.967470

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 01/31/1974

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475980 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317897 Location Type: Well Site
Name: LANSONS FARMS-62N68W Number: 35NESE
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.093236 Longitude: -104.963478

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 11/21/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475977 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318240 Location Type: Well Site
Name: LANSONS FARM-62N68W Number: 35SENE
County: WELD No Location ID
Qtr Qtr: SENE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.096710 Longitude: -104.964340

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/23/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475986 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318245 Location Type: _____ Well Site

Name: LANSONS FARM-62N68W Number: 35NWNW

County: WELD No Location ID

Qtr Qtr: NWNW Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.100500 Longitude: -104.977190

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/14/1976

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475989 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318241 Location Type: _____ Well Site

Name: NELSON Number: 2-35

County: WELD No Location ID

Qtr Qtr: NWNE Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.100543 Longitude: -104.967367

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/20/1976
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475979 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317933 Location Type: _____ Well Site
Name: LANSONS FARM-62N68W Number: 35SWNW
County: WELD No Location ID
Qtr Qtr: SWNW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.096970 Longitude: -104.977560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 01/31/1974
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475990 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 311286 Location Type: _____ Well Site

Name: LANSONS FARMS-62N68W

Number: 35NENE

County: WELD

No Location ID

Qtr Qtr: NENE

Section: 35

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.100490

Longitude: -104.963410

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 11/04/1973

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

[Empty text box for description]

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475984 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317932 Location Type: Well Site

Name: LANSONS FARM-62N68W Number: 35SWSW

County: WELD

No Location ID

Qtr Qtr: SWSW

Section: 35

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.088948

Longitude: -104.977519

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 02/07/1974

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

[Empty text box for description]

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475982 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317898 Location Type: _____ Well Site
Name: LANSONS FARMS-62N68W Number: 35NESW
County: WELD No Location ID
Qtr Qtr: NESW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.093108 Longitude: -104.972903

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/07/1973
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 11/20/2020 Email: regulatory@kpk.com

Print Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 1/12/2021

Conditions of Approval

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

402470919	Form44 Submitted
-----------	------------------

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

