

FORM

6

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402570509

Date Received:

01/08/2021

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10254

Contact Name: Shannon Chollett

Name of Operator: RED MESA HOLDINGS/O&G LLC

Phone: (303) 894-2100 x5102

Address: 5619 DTC PARKWAY - STE 800

Fax:

City: GREENWOOD State: CO Zip: 80111

Email: shannon.chollett@state.co.us

For "Intent" 24 hour notice required,

Name: Labowskie, Steve

Tel: (970) 946-5073

COGCC contact:

Email: steve.labowskie@state.co.us

Type of Well Abandonment Report: ☒ Notice of Intent to Abandon ☐ Subsequent Report of Abandonment

API Number 05-067-09364-00

Well Name: JUMBO (OWP)

Well Number: 1A

Location: QtrQtr: NENW Section: 27 Township: 33N Range: 12W Meridian: N

County: LA PLATA

Federal, Indian or State Lease Number:

Field Name: RED MESA

Field Number: 72890

Only Complete the Following Background Information for Intent to Abandon

Latitude: 37.080330

Longitude: -108.138670

GPS Data: GPS Quality Value: 1.8 Type of GPS Quality Value: PDOP Date of Measurement: 11/13/2008

Reason for Abandonment: ☐ Dry ☐ Production Sub-economic ☐ Mechanical Problems☒ Other OWP ProjectCasing to be pulled: ☐ Yes ☒ No Estimated Depth:Fish in Hole: ☐ Yes ☒ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☒ No If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
DAKOTA	3200	3290			
GREENHORN	3068	3116			

Total: 2 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
CONDUCTOR	17	13+3/8	J-55	48	0	250		250	0	VISU
SURF	11	8+5/8	J-55	24	0	1340	250	1340	0	VISU
1ST	7+7/8	5+1/2	J-55	15.5	0	3350	300	3350	2070	CBL

Subsurface hazards include, but are not limited to, the following: overpressured zones, underpressured zones, major geologic faults, salt sections, H2S at concentrations greater than or equal to 100 ppm.

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 3015 with 2 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
 CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
 CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 10 sks cmt from 2543 ft. to 2443 ft. Plug Type: CASING Plug Tagged: ☐
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
 Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 1390 ft. with 95 sacks. Leave at least 100 ft. in casing 1340 CICR Depth

Perforate and squeeze at 809 ft. with 55 sacks. Leave at least 100 ft. in casing 759 CICR Depth

Perforate and squeeze at 300 ft. with 90 sacks. Leave at least 100 ft. in casing 250 CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing

Surface Plug Setting Date: _____ Cut and Cap Date: _____ Number of Days from Setting Surface Plug to Capping or Sealing the Well: _____

*Wireline Contractor: _____

*Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Shannon Chollett

Title: OWP Engineer Date: 1/8/2021 Email: shannon.chollett@state.co.us

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Duran, Alicia Date: 1/12/2021

CONDITIONS OF APPROVAL, IF ANY:

Expiration Date: 7/11/2021

COA Type	Description
	<p>1)Provide 48 hour notice of plugging MIRU via electronic Form 42.</p> <p>2)Operator shall implement measures to control unnecessary and excessive venting and to ensure that vapors and odors from well plugging operations do not constitute a nuisance or hazard to public welfare, health and safety.</p> <p>3)Properly abandon flowlines as per Rule 1105. Attach flowline abandonment job summary detailing compliance with Rule 1105.c when filing Form 6 (s). File electronic Form 42 once abandonment complete. Within 30 days of an operator completing abandonment requirements for an off-location flowline or crude oil transfer line the operator shall submit a Flowline Report, Form 44.</p> <p>4)Prior to killing the well, measure the surface casing pressure (Braden Head) and perform a Braden Head test. Report results on a Form 17. If pressure is greater than 25 psi (20 psi if within Ignacio Blanco Field) contact COGCC area engineer.</p> <p>a.A sample of both the production and bradenhead gas shall be collected and submitted for laboratory analysis of the gas composition and stable isotopes.(only if there is no CICR, Bridge plug etc. downhole. If there is CICR then only Bradenhead) The compositional analysis should include hydrogen, argon, oxygen, carbon dioxide, nitrogen, methane (C1), ethane (C2), ethene, propane (nC3), isobutane (iC4), butane (nC4), isopentane (iC5), pentane (nC5), hexanes +, specific gravity and British Thermal Units (BTU).The stable isotope analysis should include delta DC1, delta 13C1, delta 13C2, delta 13C3, delta 13iC4, delta 13nC4, delta 13iC5 (if possible), delta 13nC5 (if possible), and delta 13C of CO2 (if possible). The analytical results shall be submitted to the COGCC via Form 43 (Analytical Sample Submittal Form).</p> <p>b.Gas sample containers should be filled in accordance with container manufacturer or laboratory recommendations; purging multiple container volumes may not be feasible due to limited gas volumes.</p> <p>c.If water is encountered in the bradenhead during testing then samples should be collected and submitted for the laboratory analysis of major anions (chloride, carbonate, bicarbonate, and sulfate), cations (sodium, potassium, calcium, and magnesium) total dissolved solids (TDS), BTEX, DRO, GRO, and dissolved gasses (RSK 175). If there is a limited amount of water available then anions, cations and BTEX should be given first priority. Data from bradenhead water samples shall be submitted to the COGCC via Form 43.</p> <p>d.Please refer to Appendix A of the COGCC Operator Instructions for Bradenhead Testing and Reporting for more information regarding testing and sampling protocol.</p> <p>e.The operator shall provide notice to Environmental Supervisor Alex Fischer at alex.fischer@state.co.us or 303-894-2100 X 5138 and Southwest Region Engineer Alicia Duran at alicia.duran@state.co.us or 303-548-7396, a minimum of 72 hours prior to conducting field operations. Bradenhead testing and sample collection (if applicable). If samples are collected, copies of all final laboratory analytical results shall be provided to the COGCC within three (3) months of collecting the samples.</p> <p>f.Continue to monitor the surface casing pressure throughout the PA</p> <p>g.Check for gas venting outside the surface casing (use gas monitor or flood the cellar with water and look for bubbles)</p> <p>5)Pressure test casing.</p> <p>6)Do not install surface casing shoe plug unless the surface casing pressure is zero. If there is pressure, additional deeper plug(s) will be required to ensure no surface casing pressure.</p> <p>PA marker</p> <p>7)Discuss the type of PA marker with the landowner (welded plate or post)</p> <p>8)The PA marker shall be inscribed with the well's legal location, well name and number, and API Number.</p> <p>9)Leave a vent hole in casing/marker to avoid trapping any potential residual pressure in the casing(s)</p>

Attachment List

Att Doc Num	Name
402570509	FORM 6 INTENT SUBMITTED
402570512	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	Covid-19 deadline COA In accordance with the Notice to Operators (NTO): Timing for COGCC Forms adopted on 05/01/2020, this Form 6 Notice of Intent to Abandon is valid for 12 months from the date of approval expiring on XX/XX/XXXX. This NTO does not alter the deadlines for submission of, or compliance with any other Commission rule or Form.	01/12/2021
Permit	-Confirmed as-drilled well location. -No other forms in process. -Confirmed productive intervals docnum: 1840249. -Production reporting excluded. -Reviewed WBDs. -Pass.	01/11/2021

Total: 2 comment(s)