

VERDAD RESOURCES

WATTENBERG FIELD

8N-60W-11 SONIC STAR 1101 PAD

SONIC STAR 1101-11H

Plan B

Design #1

Anticollision Summary Report

09 November, 2020

HP

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well SONIC STAR 1101-11H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 16' @ 4897.00usft (RIG)
Reference Site:	8N-60W-11 SONIC STAR 1101 PAD	MD Reference:	RKB = 16' @ 4897.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	SONIC STAR 1101-11H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Reference	Design #1		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 1,500.00usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.45 Sigma	Casing Method:	Added to Error Values

Survey Tool Program	Date	11/9/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
0.00	1,500.00	Design #1 (Plan B)	ISCWSA MWD	Fixed:v2:standard declination	
1,500.00	15,571.19	Design #1 (Plan B)	ISCWSA MWD	Fixed:v2:standard declination	

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
8N-60W-11 SONIC STAR 1101 PAD						
SONIC STAR 1101-01H - Plan B - Design #1	200.00	198.00	75.03	67.46	9.912	CC, ES, SF
SONIC STAR 1101-03H - Plan B - Design #1	200.00	199.00	60.02	52.45	7.928	CC, ES
SONIC STAR 1101-03H - Plan B - Design #1	300.00	298.16	60.57	52.91	7.914	SF
SONIC STAR 1101-05H - Plan B - Design #1	200.51	199.51	45.00	37.43	5.945	CC, ES
SONIC STAR 1101-05H - Plan B - Design #1	1,700.00	1,686.76	103.68	84.29	5.348	SF
SONIC STAR 1101-07H - Plan B - Design #1	205.01	205.01	29.99	22.41	3.959	CC
SONIC STAR 1101-07H - Plan B - Design #1	300.00	299.89	30.06	22.41	3.927	ES
SONIC STAR 1101-07H - Plan B - Design #1	2,000.00	1,990.23	73.55	48.62	2.950	SF
SONIC STAR 1101-09H - Plan B - Design #1	208.44	208.44	14.97	7.40	1.976	CC
SONIC STAR 1101-09H - Plan B - Design #1	2,238.50	2,232.78	38.21	6.36	1.200	Level 2, ES, SF
SONIC STAR 1101-13H - Plan B - Design #1	385.42	386.49	14.95	7.19	1.927	CC
SONIC STAR 1101-13H - Plan B - Design #1	2,300.00	2,296.69	36.03	3.85	1.120	Level 2, ES, SF
SONIC STAR 1101-16H - Plan B - Design #1	344.39	345.49	29.79	22.08	3.866	CC, ES
SONIC STAR 1101-16H - Plan B - Design #1	2,300.00	2,277.70	88.77	62.02	3.318	SF
8N-60W-12 Offsets						
COLORADO NATIONAL BANK #1 - Shell P&A Well - No	12,294.62	6,181.00	969.38	639.76	2.941	CC
COLORADO NATIONAL BANK #1 - Shell P&A Well - No	12,400.00	6,181.00	975.09	637.09	2.885	ES
COLORADO NATIONAL BANK #1 - Shell P&A Well - No	12,500.00	6,181.00	990.90	645.72	2.871	SF

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well SONIC STAR 1101-11H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 16' @ 4897.00usft (RIG)
Reference Site:	8N-60W-11 SONIC STAR 1101 PAD	MD Reference:	RKB = 16' @ 4897.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	SONIC STAR 1101-11H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Summary

Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
8N-60W-14 Offsets						
BOOMSLANG FED 8-60 14A-13-18-1 - Bison Planned W	7,235.79	9,732.80	175.04	-17.66	0.908	Level 1, CC
BOOMSLANG FED 8-60 14A-13-18-1 - Bison Planned W	7,300.00	9,765.57	186.37	-42.10	0.816	Level 1, ES, SF
BOOMSLANG FED 8-60 14A-13-18-10 - Bison Planned W						Out of range
BOOMSLANG FED 8-60 14A-13-18-2 - Bison PR Well - A	7,322.24	9,925.43	302.45	172.43	2.326	CC
BOOMSLANG FED 8-60 14A-13-18-2 - Bison PR Well - A	7,400.00	9,957.46	314.73	163.24	2.078	ES
BOOMSLANG FED 8-60 14A-13-18-2 - Bison PR Well - A	7,450.00	9,976.23	334.81	173.52	2.076	SF
BOOMSLANG FED 8-60 14A-13-18-3 - Bison PR Well - A	7,091.65	9,795.95	753.14	597.24	4.831	CC
BOOMSLANG FED 8-60 14A-13-18-3 - Bison PR Well - A	7,100.00	9,801.57	753.22	596.64	4.811	ES
BOOMSLANG FED 8-60 14A-13-18-3 - Bison PR Well - A	7,200.00	9,864.72	766.78	602.88	4.678	SF
BOOMSLANG FED 8-60 14A-13-18-4 - Bison PR Well - A	7,019.26	9,691.36	1,402.70	1,243.38	8.805	CC
BOOMSLANG FED 8-60 14A-13-18-4 - Bison PR Well - A	7,050.00	9,711.46	1,403.64	1,242.82	8.728	ES
BOOMSLANG FED 8-60 14A-13-18-4 - Bison PR Well - A	7,200.00	9,806.98	1,434.84	1,267.55	8.577	SF
BOOMSLANG FED 8-60 14A-13-18-5 - Bison Planned W	7,025.83	9,362.58	1,176.93	955.73	5.321	CC
BOOMSLANG FED 8-60 14A-13-18-5 - Bison Planned W	7,050.00	9,377.11	1,177.54	954.45	5.278	ES
BOOMSLANG FED 8-60 14A-13-18-5 - Bison Planned W	7,200.00	9,463.22	1,208.32	975.06	5.180	SF
BOOMSLANG FED 8-60 14A-13-18-6 - Bison Planned W	7,058.90	9,557.98	1,410.99	1,194.36	6.514	CC
BOOMSLANG FED 8-60 14A-13-18-6 - Bison Planned W	7,100.00	9,582.25	1,412.67	1,192.90	6.428	ES
BOOMSLANG FED 8-60 14A-13-18-6 - Bison Planned W	7,250.00	9,665.37	1,447.10	1,217.11	6.292	SF
BOOMSLANG FED 8-60 14A-13-18-7 - Bison Planned W						Out of range
BOOMSLANG FED 8-60 14A-13-18-8 - Bison Planned W						Out of range
BOOMSLANG FED 8-60 14A-13-18-9 - Bison Planned W						Out of range
HNIZDIL #1-14 - Gemini D/A Well - No Surveys						Out of range
Schneider 1-14-8-60 - Verdad PR Well - Actual Precision						Out of range
Schneider 2-14-8-60 - Verdad PR Well - Actual Precision						Out of range
8N-60W-14 SCHNEIDER 1414 PAD						
SCHNEIDER 1414-01H - Wellbore #1 - Design #1						Out of range
SCHNEIDER 1414-02H - Wellbore #1 - Design #1						Out of range
SCHNEIDER 1414-03H - Wellbore #1 - Design #3						Out of range
SCHNEIDER 1414-04H - Wellbore #1 - Design #2						Out of range
SCHNEIDER 1414-05H - Wellbore #1 - Design #2						Out of range
SCHNEIDER 1414-06H - Wellbore #1 - Design #2						Out of range
SCHNEIDER 1414-07H - Wellbore #1 - Design #3						Out of range
SCHNEIDER 1414-08H - Wellbore #1 - Design #2						Out of range
SCHNEIDER 1414-09H - Wellbore #1 - Design #2						Out of range
SCHNEIDER 1414-10H - Wellbore #1 - Design #3						Out of range
SCHNEIDER 1414-11H - Wellbore #1 - Design #2						Out of range
SCHNEIDER 1414-12H - Wellbore #1 - Design #2						Out of range
9N-59W-30 MARTIN FED PAD						
MARTIN 3030 01H - Wellbore #1 - Design #1						Out of range
MARTIN 3030 02H - Wellbore #1 - Design #1						Out of range
MARTIN 3030 03H - Wellbore #1 - Design #1						Out of range
MARTIN FED 3031 01H - Wellbore #1 - Design #2						Out of range
MARTIN FED 3031 02H - Wellbore #1 - Design #2						Out of range
MARTIN FED 3031 03H - Wellbore #1 - Design #2						Out of range
MARTIN FED 3031 04H - Wellbore #1 - Design #2						Out of range

HP

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well SONIC STAR 1101-11H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 16' @ 4897.00usft (RIG)
Reference Site:	8N-60W-11 SONIC STAR 1101 PAD	MD Reference:	RKB = 16' @ 4897.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	SONIC STAR 1101-11H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)		Separation Factor	Warning
Offset Well - Wellbore - Design						
9N-59W-31 Offsets						
AF 1 - Mallard Planned Well - Planned Surveys						Out of range
AF 2 - Mallard Planned Well - Planned MWD Surveys						Out of range
ANDERSEN FED 6-5-1HN - Mallard Planned Well - Plan						Out of range
ANDERSEN FED 6-5-2HN - Mallard Planned Well - Plan						Out of range
ANDERSON FED 6-5-10HN - Mallard Planned Well - Pla	13,592.11	8,264.08	1,440.41	1,173.79	5.403	CC
ANDERSON FED 6-5-10HN - Mallard Planned Well - Pla	13,700.00	8,241.52	1,445.41	1,171.55	5.278	ES
ANDERSON FED 6-5-10HN - Mallard Planned Well - Pla	14,000.00	8,200.00	1,494.84	1,204.77	5.153	SF
ANDERSON FED 6-5-3HC - Mallard Planned Well - Plan						Out of range
ANDERSON FED 6-5-4HN - Mallard Planned Well - Plan						Out of range
ANDERSON FED 6-5-5HN - Mallard Planned Well - Plan						Out of range
ANDERSON FED 6-5-6HN - Mallard Planned Well - Plan	15,526.50	7,148.52	1,446.78	1,180.22	5.428	CC
ANDERSON FED 6-5-6HN - Mallard Planned Well - Plan	15,571.19	7,141.15	1,447.41	1,177.43	5.361	ES, SF
ANDERSON FED 6-5-7HN - Mallard Planned Well - Plan	14,978.74	7,400.00	1,460.91	1,196.64	5.528	CC
ANDERSON FED 6-5-7HN - Mallard Planned Well - Plan	15,100.00	7,400.00	1,465.93	1,191.57	5.343	ES
ANDERSON FED 6-5-7HN - Mallard Planned Well - Plan	15,200.00	7,400.00	1,477.57	1,196.10	5.249	SF
ANDERSON FED 6-5-8HC - Mallard Planned Well - Plan	14,523.26	7,735.67	1,424.01	1,159.33	5.380	CC
ANDERSON FED 6-5-8HC - Mallard Planned Well - Plan	14,700.00	7,700.00	1,429.54	1,152.05	5.152	ES
ANDERSON FED 6-5-8HC - Mallard Planned Well - Plan	14,900.00	7,663.67	1,458.53	1,169.75	5.051	SF
ANDERSON FED 6-5-9HN - Mallard Planned Well - Plan	14,106.66	7,900.00	1,457.73	1,194.10	5.529	CC
ANDERSON FED 6-5-9HN - Mallard Planned Well - Plan	14,200.00	7,900.00	1,460.72	1,189.20	5.380	ES
ANDERSON FED 6-5-9HN - Mallard Planned Well - Plan	14,400.00	7,837.59	1,482.44	1,201.11	5.269	SF
RAINBOW-SHULL #1 - Toltex D/A Well - No Surveys						Out of range
SHULL FED 31-32-10HN - Mallard Planned Well - Planne	13,592.12	8,264.08	1,440.41	1,173.82	5.403	CC
SHULL FED 31-32-10HN - Mallard Planned Well - Planne	13,700.00	8,241.52	1,445.41	1,171.58	5.279	ES
SHULL FED 31-32-10HN - Mallard Planned Well - Planne	14,000.00	8,200.00	1,494.84	1,204.80	5.154	SF
SHULL FED 31-32-1HN - Mallard PR Well - Actual Mallar						Out of range
SHULL FED 31-32-2HC - Mallard PR Well - Actual Mallar						Out of range
SHULL FED 31-32-3HN - Mallard Planned Well (Now Pro						Out of range
SHULL FED 31-32-4HN - Mallard Planned Well (Now PR						Out of range
SHULL FED 31-32-5HN - Mallard Planned Well - Planned						Out of range
SHULL FED 31-32-6HN - Mallard Planned Well - Planned						Out of range
SHULL FED 31-32-7HN - Mallard Planned Well - Planned						Out of range
SHULL FED 31-32-8HC - Mallard Planned Well - Planned						Out of range
SHULL FED 31-32-9HN - Mallard Planned Well - Planned						Out of range
Shull Fed-9-59-31-0508CDE - Mallard Planned Well - Pla						Out of range
Shull Fed-9-59-31-1209AE - Mallard Planned Well - Plan						Out of range
Shull Fed-9-59-31-2124BE - Mallard Planned Well - Plan						Out of range
Shull Fed-9-59-31-2124CE2 - Mallard Planned Well - Pla						Out of range

HP

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well SONIC STAR 1101-11H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 16' @ 4897.00usft (RIG)
Reference Site:	8N-60W-11 SONIC STAR 1101 PAD	MD Reference:	RKB = 16' @ 4897.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	SONIC STAR 1101-11H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
9N-60W-25 PEGGY 2501 PAD						
PEGGY 2501-01H - Verdad SI Well - Actual Baker Surve						Out of range
PEGGY 2501-02H - Verdad PR Well - Actual Baker Surve						Out of range
PEGGY 2501-04H - Wellbore #2 - Design #1						Out of range
PEGGY 2501-06H - Wellbore #2 - Design #1						Out of range
PEGGY 2501-08H - Wellbore #2 - Design #1						Out of range
PEGGY 2501-10H - Wellbore #2 - Design #1	15,571.19	14,235.97	1,132.30	748.39	2.949	CC, ES, SF
PEGGY 2501-12H - Wellbore #2 - Design #1	15,571.19	14,306.14	519.39	140.97	1.373	Level 3, CC, ES, SF
PEGGY 2501-14H - Wellbore #2 - Design #1	15,571.19	14,647.68	272.50	63.52	1.304	Level 3, CC, ES, SF
PEGGY 2501-16H - Wellbore #2 - Design #1	15,571.19	14,670.32	768.18	398.09	2.076	CC, ES, SF
9N-60W-25 PEGGY 2525 PAD						
PEGGY 2525-01H - Wellbore #1 - Design #2						Out of range
PEGGY 2525-02H - Wellbore #1 - Design #2						Out of range
PEGGY 2525-03H - Wellbore #1 - Design #2						Out of range
PEGGY 2525-04H - Wellbore #1 - Design #2						Out of range
PEGGY 2525-05H - Wellbore #1 - Design #2						Out of range
PEGGY 2525-06H - Wellbore #1 - Design #2						Out of range
PEGGY 2525-07H - Wellbore #1 - Design #2						Out of range
9N-60W-35 Offsets Incomplete						
PINTAIL FED 2-11-8HN - Mallard Planned Well - Planned						Out of range
PINTAIL FED 2-11-9HN - Mallard Planned Well - Planned						Out of range
Shull 1-35-9-60 - Carrizo PR Well - Actual Precision Surv						Out of range
Shull 2-35-9-60 - Verdad PR Well - Actual Precision Surv						Out of range
Shull 3-35-9-60 - Verdad PR Well - Actual Precision Surv						Out of range

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well SONIC STAR 1101-11H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 16' @ 4897.00usft (RIG)
Reference Site:	8N-60W-11 SONIC STAR 1101 PAD	MD Reference:	RKB = 16' @ 4897.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	SONIC STAR 1101-11H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 16' @ 4897.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: SONIC STAR 1101-11H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.94°

Ladder Plot



LEGEND

BOOMSLANG FED 8-60 14A-13-182, Bison PR Well, Actual Baker Surveys V0	PEGGY 2501-16H, Wellbore #2, Design #1 V0	SONIC STAR 1101-13H, Plan B, Design #1 V0
BOOMSLANG FED 8-60 14A-13-185, Bison Planned Well, Planned Bison Surveys V0	PEGGY 2501-14H, Wellbore #2, Design #1 V0	SONIC STAR 1101-03H, Plan B, Design #1 V0
BOOMSLANG FED 8-60 14A-13-186, Bison Planned Well, Bison Planned Surveys V0	COLORADONATIONAL BANK #1, Shell #8A Well, No Surveys V0	SHULL FED 31-3D 10HN, Mallard Planned Well, Planned Surveys V0
BOOMSLANG FED 8-60 14A-13-183, Bison PR Well, Actual Baker Surveys V0	SONIC STAR 1101-09H, Plan B, Design #1 V0	ANDERSON FED 6-5-9HN, Mallard Planned Well, Planned MWD Surveys V0
BOOMSLANG FED 8-60 14A-13-181, Bison Planned Well, Planned Bison MWD Surveys V0	SONIC STAR 1101-16H, Plan B, Design #1 V0	ANDERSON FED 6-5-10HN, Mallard Planned Well, Planned MWD Surveys V0
BOOMSLANG FED 8-60 14A-13-184, Bison PR Well, Actual Baker Surveys V0	SONIC STAR 1101-07H, Plan B, Design #1 V0	ANDERSON FED 6-5-8HN, Mallard Planned Well, Planned MWD Surveys V0
PEGGY 2501-10H, Wellbore #2, Design #1 V0	SONIC STAR 1101-01H, Plan B, Design #1 V0	ANDERSON FED 6-5-8HC, Mallard Planned Well, Planned MWD Surveys V0
PEGGY 2501-12H, Wellbore #2, Design #1 V0	SONIC STAR 1101-05H, Plan B, Design #1 V0	ANDERSON FED 6-5-7HN, Mallard Planned Well, Planned MWD Surveys V0

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well SONIC STAR 1101-11H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 16' @ 4897.00usft (RIG)
Reference Site:	8N-60W-11 SONIC STAR 1101 PAD	MD Reference:	RKB = 16' @ 4897.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	SONIC STAR 1101-11H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Plan B	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 16' @ 4897.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: SONIC STAR 1101-11H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.94°

Separation Factor Plot



LEGEND

BOOMSLAND FED 8-60 14A-13-182, Bison PR Well, Actual Baker Surveys V0	PEGGY 2501-16H, Wellbore #2, Design #1 V0	SONIC STAR 1101-13H, Plan B, Design #1 V0
BOOMSLAND FED 8-60 14A-13-185, Bison Planned Well, Planned Bison Surveys V0	PEGGY 2501-14H, Wellbore #2, Design #1 V0	SONIC STAR 1101-09H, Plan B, Design #1 V0
BOOMSLAND FED 8-60 14A-13-186, Bison Planned Well, Bison Planned Surveys V0	COLORADONATIONAL BANK #1, Shell P&A Well, No Surveys V0	SONIC STAR 1101-16H, Plan B, Design #1 V0
BOOMSLAND FED 8-60 14A-13-183, Bison PR Well, Actual Baker Surveys V0	SONIC STAR 1101-09H, Plan B, Design #1 V0	SONIC STAR 1101-07H, Plan B, Design #1 V0
BOOMSLAND FED 8-60 14A-13-181, Bison Planned Well, Planned Bison MWD Surveys V0	SONIC STAR 1101-16H, Plan B, Design #1 V0	SONIC STAR 1101-01H, Plan B, Design #1 V0
BOOMSLAND FED 8-60 14A-13-184, Bison PR Well, Actual Baker Surveys V0	SONIC STAR 1101-01H, Plan B, Design #1 V0	SONIC STAR 1101-09H, Plan B, Design #1 V0
PEGGY 2501-10H, Wellbore #2, Design #1 V0		
PEGGY 2501-12H, Wellbore #2, Design #1 V0		
		SONIC STAR 1101-13H, Plan B, Design #1 V0
		SONIC STAR 1101-09H, Plan B, Design #1 V0
		SHULL FED 13-32 10HN, Mallard Planned Well, Planned Surveys V0
		ANDERSON FED 6-5-9HN, Mallard Planned Well, Planned MWD Surveys V0
		ANDERSON FED 6-5-10HN, Mallard Planned Well, Planned MWD Surveys V0
		ANDERSON FED 6-5-8HN, Mallard Planned Well, Planned MWD Surveys V0
		ANDERSON FED 6-5-8HC, Mallard Planned Well, Planned MWD Surveys V0
		ANDERSON FED 6-5-7HN, Mallard Planned Well, Planned MWD Surveys V0