

Location

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Good Housekeeping:

Type	WEEDS		
Comment:	weeds unmanaged on location		
Corrective Action:	Comply with weed management rules	Date:	02/01/2021
Type	OTHER		
Comment:	gas meter run needs to be calibrated		
Corrective Action:	Measure gas per COGCC rules.	Date:	02/22/2021

Overall Good:

Spills:

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Equipment:

Type		#		corrective date
Type: Bradenhead		# 1		
Comment:				
Corrective Action:				Date:
Type: Gas Meter Run		# 1		
Comment:				
Corrective Action:				Date:
Type: Ancillary equipment		# 1		
Comment:	automation			
Corrective Action:				Date:

Tanks and Berms:

Contents	#	Capacity	Type	Tank ID	SE GPS
CONDENSATE	1	300 BBLS	STEEL AST		,
Comment:					
Corrective Action:					Date:

Paint

Condition	Adequate	
Other (Content)		
Other (Capacity)		
Other (Type)		

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Earth	Adequate	Walls Sufficent	Base Sufficent	Adequate	
Comment:					
Corrective Action:				Date:	

Venting:

Yes/No	NO		
Comment:			
Corrective Action:			Date:

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected Facilities

Facility ID: 201804 Type: WELL API Number: 001-07208 Status: TA Insp. Status: TA

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

Comment:

Corrective Action: Date: _____

BradenHead

Date of Last Brhd Test: _____ Annual Brhd Completed? #Error

Last Brhd Test Results Initial Surf Csg Pressure: _____ Fluid Type: _____

End Surf Csg Pressure: _____

Comment:

Corrective Action: Date: _____

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On 1/22/21 at approximately 1415 I, Inspector Justin Medina conducted an on-site inspection at: Well Name- Champlin 67 AMOCO E 1 Company Name- Renegade API- 05-001-07208 In Adams County Colorado. While there, I observed PR well During this inspection the following possible compliance issues were observed: Weeds unmanaged on location see pics Comply with COGCC weed management rules 2/1/21 Gas meter run needs to be calibrated Measure gas per COGCC rules. 2/22/21 A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p>	medinaj	01/22/2021

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699502174	pics	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5335902