



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

ANALYTICAL SUMMARY REPORT

July 03, 2019

Wesco Operating Inc
120 S Durbin St
Casper, WY 82602

Work Order: C19060895

Project Name: Rudnik Injection Water

Energy Laboratories, Inc. Casper WY received the following 1 sample for Wesco Operating Inc on 6/26/2019 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C19060895-001	Rudnik Inj Water	06/25/19 11:30	06/26/19	Aqueous	Metals by ICP/ICPMS, Dissolved Alkalinity Anion - Cation Balance Conductivity Anions by Ion Chromatography pH Sample Filtering, Metals Sodium Adsorption Ratio Solids, Total Dissolved Solids, Total Dissolved - Calculated

The analyses presented in this report were performed by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601, unless otherwise noted. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

If you have any questions regarding these test results, please contact your Project Manager .

Report Approved By:


Tessa Parke
Project Manager

Digitally signed by
Tessa Parke
Date: 2019.07.03 13:02:58 -06:00



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

CLIENT: Wesco Operating Inc
Project: Rudnik Injection Water
Work Order: C19060895

Report Date: 07/03/19

CASE NARRATIVE

Tests associated with analyst identified as ELI-B were subcontracted to Energy Laboratories, 1120 S. 27th St., Billings, MT, EPA Number MT00005.

Prep Comments for Sample C19060895-001B, Test PRP-FILT-MET: - The sample fraction submitted for Dissolved Metals Analysis was received in the laboratory unfiltered.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.666.7175 • Helena, MT 877.472.0711

LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Wesco Operating Inc
Project: Rudnik Injection Water
Lab ID: C19060895-001
Client Sample ID: Rudnik Inj Water

Report Date: 07/03/19
Collection Date: 06/25/19 11:30
Date Received: 06/26/19
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
MAJOR IONS							
Alkalinity, Total as CaCO ₃	699	mg/L		5		A2320 B	06/27/19 04:23 / dmb
Bicarbonate as HCO ₃	808	mg/L		5		A2320 B	06/27/19 04:23 / dmb
Chloride	412	mg/L		1		E300.0	07/01/19 06:02 / ljl
Fluoride	5.1	mg/L	D	0.2		E300.0	07/01/19 06:02 / ljl
Sulfate	4	mg/L	D	2		E300.0	07/01/19 06:02 / ljl
Calcium	3	mg/L		1		E200.7	07/02/19 05:40 / eli-b
Magnesium	ND	mg/L		1		E200.7	07/02/19 05:40 / eli-b
Potassium	4	mg/L		1		E200.7	07/02/19 05:40 / eli-b
Sodium	552	mg/L		1		E200.7	07/02/19 05:40 / eli-b
PHYSICAL PROPERTIES							
Conductivity @ 25 C	2470	umhos/cm		5		A2510 B	06/26/19 13:05 / adw
pH	7.94	s.u.	H	0.01		A4500-H B	06/26/19 13:05 / adw
pH Measurement Temp	20	°C				A4500-H B	06/26/19 13:05 / adw
Solids, Total Dissolved TDS @ 180 C	1460	mg/L	D	20		A2540 C	06/27/19 17:11 / adw
Sodium Adsorption Ratio (SAR)	84.3	unitless		0.1		USDA20B	07/02/19 05:40 / tjp
DATA QUALITY							
Solids, Total Dissolved - Calculated	1400	mg/L				A1030 E	07/03/19 09:49 / tjp
A/C Balance	-3.37	%				A1030 E	07/03/19 09:49 / tjp
Anions	26.0	meq/L				A1030 E	07/03/19 09:49 / tjp
Cations	24.3	meq/L				A1030 E	07/03/19 09:49 / tjp

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.
H - Analysis performed past recommended holding time.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Kleinfelder

Work Order: C19060685

Report Date: 06/26/19

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8015M							Analytical Run: R322740		
Lab ID: CCV	Continuing Calibration Verification Standard								06/24/19 11:17
Methane	510	ppm	2.0	102	85	115			
Ethane	500	ppm	2.0	100	85	115			
Lab ID: CCV	Continuing Calibration Verification Standard								06/24/19 11:32
Propane	490	ppm	2.0	97	85	115			
Lab ID: CCV	Continuing Calibration Verification Standard								06/24/19 13:14
Methane	510	ppm	2.0	103	85	115			
Ethane	500	ppm	2.0	101	85	115			
Lab ID: CCV	Continuing Calibration Verification Standard								06/24/19 13:20
Propane	490	ppm	2.0	99	85	115			
Method: SW8015M							Batch: R322740		
Lab ID: LCS	Laboratory Control Sample				Run: FID-HEADSPACE_190624A			06/24/19 11:26	
Methane	100	ppm	2.0	104	85	115			
Ethane	99	ppm	2.0	99	85	115			
Lab ID: LCS	Laboratory Control Sample				Run: FID-HEADSPACE_190624A			06/24/19 11:41	
Propane	99	ppm	2.0	99	85	115			
Lab ID: MBLK	Method Blank				Run: FID-HEADSPACE_190624A			06/24/19 11:58	
Methane	ND	mg/L	0.0010						
Ethane	ND	mg/L	0.0010						
Propane	ND	mg/L	0.0010						
Lab ID: B19061911-001HDUP	Sample Duplicate				Run: FID-HEADSPACE_190624A			06/24/19 13:05	
Methane	ND	mg/L	0.0010						20
Ethane	ND	mg/L	0.0010						20
Propane	ND	mg/L	0.0010						30

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Kleinfelder

Work Order: C19060685

Report Date: 06/22/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method:	E200.7									Analytical Run: ICP203-B_190621A
Lab ID:	ICV	8	Continuing Calibration Verification Standard							06/21/19 09:52
Barium		2.49	mg/L	0.10	100	95	105			
Boron		2.46	mg/L	0.10	99	95	105			
Calcium		25.4	mg/L	1.0	101	95	105			
Iron		2.53	mg/L	0.020	101	95	105			
Magnesium		25.4	mg/L	1.0	102	95	105			
Potassium		25.1	mg/L	1.0	101	95	105			
Sodium		25.2	mg/L	1.0	101	95	105			
Strontium		2.47	mg/L	0.10	99	95	105			
Method:	E200.7									Batch: R322629
Lab ID:	MB-6500DIS190621A	8	Method Blank				Run: ICP203-B_190621A		06/21/19 10:00	
Barium		ND	mg/L	0.0010						
Boron		ND	mg/L	0.01						
Calcium		ND	mg/L	0.07						
Iron		ND	mg/L	0.02						
Magnesium		ND	mg/L	0.02						
Potassium		ND	mg/L	0.1						
Sodium		ND	mg/L	0.1						
Strontium		ND	mg/L	0.001						
Lab ID:	LFB-6500DIS190621A	8	Laboratory Fortified Blank				Run: ICP203-B_190621A		06/21/19 10:08	
Barium		0.996	mg/L	0.10	100	85	115			
Boron		0.989	mg/L	0.10	99	85	115			
Calcium		50.4	mg/L	1.0	101	85	115			
Iron		5.06	mg/L	0.020	101	85	115			
Magnesium		50.8	mg/L	1.0	102	85	115			
Potassium		50.4	mg/L	1.0	101	85	115			
Sodium		50.5	mg/L	1.0	101	85	115			
Strontium		0.982	mg/L	0.10	98	85	115			
Lab ID:	B19061744-001BMS2	8	Sample Matrix Spike				Run: ICP203-B_190621A		06/21/19 13:19	
Barium		1.08	mg/L	0.050	99	70	130			
Boron		1.16	mg/L	0.050	96	70	130			
Calcium		84.9	mg/L	1.0	99	70	130			
Iron		4.98	mg/L	0.020	99	70	130			
Magnesium		57.9	mg/L	1.0	99	70	130			
Potassium		54.9	mg/L	1.0	98	70	130			
Sodium		352	mg/L	1.0		70	130			A
Strontium		1.74	mg/L	0.093	90	70	130			
Lab ID:	B19061744-001BMSD	8	Sample Matrix Spike Duplicate				Run: ICP203-B_190621A		06/21/19 13:23	
Barium		1.08	mg/L	0.050	99	70	130	0.1	20	
Boron		1.16	mg/L	0.050	96	70	130	0.1	20	
Calcium		85.0	mg/L	1.0	99	70	130	0.1	20	
Iron		5.02	mg/L	0.020	100	70	130	0.8	20	
Magnesium		58.2	mg/L	1.0	100	70	130	0.5	20	
Potassium		54.7	mg/L	1.0	98	70	130	0.3	20	

Qualifiers:

RL - Analyte reporting limit.

A - The analyte level was greater than four times the spike level. In accordance with the method % recovery is not calculated.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Kleinfelder

Work Order: C19060685

Report Date: 06/22/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E200.7										Batch: R322629
Lab ID: B19061744-001BMSD 8 Sample Matrix Spike Duplicate										Run: ICP203-B_190621A 06/21/19 13:23
Sodium		350	mg/L	1.0		70	130	0.3	20	A
Strontium		1.72	mg/L	0.093	88	70	130	0.6	20	
Lab ID: C19060685-002CMS2 8 Sample Matrix Spike										Run: ICP203-B_190621A 06/21/19 14:37
Barium		1.16	mg/L	0.050	100	70	130			
Boron		1.04	mg/L	0.050	100	70	130			
Calcium		91.9	mg/L	1.0	100	70	130			
Iron		5.12	mg/L	0.020	102	70	130			
Magnesium		59.5	mg/L	1.0	105	70	130			
Potassium		56.1	mg/L	1.0	103	70	130			
Sodium		59.8	mg/L	1.0	103	70	130			
Strontium		1.30	mg/L	0.010	98	70	130			
Lab ID: C19060685-002CMSD 8 Sample Matrix Spike Duplicate										Run: ICP203-B_190621A 06/21/19 14:41
Barium		1.16	mg/L	0.050	101	70	130	0.5	20	
Boron		1.04	mg/L	0.050	100	70	130	0.1	20	
Calcium		91.6	mg/L	1.0	100	70	130	0.3	20	
Iron		5.09	mg/L	0.020	102	70	130	0.6	20	
Magnesium		58.9	mg/L	1.0	104	70	130	1.1	20	
Potassium		56.4	mg/L	1.0	104	70	130	0.6	20	
Sodium		59.9	mg/L	1.0	103	70	130	0.2	20	
Strontium		1.30	mg/L	0.010	97	70	130	0.2	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

A - The analyte level was greater than four times the spike level. In accordance with the method % recovery is not calculated.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Kleinfelder

Work Order: C19060685

Report Date: 06/22/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E200.8										
Analytical Run: ICPMS206-B_190621A										
Lab ID: QCS	3	Initial Calibration Verification Standard								06/22/19 01:04
Manganese		0.237	mg/L	0.010	95	90	110			
Selenium		0.0461	mg/L	0.0050	92	90	110			
Strontium		0.0487	mg/L	0.10	97	90	110			
Method: E200.8										
Batch: R322681										
Lab ID: LRB	3	Method Blank								06/21/19 13:46
Manganese		ND	mg/L	0.00010						
Selenium		ND	mg/L	0.0003						
Strontium		ND	mg/L	0.0001						
Lab ID: LFB	3	Laboratory Fortified Blank								06/21/19 13:56
Manganese		0.0459	mg/L	0.010	92	85	115			
Selenium		0.0460	mg/L	0.0050	92	85	115			
Strontium		0.0493	mg/L	0.10	99	85	115			
Lab ID: B19061903-001DMS	3	Sample Matrix Spike								06/22/19 12:44
Manganese		0.0493	mg/L	0.0010	90	70	130			
Selenium		0.0446	mg/L	0.0010	89	70	130			
Strontium		0.102	mg/L	0.010	92	70	130			
Lab ID: B19061903-001DMSD	3	Sample Matrix Spike Duplicate								06/22/19 12:49
Manganese		0.0490	mg/L	0.0010	89	70	130	0.7	20	
Selenium		0.0459	mg/L	0.0010	92	70	130	2.8	20	
Strontium		0.100	mg/L	0.010	88	70	130	2.2	20	
Lab ID: B19062060-001BMS	3	Sample Matrix Spike								06/22/19 14:07
Manganese		1.02	mg/L	0.0010		70	130			A
Selenium		0.0435	mg/L	0.0010	81	70	130			
Strontium		39.0	mg/L	0.010		70	130			A
Lab ID: B19062060-001BMSD	3	Sample Matrix Spike Duplicate								06/22/19 14:30
Manganese		0.970	mg/L	0.0010		70	130	5.2	20	A
Selenium		0.0442	mg/L	0.0010	82	70	130	1.7	20	
Strontium		37.5	mg/L	0.010		70	130	4.0	20	A

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

A - The analyte level was greater than four times the spike level. In accordance with the method % recovery is not calculated.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Wesco Operating Inc

Work Order: C19060895

Report Date: 07/03/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A2320 B										Analytical Run: MANTECH_190626B
Lab ID: ICV		Initial Calibration Verification Standard								06/26/19 16:08
pH		6.90	s.u.	0.010	101	98	102			
Method: A2320 B										Batch: R248181
Lab ID: MBLK		Method Blank								06/27/19 01:57
Alkalinity, Total as CaCO ₃		ND	mg/L	2						Run: MANTECH_190626B
Lab ID: LCS		Laboratory Control Sample								06/27/19 02:05
Alkalinity, Total as CaCO ₃		263	mg/L	5.0	105	90	110			Run: MANTECH_190626B
Lab ID: C19060894-001ADUP		Sample Duplicate								06/27/19 04:14
Alkalinity, Total as CaCO ₃		240	mg/L	5.0				2.5	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Wesco Operating Inc

Work Order: C19060895

Report Date: 07/03/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A2510 B										Analytical Run: PHSC_101-C_190626A
Lab ID: SC 100		Initial Calibration Verification Standard								06/26/19 08:38
Conductivity @ 25 C		99.8 umhos/cm		5.0	100	90	110			
Lab ID: SC 5000		Initial Calibration Verification Standard								06/26/19 08:41
Conductivity @ 25 C		4870 umhos/cm		5.0	97	90	110			
Lab ID: SC 20000		Initial Calibration Verification Standard								06/26/19 08:44
Conductivity @ 25 C		19800 umhos/cm		5.0	99	90	110			
Method: A2510 B										Batch: R248139
Lab ID: SC 50000		Initial Calibration Verification Standard								06/26/19 08:47
Conductivity @ 25 C		48900 umhos/cm		5.0	98	90	110			
Lab ID: MBLK		Method Blank								06/26/19 12:51
Conductivity @ 25 C		0.5 umhos/cm								
Lab ID: C19060894-001ADUP		Sample Duplicate								06/26/19 13:01
Conductivity @ 25 C		75700 umhos/cm		5.0				0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Wesco Operating Inc

Work Order: C19060895

Report Date: 07/03/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A2540 C										Batch: TDS190627B
Lab ID: MB-1_190627B		Method Blank								Run: ORG_BAL3_C_190627B 06/27/19 17:09
Solids, Total Dissolved TDS @ 180 C		5	mg/L							
Lab ID: LCS-2_190627B		Laboratory Control Sample								Run: ORG_BAL3_C_190627B 06/27/19 17:10
Solids, Total Dissolved TDS @ 180 C		1000	mg/L	10	100	90	110			
Lab ID: C19060894-001A DUP		Sample Duplicate								Run: ORG_BAL3_C_190627B 06/27/19 17:10
Solids, Total Dissolved TDS @ 180 C		58900	mg/L	500				1.1	5	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Wesco Operating Inc

Work Order: C19060895

Report Date: 07/03/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A4500-H B								Analytical Run: PHSC_101-C_190626A		
Lab ID: 6.86	2	Initial Calibration Verification Standard							06/26/19 08:35	
pH		6.87	s.u.	0.010	100	98	102			
pH Measurement Temp		22.4	°C			0	0			
Method: A4500-H B								Batch: R248139		
Lab ID: C19060894-001ADUP	2	Sample Duplicate							Run: PHSC_101-C_190626A	
pH		6.68	s.u.	0.010				0.0	1.5	
pH Measurement Temp		21.2	°C							

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.886.7175 • Helena, MT 877.472.0711

QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Wesco Operating Inc

Work Order: C19060895

Report Date: 07/03/19

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E300.0										Analytical Run: IC3-C_190630A
Lab ID: ICB	3	Initial Calibration Verification Standard								06/30/19 13:05
Chloride		9.98	mg/L	1.0	100	90	110			
Fluoride		4.97	mg/L	0.10	99	90	110			
Sulfate		41.0	mg/L	1.0	102	90	110			
Method: E300.0										Batch: R248290
Lab ID: ICB	3	Method Blank								Run: IC3-C_190630A 06/30/19 13:25
Chloride		ND	mg/L	0.05						
Fluoride		ND	mg/L	0.02						
Sulfate		ND	mg/L	0.1						
Lab ID: LFB	3	Laboratory Fortified Blank								Run: IC3-C_190630A 06/30/19 13:44
Chloride		10.3	mg/L	1.0	103	90	110			
Fluoride		5.10	mg/L	0.10	102	90	110			
Sulfate		41.7	mg/L	1.0	104	90	110			
Lab ID: C19060734-001AMS	3	Sample Matrix Spike								Run: IC3-C_190630A 06/30/19 14:41
Chloride		213	mg/L	1.0	100	80	120			
Fluoride		54.0	mg/L	0.52	102	80	120			
Sulfate		1380	mg/L	4.2	96	80	120			
Lab ID: C19060734-001AMSD	3	Sample Matrix Spike Duplicate								Run: IC3-C_190630A 06/30/19 15:00
Chloride		216	mg/L	1.0	103	80	120	1.3	20	
Fluoride		53.9	mg/L	0.52	102	80	120	0.2	20	
Sulfate		1380	mg/L	4.2	95	80	120	0.1	20	
Lab ID: C19060883-002AMS	3	Sample Matrix Spike								Run: IC3-C_190630A 07/01/19 04:08
Chloride		228	mg/L	1.0	99	80	120			
Fluoride		51.8	mg/L	0.52	102	80	120			
Sulfate		1920	mg/L	4.2	90	80	120			
Lab ID: C19060883-002AMSD	3	Sample Matrix Spike Duplicate								Run: IC3-C_190630A 07/01/19 04:27
Chloride		226	mg/L	1.0	98	80	120	0.6	20	
Fluoride		52.0	mg/L	0.52	102	80	120	0.4	20	
Sulfate		1900	mg/L	4.2	86	80	120	0.9	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

Work Order Receipt Checklist

Wesco Operating Inc

C19060895

Login completed by: Dorian Quis

Date Received: 6/26/2019

Reviewed by: Kasey Vidick

Received by: dcq

Reviewed Date: 6/26/2019

Carrier name: Hand Del

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	4.2°C On Ice		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as -dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

Contact and Corrective Action Comments:

None



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

www.energylab.com

Page _____ of _____

Account Information (Billing information)

Company Name	Wesco operating Inc.		
Contact	Gene Vanderst		
Phone	307-577-5324		
Mailing Address	120. S. Parkers st.		
City, State, Zip	Casper, WY 82601		
Email	gene.v@hickwood.com		
Receive Invoice	<input checked="" type="checkbox"/> Hard Copy	<input type="checkbox"/> Email	<input checked="" type="checkbox"/> Bottle Order
Purchase Order	Quote		

Report Information (if different than Account Information)

Company Name	See account info.		
Contact			
Phone			
Mailing Address			
City, State, Zip			
Email			
Receive Report	<input type="checkbox"/> Hard Copy	<input type="checkbox"/> Email	
Special Report/Forms:	<input type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other		

Comments

Comments	
----------	--

Project Information

Project Name, PWSID, Permit, etc.	Rudvik Injection water		
Sampler Name	Gene	Sampler Phone	307-577-5324
Sample Origin State	CO	EPA/State Compliance	<input type="checkbox"/> Yes <input type="checkbox"/> No
URANIUM MINING CLIENTS MUST indicate sample type.			
<input type="checkbox"/> NOT Source or Byproduct Material			
<input type="checkbox"/> Source/Processed Ore (Ground or Refined) **CALL BEFORE SENDING			
<input type="checkbox"/> 11e.(2) Byproduct Material (Can ONLY be Submitted to ELI Casper Location)			

Matrix Codes

A - Air	W - Water
S - Solids	V - Vegetation
B - Blossom	O - Other
DW - Drinking Water	

Analysis Requested

Analysis Requested	
--------------------	--

All turnaround times are standard unless marked as RUSH.
Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Matrix (See Codes Above)	Number of Containers	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature
	Date	Time								
1 Rudvik Inj. water	6/25/14	11:30	W	2						
2										
3										
4										
5										
6										
7										
8										
9										
10										

Custody Record MUST be signed	Reinforced by (print)	Signature	Date/Time	Received by (print)	Signature	Date/Time	Signature
Gene Vanderst	Gene Vanderst	6/26/2014	9:13	Gene Vanderst	6/26/2014	9:13	Gene Vanderst
Shipped By	Cooler ID(s)	Custody Seals	Initial	Receipt Temp	Temp Blank	On Ice	Amount
band	EU	Y N C B	Y N	4.2	Y N	Y N	\$

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.