



Job Summary

Ticket Number	BCO-2101-0033	Ticket Date	1/21/2021
---------------	---------------	-------------	-----------

COUNTY	COMPANY	API Number
WELD (CO)	NOBLE ENERGY	512322246
WELL NAME	RIG	JOB TYPE
OCOMA C 31-25	Rigless	CM-P2A-TEMP
SURFACE WELL LOCATION	CJES Field Supervisor	CUSTOMER REP
40.26482 -104.59819	Anthony Staples	Tyson Hamacher

EMPLOYEES		
GARRICK WILLIAMSON	ANTHONY LOPEZ	
TROY THYE		
JEREMIAH MORENO		

WELL PROFILE			
Max Treating Pressure (psi):		Bottom Hole Static Temperature (°F):	
Bottom Hole Circulating Temperature (°F):		Well Type:	

<u>Open Hole</u>					
1	Size (in)	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
2	Size (in)	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)

<u>Casing/Tubing/Drill Pipe</u>							
Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
Production	4.5	11.6		7184	0	7184	0
Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
Tubing	2.375	4.7		6778	0	6778	0
Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)

CEMENT DATA

Stage 1:	From Depth (ft):	7184	To Depth (ft):	6778
Type: Quartz Plug	Volume (sacks):		Volume (bbls):	5
Cement & Additives: Density (ppg) Yield (ft³/sk) Water Req.				
Quartz Blend				

Stage 2:	From Depth (ft):		To Depth (ft):	
Type:	Volume (sacks):		Volume (bbls):	
Cement & Additives: Density (ppg) Yield (ft³/sk) Water Req.				

Stage 3:	From Depth (ft):		To Depth (ft):	
Type:	Volume (sacks):		Volume (bbls):	
Cement & Additives: Density (ppg) Yield (ft³/sk) Water Req.				

Stage 4:	From Depth (ft):		To Depth (ft):	
Type:	Volume (sacks):		Volume (bbls):	
Cement & Additives: Density (ppg) Yield (ft³/sk) Water Req.				

SUMMARY

Preflushes:	140 bbls of Fresh Water	Calculated Displacement (bbl):	26.5	Stage 1	Stage 2
	1 bbls of Fresh Water	Actual Displacement (bbl):	26.5		
Total Preflush/Spacer Volume (bbl):		Plug Bump (Y/N):		Bump Pressure (psi):	
Total Slurry Volume (bbl):	141	Lost Returns (Y/N):	N (if Y, when)		
Total Fluid Pumped	172.5				
Returns to Surface:				bbls	

Job Notes (fluids pumped / procedures / tools / etc.): Pumped 140 bbls of H2O down the Tubing followed by 5 bbls of Quartzpack and displaced with 26.5 bbls. Calculated Coverage is from 7184 ft to 6778 ft. Pumped 1 bbl of H2O while pressure testing the Casing side up to 500 psi.

Customer Representative Signature: _____ **Thank You For Using NexTier Completion Solutions**

