

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>402595833</u>			
Date Received: <u>02/09/2021</u>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10670</u>	Contact Name <u>Erin Bailey</u>
Name of Operator: <u>MALLARD EXPLORATION LLC</u>	Phone: <u>(301) 3959638</u>
Address: <u>1400 16TH STREET SUITE 300</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>ebailey@quandaryconsultants.com</u>

Complete the Attachment
Checklist

OP OGCC

API Number : <u>05-123-50842-00</u>	OGCC Facility ID Number: <u>473052</u>
Well/Facility Name: <u>Goldeneye Fed</u>	Well/Facility Number: <u>21-16-6HN</u>
Location QtrQtr: <u>SENW</u> Section: <u>21</u> Township: <u>8N</u> Range: <u>60W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WILDCAT</u>	
Federal, Indian or State Lease Number: <u></u>	

Survey Plat		
Directional Survey		
Srvc Eqpm Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 1 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 4 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 1 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 318A.f.(2)A. (for Initial Baseline (pre-drill) ONLY) or 609.d.(3).

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

An exception is requested because access was not granted by the landowner for the one well located within 1/2 mile radius of the Goldeneye Center pad.

The exception request applies to the following wells:

05-123-50840 GC Fed # 1
05-123-50841 Goldeneye Fed # 21-16-3HN
05-123-50842 Goldeneye Fed # 21-16-6HN
05-123-50843 Goldeneye Fed # 21-16-5HC
05-123-50844 GC Fed # 2
05-123-50845 Goldeneye Fed # 21-16-4HN
05-123-50846 GC Fed # 3
05-123-50847 Goldeneye Fed # 21-16-7HN
05-123-50848 Goldeneye Fed # 21-16-2HN

Operator Comments:

An exception is requested because access was not granted by the landowner for the one well located within 1/2 mile radius of the Goldeneye Center pad.

The exception request applies to the following wells:

05-123-50840 GC Fed # 1
05-123-50841 Goldeneye Fed # 21-16-3HN
05-123-50842 Goldeneye Fed # 21-16-6HN
05-123-50843 Goldeneye Fed # 21-16-5HC
05-123-50844 GC Fed # 2
05-123-50845 Goldeneye Fed # 21-16-4HN
05-123-50846 GC Fed # 3
05-123-50847 Goldeneye Fed # 21-16-7HN
05-123-50848 Goldeneye Fed # 21-16-2HN

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Erin Bailey
Title: Environmental Specialist Email: ebailey@quandaryconsultants.com Date: 2/9/2021

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 2/10/2021

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	A review of information available on COGIS maps indicates that the Operator has properly addressed all potential Water Sources, as defined by the 100 Series Rules, within a ½ mile radius of the oil & gas location.	02/10/2021

Total: 1 comment(s)

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
402595833	SUNDRY NOTICE APPROVED-GW
402595858	OTHER
402595866	OTHER
402596329	FORM 4 SUBMITTED

Total Attach: 4 Files