



Job Summary

Ticket Number	Ticket Date
TN# BCO-2101-0011	1/7/2021

COUNTY	COMPANY	API Number
WELD (CO)	NOBLE ENERGY	512324298
WELL NAME	RIG	JOB TYPE
HAGEMEISTER USX AA 7-4	Rigless	CM-P2A-TEMP
SURFACE WELL LOCATION	CJES Field Supervisor	CUSTOMER REP
40.506517 104.486775	ANTHONY STAPLES	Tyson Hamacher

EMPLOYEES		
ANTHONY LOPEZ	JUSTIN WILLIAMS	
JAMES PAYNE		
TROY THYE		

WELL PROFILE			
Max Treating Pressure (psi):		Bottom Hole Static Temperature (°F):	
Bottom Hole Circulating Temperature (°F):		Well Type:	

Open Hole

1	Size (in)	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
2	Size (in)	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)

Casing/Tubing/Drill Pipe

Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
Production	4.5	11.6		7007	0	7007	0
Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
Tubing	2.375	4.7		6632	0	6632	0
Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)

CEMENT DATA

Stage 1:	From Depth (ft):	6923	To Depth (ft):	6632
	Type: Quartz Plug			
	Volume (sacks):		Volume (bbls):	3.5
<hr/>				
	Cement & Additives:	Density (ppg)	Yield (ft^3/sk)	Water Rec
	QUARTZ BLEND			
<hr/>				
Stage 2:	From Depth (ft):		To Depth (ft):	
	Type:			
	Volume (sacks):		Volume (bbls):	
<hr/>				
	Cement & Additives:	Density (ppg)	Yield (ft^3/sk)	Water Rec
<hr/>				
Stage 3:	From Depth (ft):		To Depth (ft):	
	Type:			
	Volume (sacks):		Volume (bbls):	
<hr/>				
	Cement & Additives:	Density (ppg)	Yield (ft^3/sk)	Water Rec
<hr/>				
Stage 4:	From Depth (ft):		To Depth (ft):	
	Type:			
	Volume (sacks):		Volume (bbls):	
<hr/>				
	Cement & Additives:	Density (ppg)	Yield (ft^3/sk)	Water Rec

SUMMARY

Preflushes:	120 bbls of Fresh Water	Calculated Displacement (bbl):	25.7	Stage 1	Stage 2
	1 bbls of Fresh Water	Actual Displacement (bbl):	25.7		
	bbls of				
Total Preflush/Spacer Volume (bbl):	121	Plug Bump (Y/N):		Bump Pressure (psi):	
Total Slurry Volume (bbl):	3.5	Lost Returns (Y/N):	N	(if Y, when)	
Total Fluid Pumped	150.2				
Returns to Surface:					

Job Notes (fluids pumped / procedures / tools / etc.): Pumped 120 bbls of H2O down the tubing and followed it with 3.5 bbls and displaced it with 25.7 bbls of H2O. Calculated Quartz Coverage is 6923 ft to 6632 ft. Pumped 1 bbl of H2O while Pressuring up on the Casing.

Customer Representative Signature:

Thank You For Using
NexTier Completion Solutions

COMPANY DETAILS

Company: Noble
Contact: 1-8-21
Phone: Hagemeister

Email: USX AA 7-4

JOB DETAILS

DATE January 08, 2021
START TIME 8:08:14
END TIME 10:17:26
Ticket#:

Operator:
LSD#:

Comments:

SUMMARY GRAPH

