

FORM  
2

Rev  
12/20

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402592018

**(SUBMITTED)**

Date Received:

## APPLICATION FOR PERMIT TO:

Drill  Deepen  Re-enter  Recomplete and Operate

Amend

TYPE OF WELL OIL  GAS  COALBED  OTHER: \_\_\_\_\_

Refile

ZONE TYPE SINGLE ZONE  MULTIPLE ZONES  COMMINGLE ZONES

Sidetrack

Well Name: Bunker 8 Well Number: 4H  
 Name of Operator: MAGPIE OPERATING INC COGCC Operator Number: 52530  
 Address: 2707 SOUTH COUNTY RD 11  
 City: LOVELAND State: CO Zip: 80537  
 Contact Name: Ryan Warner Phone: (970)669-6308 Fax: ( )  
 Email: magpieoil@yahoo.com

### RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20210005

### WELL LOCATION INFORMATION

#### Surface Location

QtrQtr: NESW Sec: 29 Twp: 5N Rng: 68W Meridian: 6  
 Footage at Surface: 2050 Feet FNL/FSL 2275 Feet FEL/FWL FEL  
 Latitude: 40.369480 Longitude: -105.032010  
 GPS Data: GPS Quality Value: 1.2 Type of GPS Quality Value: PDOP Date of Measurement: 09/10/2018  
 Ground Elevation: 4985  
 Field Name: LOVELAND Field Number: 52000

Well Plan: is  Directional  Horizontal (highly deviated)  Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

#### Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 29 Twp: 5N Rng: 68W Footage at TPZ: 1779 FSL 652 FEL  
 Measured Depth of TPZ: 6305 True Vertical Depth of TPZ: 4680 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 30 Twp: 5N Rng: 68W Footage at TPZ: 1762 FSL 1984 FEL  
 Measured Depth of TPZ: 12877 True Vertical Depth of TPZ: 4575 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 30 Twp: 5N Rng: 68W Footage at BHL: 1762 FSL 1984 FEL  
 FNL/FSL FEL/FWL

## LOCAL GOVERNMENT PERMITTING INFORMATION

County: LARIMER

Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location?  Yes  No

If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Waived Date of Final Disposition: 10/21/2019

Comments: Larimer County, at the time of initial submittal of the 2A, did not regulate siting. They enacted rules during the processing of the 2A. They have chosen to waive siting for this location. A letter attesting to their waiving of regulating the Bunker 8 location is attached.

## SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location:  Fee  State  Federal  Indian

Mineral Owner beneath this Well's Oil and Gas Location:  Fee  State  Federal  Indian

Surface Owner Protection Financial Assurance (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

### MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- Fee  
 State  
 Federal  
 Indian  
 N/A

### LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Sec 29: SW4; Sec 31: N2NE; and Sec 32: NW4

Total Acres in Described Lease: 400 Described Mineral Lease is:  Fee  State  Federal  Indian

Federal or State Lease # \_\_\_\_\_

### SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 1880 Feet  
Building Unit: 1880 Feet  
Public Road: 2244 Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.

Above Ground Utility: 2228 Feet

- Building Unit – as defined in 100 Series Rules.

Railroad: 5280 Feet

Property Line: 348 Feet

### OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	384-3	3280	4N-68W Sec 5: W/2NE/4, NW/4, N/2SW/4, NW/4SE/4; Sec 6: N/2

Federal or State Unit Name (if appl): \_\_\_\_\_

Unit Number: \_\_\_\_\_

### SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 652 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 139 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### SPACING & FORMATIONS COMMENTS

**DRILLING PROGRAM**Proposed Total Measured Depth: 12877 Feet TVD at Proposed Total Measured Depth 4575 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 139 Feet  No well belonging to another operator within 1,500 feetWill a closed-loop drilling system be used? YesIs H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? NoWill salt sections be encountered during drilling? NoWill salt based (>15,000 ppm Cl) drilling fluids be used? NoWill oil based drilling fluids be used? YesBOP Equipment Type:  Annular Preventor  Double Ram  Rotating Head  None

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	36	30	Line	40	0	40	120	40	0
SURF	13+1/2	9+5/8	J55	36	0	1500	560	1500	0
1ST	8+5/8	5+1/2	P110	17	0	12877	1875	12877	0

 Conductor Casing is NOT planned**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Laramie/Fox Hills	0	0	1000	995	1001-10000	Groundwater Sample	Aquifer review on DWR showed no data for this area; TDS and depths are from Groundwater sampling sites on COGCC.
Confining Layer	Parkman	1000	995	1700	1610			
Hydrocarbon	Sussex	1700	1610	2200	1990			
Hydrocarbon	Shannon	2200	1990	5750	4470			
Confining Layer	Sharon Springs	5750	4470	5800	4500			
Hydrocarbon	Niobrara	5800	4500	12877	4575			Btm MD=TD, Btm TVD=TVD @ BHL, since well is drilled with inclination > 90 deg

**OPERATOR COMMENTS AND SUBMITTAL**Comments This is a replacement submittal for Document #401885049 to comply with the new rules effective January 15, 2021.

This application is in a Comprehensive Area Plan \_\_\_\_\_ CAP #: \_\_\_\_\_

Oil and Gas Development Plan Name \_\_\_\_\_ OGDP ID#: \_\_\_\_\_

Location ID: 307209

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Jessica DonahueTitle: Compliance Specialist Date: \_\_\_\_\_ Email: jdonahue@ardorenvironmental.

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

Expiration Date: \_\_\_\_\_

<b>API NUMBER</b>
05

### Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type	Description

### Best Management Practices

No	BMP/COA Type	Description
1	Drilling/Completion Operations	Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed well path with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottom hole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment.
2	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.
3	Drilling/Completion Operations	Alternative Program: Multi-Well Pad with Adequate Well Log Control in Offsetting Wells; Open Hole Logging Exception: One of the first wells drilled on the pad will be logged with cased-hole neutron log with gamma-ray log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run in that well and have those logs attached. The Form 5 for each well shall state "Open Hole Logging Exception - No open-hole logs were run", and shall clearly identify the type of log and the well (by API#) in which open-hole logs were run.

Total: 3 comment(s)

### Attachment List

Att Doc Num	Name
402596080	OffsetWellEvaluations Data
402596081	DIRECTIONAL DATA
402596082	LGD CONSULTATION
402596083	SURFACE AGRMT/SURETY
402596084	OPEN HOLE LOGGING EXCEPTION

402596085	DEVIATED DRILLING PLAN
402596086	WELL LOCATION PLAT
402601980	OPEN HOLE LOGGING EXCEPTION

Total Attach: 8 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	returned to draft: Distance to Building incorrect. Spacing Unit details not in unit configuration box. Open Hole Logging BMP is incorrect.	02/17/2021

Total: 1 comment(s)



**Public Comments**

No public comments were received on this application during the comment period.

