

FORM  
6Rev  
11/20

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

402590925

Date Received:

02/04/2021

## WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10323

Contact Name: Shannon Chollett

Name of Operator: ENTEK GRB LLC

Phone: (970) 250-0130

Address: 165 SOUTH UNION #366

Fax:

City: LAKEWOOD State: CO Zip: 80228

Email: shannon.chollett@state.co.us

For "Intent" 24 hour notice required,

Name: Waldron, Emily

Tel: (970) 819-9609

COGCC contact:

Email: emily.waldron@state.co.us

Type of Well Abandonment Report: ☒ Notice of Intent to Abandon ☐ Subsequent Report of Abandonment

API Number 05-081-06973-00

Well Name: ROBIDOUX (OWP)

Well Number: 23-13

Location: QtrQtr: NESW Section: 13 Township: 12N Range: 89W Meridian: 6

County: MOFFAT

Federal, Indian or State Lease Number:

Field Name: SLATER DOME

Field Number: 77551

### Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.992040

Longitude: -107.329510

GPS Data: GPS Quality Value: 2.4 Type of GPS Quality Value: PDOP Date of Measurement: 12/18/2013

Reason for Abandonment: ☐ Dry ☐ Production Sub-economic ☐ Mechanical Problems☒ Other OWP WellCasing to be pulled: ☐ Yes ☒ No Estimated Depth:Fish in Hole: ☐ Yes ☒ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☒ No If yes, explain details below

Details:

### Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
ILES COAL	474	618			
ILES	1514	1608	08/16/2004	BRIDGE PLUG	800

Total: 2 zone(s)

### Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	9+5/8	NA	32.3	0	228	155	228	0	VISU
1ST	7+7/8	5+1/2	K-55	14	0	1695	380	1695	300	CBL

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 1456 with 3 sacks cmt on top. CIBP #2: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #3: Depth 424 with 3 sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 20 sks cmt from 866 ft. to 719 ft. Plug Type: CASING Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐

Perforate and squeeze at 278 ft. with 105 sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

(Cast Iron Cement Retainer Depth)

Set \_\_\_\_\_ sacks half in. half out surface casing from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Tagged: ☐

Set \_\_\_\_\_ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing

Surface Plug Setting Date: \_\_\_\_\_ Cut and Cap Date: \_\_\_\_\_ Number of Days from Setting Surface Plug to Capping or Sealing the Well: \_\_\_\_\_

\*Wireline Contractor: \_\_\_\_\_

\*Cementing Contractor: \_\_\_\_\_

Type of Cement and Additives Used: \_\_\_\_\_

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Shannon Chollett

Title: OWP Engineer Date: 2/4/2021 Email: shannon.chollett@state.co.us

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: BURGER, CRAIG

Date: 2/25/2021

CONDITIONS OF APPROVAL, IF ANY:

Expiration Date: 8/24/2021

COA Type	Description
	<p>1)Provide 48 hour notice of plugging MIRU via electronic Form 42.</p> <p>2)Minimum 25' of cement on top of CIBP – 3 sacks for 5 ½” casings, 5 sacks for 7” casings.</p> <p>3)The approved Form 6, Notice of Intent will be at the location during all phases of plugging operations.</p> <p>4)Operator shall implement measures to control venting and to ensure that vapors and odors from well plugging operations do not constitute a nuisance or hazard.</p> <p>5)Properly abandon flowlines as per Rule 1105. File electronic Form 42 once on location abandonment complete. Within 30 days of an operator completing abandonment requirements for an off-location flowline or crude oil transfer line the operator shall submit a Flowline Report, Form 44.</p> <p>6)Check bradenhead annulus pressure prior to MIRU. Perform a bradenhead test if bradenhead pressure is greater than 25 psi, submit results electronically on a Form 17, and contact COGCC area engineer.</p> <p>If a well has a bradenhead pressure greater than 25 PSI measured at the time of the test then a sample of both the production and bradenhead gas (if sufficient volume to analyze) shall be collected and submitted for laboratory analysis of the gas composition and stable isotopes. The compositional analysis should include hydrogen, argon, oxygen, carbon dioxide, nitrogen, methane (C1), ethane (C2), ethene, propane (nC3), isobutane (iC4), butane (nC4), isopentane (iC5), pentane (nC5), hexanes +, specific gravity and British Thermal Units (BTU).The stable isotope analysis should include delta DC1, delta 13C1, delta 13C2, delta 13C3, delta 13iC4, delta 13nC4, delta 13iC5 (if possible), delta 13nC5 (if possible), and delta 13C of CO2 (if possible). The analytical results shall be submitted to the COGCC via Form 43 (Analytical Sample Submittal Form).</p> <p>Gas sample containers should be filled in accordance with container manufacturer or laboratory recommendations; purging multiple container volumes may not be feasible due to limited gas volumes.</p> <p>If water is encountered in the bradenhead during testing then samples (if sufficient quantity to analyze) should be collected and submitted for the laboratory analysis of major anions (chloride, carbonate, bicarbonate, and sulfate), cations (sodium, potassium, calcium, and magnesium) total dissolved solids (TDS), BTEX, DRO, GRO, and dissolved gasses (RSK 175). If there is a limited amount of water available then anions, cations and BTEX should be given first priority. Data from bradenhead water samples shall be submitted to the COGCC via Form 43.</p> <p>Please refer to Appendix A of the COGCC Operator Instructions for Bradenhead Testing and Reporting for more information regarding testing and sampling protocol. The operator shall provide notice to Environmental Supervisor Alex Fischer at alex.fischer@state.co.us or 303-894-2100 X 5138 and COGCC Engineer Craig Burger at craig.burger@state.co.us or 970-319-4194, a minimum of 72 hours prior to conducting field operations. Bradenhead testing and sample collection (if applicable). If samples are collected, copies of all final laboratory analytical results shall be provided to the COGCC within three (3) months of collecting the samples.</p>
	<ul style="list-style-type: none"> <li>• If well pad activities (well plugging and abandonment, flowline abandonment, separator/storage tank removal, and reclamation) must occur within CPW-mapped mule deer/elk severe winter range and winter concentration areas and a greater sage grouse 1-mile LEK buffer; the COGCC/operator and their contractors agree to conduct oil and gas operations outside the time period from December 1 through June 30.</li> <li>• CPW recommends a native seed mix with a good diversity of native grasses, forbs, and shrubs for the final reclamation of this site.</li> </ul>

### Attachment List

<u>Att Doc Num</u>	<u>Name</u>
402590925	FORM 6 INTENT SUBMITTED
402591362	WELLBORE DIAGRAM

Total Attach: 2 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	This Location and its associated file materials was fully reviewed during the OGLA review of this Form 6 Well Abandonment Report, Notice of Intent in accordance with current Rules. Based on consultation with CPW, COGCC has placed wildlife protection COAs (timing limitations for all site activities and recommended seed mix options for final reclamation). This Form 6 complies with all COGCC Rules and is adequately protective of public health, safety, welfare, the environment, and wildlife resources. Passed the OGLA task.	02/25/2021
Permit	Interval and WBD corrected. Pass.	02/04/2021
Permit	-Confirmed as-drilled well location. -Production reporting excluded. -According to docnum: 950421, the Isles is from 1514 to 1608. -Confirmed productive intervals docnum: 1267990, 1267990, 950421 -Returned to draft.	02/04/2021

Total: 3 comment(s)