

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 12/01/2020 Document Number: 402544150

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: Schuyler Hamilton Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (303) 774-4017 Address: 1801 CALIFORNIA STREET #2500 Email: Schuyler.Hamilton@Crestonepr.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 435070 Location Type: Production Facilities Name: BOHRER Number: 19H-E168 County: WELD Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6 Latitude: 40.214370 Longitude: -105.052450

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473618 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 435070 Location Type: Well Site   
Name: BOHRER Number: 19H-E168  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.214370 Longitude: -105.052450  
Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473796 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities   
Name: BOHRER Number: 19H-E168  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.214370 Longitude: -105.052450  
Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473798 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities   
Name: BOHRER Number: 19H-E168  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473615 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Well Site   
Name: BOHRER Number: 19H-E168  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473620 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Well Site

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473797 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473800 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities   
Name: BOHRER Number: 19H-E168  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473619 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Well Site

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473795 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473792 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473799 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473617 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Well Site   
Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473622 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Well Site   
Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473623 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: \_\_\_\_\_ Well Site   
Name: BOHRER Number: 19H-E168  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6  
Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473616 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 431917 Location Type: \_\_\_\_\_ Well Site

Name: Bohrer Trust Number: 21-19 pad

County: WELD No Location ID

Qtr Qtr: NWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.217690 Longitude: -105.053050

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/01/2013

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473621 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: \_\_\_\_\_ Well Site

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473793 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473794 Flowline Type: Process Piping Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Well

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Production Facilities

Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Separator

**Flowline Description and Testing**

Type of Fluid Transferred: Natural Gas Pipe Material: HDPE Max Outer Diameter:(Inches) 1.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 03/30/2015

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 473614 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 435070 Location Type: Well Site   
Name: BOHRER Number: 19H-E168

County: WELD No Location ID

Qtr Qtr: SWNW Section: 19 Township: 3N Range: 68W Meridian: 6

Latitude: 40.214370 Longitude: -105.052450

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/14/2014

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**OPERATOR COMMENTS AND SUBMITTAL**

Comments This form is submitted as a December 1, 2020 update including a description of corrosion protection, integrity management system and GIS data.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 12/01/2020 Email: Schuyler.Hamilton@Crestonepr.com

Print Name: Schuyler Hamilton Title: EHS Field Tech

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

**Conditions of Approval**

**COA Type**

**Description**

--	--

**Attachment Check List**

**Att Doc Num**

**Name**

402544151	OFF-LOCATION FLOWLINE GEODATABASE GDB
-----------	---------------------------------------

Total Attach: 1 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
		Stamp Upon Approval

Total: 0 comment(s)

