

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

12/14/2020

Document Number:

402553103

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 46290 Contact Person: Jeff Rickard
Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 825-4822
Address: 1675 BROADWAY, STE 2800 Email: jrickard@kpk.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 450409 Location Type: Production Facilities
Name: LANSONS FARMS BATTERY Number:
County: WELD
Qtr Qtr: NWNE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.102003 Longitude: -104.966802

Description of Corrosion Protection

Description of Integrity Management Program

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475983 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318242 Location Type: Well Site ☐
Name: LANSONS FARM-62N68W Number: 35NWSE
County: WELD No Location ID
Qtr Qtr: NWSE Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.093170 Longitude: -104.968180

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) _____
Bedding Material: Native Materials Date Construction Completed: 07/10/1976
Maximum Anticipated Operating Pressure (PSI): 14 Testing PSI: 16
Test Date: 05/09/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475978 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318246 Location Type: Well Site ☒
Name: LANSONS FARM-62N68W Number: 35NWSW
County: WELD No Location ID
Qtr Qtr: NWSW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.092810 Longitude: -104.977220

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 08/08/1976
Maximum Anticipated Operating Pressure (PSI): 17 Testing PSI: 21
Test Date: 06/10/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475985 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317930 Location Type: Well Site ☐
Name: LANSONS FARMS-62N68W Number: 35SWNE
County: WELD No Location ID
Qtr Qtr: SWNE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.096920 Longitude: -104.967470
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 01/31/1974
Maximum Anticipated Operating Pressure (PSI): 16 Testing PSI: 20
Test Date: 06/10/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475982 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317898 Location Type: Well Site ☐
Name: LANSONS FARMS-62N68W Number: 35NESW
County: WELD No Location ID
Qtr Qtr: NESW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.093108 Longitude: -104.972903
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/07/1973
Maximum Anticipated Operating Pressure (PSI): 17 Testing PSI: 21
Test Date: 06/10/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475987 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317899 Location Type: _____ Well Site ☐
Name: LANSONS FARMS-62N68W Number: 35NENW
County: WELD No Location ID
Qtr Qtr: NENW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.100478 Longitude: -104.972922

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 12/13/1973
Maximum Anticipated Operating Pressure (PSI): 16 Testing PSI: 20
Test Date: 05/09/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475988 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317931 Location Type: _____ Well Site ☐
Name: LANSONS FARM-62N68W Number: 35SWSE
County: WELD No Location ID
Qtr Qtr: SWSE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.089470 Longitude: -104.968690

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 02/15/1974
Maximum Anticipated Operating Pressure (PSI): 16 Testing PSI: 20
Test Date: 06/11/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475986 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318245 Location Type: _____ Well Site ☐
Name: LANSONS FARM-62N68W Number: 35NWNW
County: WELD No Location ID
Qtr Qtr: NWNW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.100500 Longitude: -104.977190

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/14/1976
Maximum Anticipated Operating Pressure (PSI): 16 Testing PSI: 20
Test Date: 06/10/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475979 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317933 Location Type: _____ Well Site ☐

Name: LANSONS FARM-62N68W

Number: 35SWNW

County: WELD

No Location ID

Qtr Qtr: SWNW Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.096970 Longitude: -104.977560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 01/31/1974

Maximum Anticipated Operating Pressure (PSI): 16 Testing PSI: 20

Test Date: 06/10/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475980 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 317897 Location Type: Well Site

Name: LANSONS FARMS-62N68W Number: 35NESE

County: WELD

No Location ID

Qtr Qtr: NESE Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.093236 Longitude: -104.963478

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 11/21/1973

Maximum Anticipated Operating Pressure (PSI): 15 Testing PSI: 18

Test Date: 05/09/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 475984 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 317932 Location Type: _____ Well Site ☐

Name: LANSONS FARM-62N68W Number: 35SWSW

County: WELD No Location ID

Qtr Qtr: SWSW Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.088948 Longitude: -104.977519

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 02/07/1974

Maximum Anticipated Operating Pressure (PSI): 20 Testing PSI: 24

Test Date: 06/11/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 475976 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 318243 Location Type: _____ Well Site ☐

Name: LANSONS FARM-62N68W Number: 35SEnw

County: WELD No Location ID

Qtr Qtr: SEnw Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.096940 Longitude: -104.972940

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/18/1976

Maximum Anticipated Operating Pressure (PSI): 16 Testing PSI: 20

Test Date: 05/09/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475981 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318244 Location Type: _____ Well Site ☐
Name: LANSONS FARM-62N68W Number: 35SESW
County: WELD No Location ID
Qtr Qtr: SESW Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.089547 Longitude: -104.973025

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 08/02/1976
Maximum Anticipated Operating Pressure (PSI): 20 Testing PSI: 24
Test Date: 06/11/2019

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475977 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 318240 Location Type: _____ Well Site ☐
Name: LANSONS FARM-62N68W Number: 35SENE
County: WELD No Location ID
Qtr Qtr: SENE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.096710 Longitude: -104.964340

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 07/23/1976
Maximum Anticipated Operating Pressure (PSI): 17 Testing PSI: 21
Test Date: 05/09/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or
Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 475990 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 311286 Location Type: _____ Well Site ☐
Name: LANSONS FARMS-62N68W Number: 35NENE
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 2N Range: 68W Meridian: 6
Latitude: 40.100490 Longitude: -104.963410

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000
Bedding Material: Native Materials Date Construction Completed: 11/04/1973
Maximum Anticipated Operating Pressure (PSI): 15 Testing PSI: 18
Test Date: 05/09/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or
Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 475989 Flowline Type: Wellhead Line Action Type: Out of Service**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**Location ID: 318241 Location Type: _____ Well Site ☐

Name: NELSON

Number: 2-35

County: WELD

No Location ID

Qtr Qtr: NWNE Section: 35 Township: 2N Range: 68W Meridian: 6

Latitude: 40.100543 Longitude: -104.967367

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/20/1976

Maximum Anticipated Operating Pressure (PSI): 20 Testing PSI: 25

Test Date: 06/11/2019

OFF LOCATION FLOWLINE Out of Service

Date: 12/11/2020

☒ Entire Line Removal

☐ Partial Line Removal

Description of Out of Service:

Flowline has been OSSLAT'd and passed its most recent annual pressure test.

OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Date: 12/14/2020 Email: jrickard@kpk.com

Print Name: Jeff Rickard Title: Regulatory

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 2/5/2021

Conditions of Approval

COA Type

Description

Attachment Check List

Att Doc Num

Name

402553103	Form 44 Approved-O
402592973	Form44 Submitted

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)