

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 02/23/2021 Document Number: 402606872

Flowline System

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 8960 Contact Person: Fred Kayser Company Name: BONANZA CREEK ENERGY OPERATING COMPANY LLC Phone: (970) 3964900 Address: 410 17TH STREET SUITE #1400 Email: flowlines@bonanzacrk.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

FLOWLINE SYSTEM

FLOWLINE SYSTEM IDENTIFICATION

Facility ID Number: 478703 Flowline System Name: Bonanza Creek Flowlines

FLOWLINE SYSTEM REGISTRATION

A representative legal location and associated latitude and longitude near the center of the Flowline System.

County: WELD Qtr Qtr: SENE Section: 26 Township: 5N Range: 63W Meridian: 6 Latitude: 40.371670 Longitude: -104.396120 GPS Quality Value: Type of GPS Quality Value: Measurement Date: 09/12/2013

FLOWLINE DESCRIPTION AND TESTING

Date Construction Completed: 09/15/2020 Pipe Material: Carbon Steel Bedding Material: Native Materials Max outer Diameter (inches): 2.000 Type of Fluid Transferred: Multiphase Max Anticipated Operating PSI: 200 Testing Pressure: 2210 Test Date: 09/11/2020

Description of Corrosion Protection:

The potential for internal corrosion in the piping is addressed by sweeping any liquids, mainly water, out of the pipe by pigging the line twice monthly.

External corrosion potential is addressed by ensuring that all buried lines have external coating, with shrink sleeves installed on larger pipe bare joints, and taped joints on smaller pipe. All external pipe coating is tested "jeeped" prior to being installed in ditch.

Galvanic Anodes are frequently installed with buried piping, and flange isolation kits are strategically used where necessary, to optimize effectiveness of cathodic protection.

Description of Integrity Management Program:

BCEOC has a Flowline Integrity Management Plan in place, dated October 2020 that is in compliance with the COGCC 1100 series flowline rules. Attached to original registration.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

The majority of flowlines are not near any known and defined public receptors or road crossings. Those that are, county permits are acquired prior to construction of county road crossings. Permit conditions contain minimum construction requirements.

There are no flowlines installed near any known sensitive wildlife habitats.

FLOWLINE SYSTEM PRE-ABANDONMENT NOTICE

Date: 03/23/2021

Pre-Abandonment 30-day Notice

- Removed per Rule 1105.d.(2)
- Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:
 - A. A surface owner agreement executed by a surface owner allows abandonment in place.
 - B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
 - C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
 - D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
 - E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
 - F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
 - G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
 - H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.
- Abandoned In Place per Rule 1105.d.(3)

Description of Pre-Abandonment Notice:

The NP 31/32-34/2/ GL Line will be fully removed from the North Platte 32-34 wellhead to the manifold on the north of the North Platte 41-34 well pad (location ID 413974).

The NP 32-34 WH Line will be partially abandoned in place. It will be fully removed from the wellhead to the North Platte 41-34 well pad (location ID 413974). From the North Platte 41-34 pad to the separator located at North Platte Sec 34 /Tank Battery (location ID 418320) the flowline will be abandoned in place. This segment is co-located with other active flowlines and crosses an irrigation ditch.

See attached site layout.

The subreport 'Submit' could not be found at the specified location \\DNRWBP004\eFormReports\Form44\44 submit.rdlc.

Conditions of Approval

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

402606933	PROPOSED ABANDONMENT LAYOUT DRAWING
-----------	-------------------------------------

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)

