

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
MW01	8/21/2015	9,600	8,780	610	8,760	NA	NA	NA	NA	NA	NA	NM	NA
	5/3/2016	258	16.1	15.2	133	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	144	<4.00	<4.00	9.64	NA	NA	NA	NA	NA	NA	13.11	NA
	11/28/2016	166	<4.00	<4.00	23.3	NA	NA	NA	NA	NA	NA	14.49	85.99
	2/27/2017	54.6	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.59	84.89
	5/22/2017	35.8	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.15	84.33
	8/22/2017	52.4	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.80	85.68
	11/16/2017	11.7	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.33	85.15
	2/6/2018	5.34	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.16	84.32
	5/30/2018	2.35	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.03	83.45
	8/23/2018	2.83	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.65	83.83
	11/19/2018	336	<1.00	4.35	25.3	NA	NA	NA	NA	NA	NA	17.17	83.31
	2/28/2019	70.9	<4.00	4.08	29.4	NA	NA	NA	NA	NA	NA	18.05	82.43
	5/17/2019	26.9	<1.00	1.13	9.13	NA	NA	NA	NA	NA	NA	18.65	81.83
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.79	82.69
	12/2/2019	455	<1.00	<1.00	66.2	NA	NA	NA	NA	NA	NA	19.68	80.80
	2/25/2020	<4.00	<4.00	<4.00	<4.00	NA	NA	NA	NA	NA	NA	19.61	80.87
5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.53	80.95	
8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.50	81.98	
11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.29	81.19	
2/24/2021	<4.00	<4.00	<4.00	<4.00	<16.0	<4.00	<4.00	736,000	50,600	215,000	20.37	80.11	
MW02	5/3/2016	19,900	4,570	340	6,430	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	17,000	2,090	625	6,680	NA	NA	NA	NA	NA	NA	12.72	NA
	11/28/2016	9,490	145	380	3,790	NA	NA	NA	NA	NA	NA	13.90	84.81
	2/27/2017	7,350	192	408	4,220	NA	NA	NA	NA	NA	NA	14.94	83.77
	5/22/2017	5,370	<100	404	3,650	NA	NA	NA	NA	NA	NA	15.33	83.38
	8/22/2017	4,210	<50.0	392	3,300	NA	NA	NA	NA	NA	NA	14.31	84.40
	11/16/2017	49.9	<1.00	6.62	48.7	NA	NA	NA	NA	NA	NA	14.92	83.79
	2/6/2018	1,490	1.23	510	4,450	NA	NA	NA	NA	NA	NA	15.50	83.21
	5/30/2018	4,260	<10.0	283	1,750	NA	NA	NA	NA	NA	NA	16.40	82.31
	8/23/2018	3,990	<50.0	301	2,410	NA	NA	NA	NA	NA	NA	16.07	82.64
	11/19/2018	2,730	<50.0	770	6,720	NA	NA	NA	NA	NA	NA	16.44	82.27
	2/28/2019	1,060	<50.0	420	3,680	NA	NA	NA	NA	NA	NA	17.29	81.42
	5/17/2019	3,340	<50.0	233	1,670	NA	NA	NA	NA	NA	NA	18.05	80.66
8/15/2019	66.4	<1.00	4.03	30.1	NA	NA	NA	NA	NA	NA	17.09	81.62	

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	12/2/2019	2,270	<50.0	175	2,070	NA	NA	NA	NA	NA	NA	17.89	80.82
	2/25/2020	752	<50.0	140	1,620	NA	NA	NA	NA	NA	NA	12.82	85.89
	5/6/2020	1,040	<100	710	8,080	NA	NA	NA	NA	NA	NA	18.50	80.21
	8/26/2020	1,630	<50.0	682	10,100	NA	NA	NA	NA	NA	NA	17.61 (0.02)	81.12
	11/30/2020	671	<50.0	376	3,230	NA	NA	NA	NA	NA	NA	18.47	80.24
	2/24/2021	899	<4.00	417	4,100	28.5	234	160	788,000	61,700	2,090	19.47	79.24
MW03	5/3/2016	4,500	3,970	260	1,820	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	1,590	931	105	920	NA	NA	NA	NA	NA	NA	14.10	NA
	11/28/2016	665	342	54.9	460	NA	NA	NA	NA	NA	NA	15.21	86.31
	2/27/2017	302	99.0	37.8	290	NA	NA	NA	NA	NA	NA	17.05	84.47
	5/22/2017	1,150	4.48	17.0	65.4	NA	NA	NA	NA	NA	NA	17.04	84.48
	8/22/2017	1,670	44.8	21.0	75.0	NA	NA	NA	NA	NA	NA	15.64	85.88
	11/16/2017	50.1	1.06	2.15	9.64	NA	NA	NA	NA	NA	NA	16.23	85.29
	2/6/2018	513	29.5	10.4	47.4	NA	NA	NA	NA	NA	NA	16.98	84.54
	5/30/2018	788	<4.00	22.5	31.2	NA	NA	NA	NA	NA	NA	17.83	83.69
	8/23/2018	1,310	<10.0	46.1	<10.0	NA	NA	NA	NA	NA	NA	17.42	84.10
	11/19/2018	3,340	117	155	746	NA	NA	NA	NA	NA	NA	17.97	83.55
	2/28/2019	1,640	<100	<100	672	NA	NA	NA	NA	NA	NA	18.79	82.73
	5/17/2019	3,400	47.6	96.4	666	NA	NA	NA	NA	NA	NA	19.53	81.99
	8/15/2019	51.2	<1.00	1.88	8.12	NA	NA	NA	NA	NA	NA	18.63	82.89
	12/2/2019	1,860	<50.0	107	694	NA	NA	NA	NA	NA	NA	14.53	86.99
	2/25/2020	1,950	<50.0	106	604	NA	NA	NA	NA	NA	NA	20.51	81.01
	5/6/2020	402	<100	<100	<100	NA	NA	NA	NA	NA	NA	20.49	81.03
	8/26/2020	162	<50.0	<50.0	217	NA	NA	NA	NA	NA	NA	19.34	82.18
	11/30/2020	363	<50.0	137	1,190	NA	NA	NA	NA	NA	NA	20.21	81.31
	2/24/2021	45.1	<4.00	<4.00	15.9	<16.0	4.52	9.80	NA	NA	NA	21.23	80.29
MW04	5/3/2016	1,050	<1.0	177	544	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	308	<10.0	74.5	151	NA	NA	NA	NA	NA	NA	14.02	NA
	11/28/2016	220	<1.00	91.1	95.1	NA	NA	NA	NA	NA	NA	16.00	85.93
	2/27/2017	201	<4.00	70.3	120	NA	NA	NA	NA	NA	NA	16.46	85.47
	5/22/2017	139	<4.00	59.4	74.5	NA	NA	NA	NA	NA	NA	17.00	84.93
	8/22/2017	21.3	<4.00	17.5	15.5	NA	NA	NA	NA	NA	NA	15.58	86.35
	11/16/2017	117	<1.00	107	167	NA	NA	NA	NA	NA	NA	16.17	85.76
	2/6/2018	33.5	<1.00	49.9	62.5	NA	NA	NA	NA	NA	NA	17.11	84.82

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	5/30/2018	4.40	<1.00	10.1	10.6	NA	NA	NA	NA	NA	NA	18.03	83.90
	8/23/2018	26.4	<1.00	59.2	61.8	NA	NA	NA	NA	NA	NA	17.32	84.61
	11/19/2018	19.3	<1.00	63.8	26.8	NA	NA	NA	NA	NA	NA	17.96	83.97
	2/28/2019	15.8	<1.00	82.5	19.6	NA	NA	NA	NA	NA	NA	18.98	82.95
	5/17/2019	9.28	<1.00	37.8	25.6	NA	NA	NA	NA	NA	NA	19.64	82.29
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.05	82.88
	12/2/2019	3.67	<1.00	33.8	13.2	NA	NA	NA	NA	NA	NA	19.70	82.23
	2/25/2020	<1.00	<1.00	2.65	<1.00	NA	NA	NA	NA	NA	NA	20.71	81.22
	5/6/2020	5.80	<1.00	62.0	21.2	NA	NA	NA	NA	NA	NA	20.57	81.36
	8/26/2020	1.38	<1.00	34.0	5.22	NA	NA	NA	NA	NA	NA	19.45	82.48
	11/30/2020	3.44	<1.00	65.9	17.9	NA	NA	NA	NA	NA	NA	20.38	81.55
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	1.11	<1.00	584,000	65,500	31,100	21.48	80.45
MW05	5/3/2016	142	82.7	1.4	79.9	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	1,070	14.9	59.9	294	NA	NA	NA	NA	NA	NA	13.71	NA
	11/28/2016	331	28.9	10.0	53.6	NA	NA	NA	NA	NA	NA	15.62	84.78
	2/27/2017	438	120	34.8	189	NA	NA	NA	NA	NA	NA	16.41	83.99
	5/22/2017	593	222	75.4	381	NA	NA	NA	NA	NA	NA	16.37	84.03
	8/22/2017	261	116	56.2	239	NA	NA	NA	NA	NA	NA	15.40	85.00
	11/16/2017	8.18	<1.00	2.78	6.57	NA	NA	NA	NA	NA	NA	16.13	84.27
	2/6/2018	10.3	10.5	6.95	30.8	NA	NA	NA	NA	NA	NA	16.99	83.41
	5/30/2018	2.84	1.52	3.93	17.4	NA	NA	NA	NA	NA	NA	17.91	82.49
	8/23/2018	30.2	5.80	56.9	214	NA	NA	NA	NA	NA	NA	17.24	83.16
	11/19/2018	14.5	1.53	58.4	153	NA	NA	NA	NA	NA	NA	17.87	82.53
	2/28/2019	<1.00	<1.00	<1.00	47.8	NA	NA	NA	NA	NA	NA	18.89	81.51
	5/17/2019	<1.00	<1.00	<1.00	5.23	NA	NA	NA	NA	NA	NA	19.37	81.03
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.14	82.26
	12/2/2019	1.87	<1.00	<1.00	47.5	NA	NA	NA	NA	NA	NA	19.27	81.13
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.20	80.20
	5/6/2020	1.54	<1.00	23.4	277	NA	NA	NA	NA	NA	NA	19.76	80.64
	8/26/2020	1.14	<1.00	1.96	29.0	NA	NA	NA	NA	NA	NA	18.88	81.52
	11/30/2020	1.38	<1.00	3.14	162	NA	NA	NA	NA	NA	NA	20.01	80.39
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	581,000	152,000	98,800	21.07	79.33
MW06	5/3/2016	8,170	3,720	399	5,250	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	6,410	784	470	5,720	NA	NA	NA	NA	NA	NA	10.71	NA

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	11/28/2016	7,020	2,260	304	3,100	NA	NA	NA	NA	NA	NA	11.74	84.05
	2/27/2017	3,130	1,910	315	3,580	NA	NA	NA	NA	NA	NA	12.70	83.09
	5/22/2017	2,070	1,030	351	3,750	NA	NA	NA	NA	NA	NA	12.97	82.82
	8/22/2017	3,830	1,160	347	3,920	NA	NA	NA	NA	NA	NA	12.01	83.78
	11/16/2017	48.5	18.6	5.19	46.6	NA	NA	NA	NA	NA	NA	12.63	83.16
	2/6/2018	2,830	472	426	4,820	NA	NA	NA	NA	NA	NA	13.31	82.48
	5/30/2018	3,290	503	230	2,710	NA	NA	NA	NA	NA	NA	14.25	81.54
	8/23/2018	112	43.1	5.82	69.9	NA	NA	NA	NA	NA	NA	13.90	81.89
	11/19/2018	7,140	5,150	395	4,910	NA	NA	NA	NA	NA	NA	14.33	81.46
	2/28/2019	1,420	486	<100	1,010	NA	NA	NA	NA	NA	NA	15.23	80.56
	5/17/2019	2,270	12.0	138	1,470	NA	NA	NA	NA	NA	NA	15.91	79.88
	8/15/2019	47.1	<1.00	1.91	23.7	NA	NA	NA	NA	NA	NA	14.96	80.83
	12/2/2019	874	<50.0	<50.0	646	NA	NA	NA	NA	NA	NA	15.71	80.08
	2/25/2020	1,080	<50.0	<50.0	377	NA	NA	NA	NA	NA	NA	16.51	79.28
	5/6/2020	950	<50.0	<50.0	286	NA	NA	NA	NA	NA	NA	16.17	79.62
	8/26/2020	910	<50.0	<50.0	207	NA	NA	NA	NA	NA	NA	15.52	80.27
	11/30/2020	406	<50.0	<50.0	<50.0	NA	NA	NA	NA	NA	NA	16.33	79.46
	2/24/2021	89.2	<4.00	<4.00	<4.00	<16.0	<4.00	<4.00	581,000	51,600	99,700	17.23	78.56
MW07	5/3/2016	83.3	94.3	7.0	64.3	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	48.9	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.07	NA
	11/28/2016	17.2	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.27	85.64
	2/27/2017	54.3	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.39	84.52
	5/22/2017	166	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.97	83.94
	8/22/2017	1.31	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.66	85.25
	11/16/2017	2.21	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.06	84.85
	2/6/2018	11.5	<1.00	<1.00	5.28	NA	NA	NA	NA	NA	NA	15.93	83.98
	5/30/2018	2.60	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.82	83.09
	8/23/2018	31.3	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.59	83.32
	11/19/2018	2.11	1.44	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.01	82.90
	2/28/2019	23.0	<1.00	2.08	9.40	NA	NA	NA	NA	NA	NA	17.75	82.16
	5/20/2019	4.02	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.38	81.53
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.01	81.90
	12/2/2019	105	<1.00	2.38	34.3	NA	NA	NA	NA	NA	NA	18.37	81.54
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.29	80.62
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.25	80.66

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.20	81.71
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.97	80.94
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	626,000	58,600	173,000	20.08	79.83
MW08	5/3/2016	<1.0	<1.0	36.9	146	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	<1.00	<1.00	2.64	5.36	NA	NA	NA	NA	NA	NA	12.04	NA
	11/28/2016	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.41	84.22
	2/27/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.27	83.36
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.81	83.82
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.42	84.21
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.10	83.53
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.00	82.63
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.82	81.81
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.32	82.31
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.78	81.85
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.74	80.89
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.13	80.50
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.15	81.48
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.09	80.54
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.54	80.09
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.51	80.12
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.75	80.88
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.81	79.82
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	567,000	81,800	73,300	18.70	78.93
MW09	5/3/2016	62.3	<1.0	1.8	51.7	NA	NA	NA	NA	NA	NA	NM	NA
	8/26/2016	48.6	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.01	NA
	11/28/2016	10.4	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.18	84.05
	2/27/2017	21.9	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.11	83.12
	5/22/2017	73.0	<1.00	<1.00	2.03	NA	NA	NA	NA	NA	NA	14.69	82.54
	MW09 destroyed as of 8/22/2017												
MW09R	10/13/2017	3.86	<1.00	1.75	22.8	NA	NA	NA	NA	NA	NA	11.38	85.59
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.67	83.28
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.45	82.50
	5/30/2018	1.06	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.32	81.63

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
MW09R	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.04	81.91
	11/19/2018	3.36	<1.00	10.5	30.9	NA	NA	NA	NA	NA	NA	15.48	81.47
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.26	80.69
	5/20/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.87	80.08
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.81	80.14
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.79	80.16
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.57	79.38
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.35	79.60
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.60	80.35
	11/30/2020	<1.00	<1.00	<1.00	2.10	NA	NA	NA	NA	NA	NA	17.43	79.52
2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	738,000	56,300	172,000	18.27	78.68	
MW10	11/28/2016	<4.00	<4.00	<4.00	<4.00	NA	NA	NA	NA	NA	NA	14.96	84.91
	2/27/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.15	83.72
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.77	84.10
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.39	84.48
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.83	84.04
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.74	83.13
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.58	82.29
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.00	82.87
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.57	81.30
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.60	81.27
	5/17/2019	Inaccessible - Not Sampled				NA	NA	NA	NA	NA	NA	NM	NA
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.81	82.06
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.91	80.96
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.90	79.97
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.35	80.52
8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.53	81.34	
11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.64	80.23	
2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	533,000	76,900	69,600	20.64	79.23	
MW11	11/28/2016	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.00	86.48
	2/27/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.25	85.23
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.71	84.77
	8/22/2017	Not Found - Not Sampled				NA	NA	NA	NA	NA	NA	NM	NA
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.88	85.60

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.76	84.72
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.68	83.80
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.12	84.36
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.68	84.80
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.76	82.72
	5/17/2019	Inaccessible - Not Sampled				NA	NA	NA	NA	NA	NA	NM	NA
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.07	83.41
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.36	82.12
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.35	81.13
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.12	81.36
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.98	82.50
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.03	81.45
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	691,000	138,000	104,000	22.16	80.32
MW12	11/28/2016	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.57	87.8
	2/27/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.80	86.57
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.42	85.95
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.81	87.56
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	18.39	86.98
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.28	86.09
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.18	85.19
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.64	85.73
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.32	85.05
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.36	84.01
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	22.05	83.32
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.07	84.30
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	22.14	83.23
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	23.13	82.24
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	23.27	82.10
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.92	83.45
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	22.82	82.55
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	591,000	32,300	148,000	24.01	81.36
MW13	11/28/2016	<4.00	<4.00	<4.00	8.80	NA	NA	NA	NA	NA	NA	15.44	87.25
	2/27/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.59	86.1
	5/22/2017	<1.00	<1.00	1.47	2.41	NA	NA	NA	NA	NA	NA	17.44	85.25

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	8/22/2017	<1.00	<1.00	5.60	9.94	NA	NA	NA	NA	NA	NA	15.88	86.81
	11/16/2017	<1.00	<1.00	3.00	4.98	NA	NA	NA	NA	NA	NA	16.52	86.17
	2/6/2018	<1.00	<1.00	4.03	8.30	NA	NA	NA	NA	NA	NA	17.17	85.52
	5/30/2018	<1.00	<1.00	2.65	5.50	NA	NA	NA	NA	NA	NA	19.17	83.52
	8/23/2018	<1.00	<1.00	1.09	<1.00	NA	NA	NA	NA	NA	NA	17.78	84.91
	11/19/2018	<1.00	1.58	<1.00	2.20	NA	NA	NA	NA	NA	NA	18.17	84.52
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.05	83.64
	5/20/2019	<1.00	<1.00	1.66	4.69	NA	NA	NA	NA	NA	NA	19.85	82.84
	8/15/2019	<1.00	<1.00	<1.00	2.43	NA	NA	NA	NA	NA	NA	19.35	83.34
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.79	82.90
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.74	81.95
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	21.02	81.67
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	19.67	83.02
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.46	82.23
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	494,000	90,100	19,500	21.60	81.09
MW14	11/28/2016	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.70	85.32
	2/27/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.69	84.33
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.52	83.50
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.19	84.83
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.66	84.36
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.42	83.60
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.25	82.77
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.22	82.80
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.46	82.56
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.17	81.85
	5/20/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.95	81.07
	8/15/2019	<1.00	<1.00	1.39	<1.00	NA	NA	NA	NA	NA	NA	16.24	81.78
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.77	81.25
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.61	80.41
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.73	80.29
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.56	81.46
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	17.46	80.56
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	594,000	96,600	58,600	16.07	81.95
MW15	11/28/2016	3.25	<1.00	<1.00	13.9	NA	NA	NA	NA	NA	NA	10.87	83.33

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	2/27/2017	13.7	<1.00	7.11	43.2	NA	NA	NA	NA	NA	NA	11.81	82.39
	5/22/2017	38.9	<1.00	23.2	94.7	NA	NA	NA	NA	NA	NA	12.53	81.67
	8/22/2017	11.4	<1.00	8.37	4.47	NA	NA	NA	NA	NA	NA	11.24	82.96
	11/16/2017	2.47	<1.00	2.22	<1.00	NA	NA	NA	NA	NA	NA	11.73	82.47
	2/6/2018	4.03	<1.00	4.55	2.71	NA	NA	NA	NA	NA	NA	12.49	81.71
	5/30/2018	8.56	<1.00	9.07	<1.00	NA	NA	NA	NA	NA	NA	13.27	80.93
	8/23/2018	7.35	<1.00	16.6	<1.00	NA	NA	NA	NA	NA	NA	13.07	81.13
	11/19/2018	3.02	<1.00	10.1	2.66	NA	NA	NA	NA	NA	NA	13.43	80.77
	2/28/2019	<1.00	<1.00	8.23	7.46	NA	NA	NA	NA	NA	NA	14.12	80.08
	5/20/2019	<1.00	<1.00	5.57	<1.00	NA	NA	NA	NA	NA	NA	14.65	79.55
	8/15/2019	<1.00	<1.00	3.81	4.14	NA	NA	NA	NA	NA	NA	14.29	79.91
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.94	79.26
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.43	78.77
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.22	78.98
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.59	79.61
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.36	78.84
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	612,000	139,000	8,720	18.49	75.71
MW16	11/28/2016	613	89.3	198	1,900	NA	NA	NA	NA	NA	NA	11.03	82.65
	2/27/2017	76.8	<20.0	<20.0	98.0	NA	NA	NA	NA	NA	NA	11.81	81.87
	5/22/2017	80.2	1.62	14.0	107	NA	NA	NA	NA	NA	NA	12.33	81.35
	8/22/2017	469	1.89	40.4	323	NA	NA	NA	NA	NA	NA	11.28	82.40
	11/16/2017	29.5	<1.00	3.22	25.6	NA	NA	NA	NA	NA	NA	11.95	81.73
	2/6/2018	303	<1.00	20.4	80.5	NA	NA	NA	NA	NA	NA	12.42	81.26
	5/30/2018	97.0	<4.00	10.4	27.0	NA	NA	NA	NA	NA	NA	13.35	80.33
	8/23/2018	73.4	<1.00	8.05	58.2	NA	NA	NA	NA	NA	NA	13.07	80.61
	11/19/2018	261	<4.00	15.2	96.8	NA	NA	NA	NA	NA	NA	13.48	80.20
	2/28/2019	90.6	<4.00	7.28	49.2	NA	NA	NA	NA	NA	NA	14.17	79.51
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.65	79.03
	8/15/2019	186	<1.00	7.46	20.0	NA	NA	NA	NA	NA	NA	14.35	79.33
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.75	78.93
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.37	78.31
	5/6/2020	3.32	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.03	78.65
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.47	79.21
	11/30/2020	7.50	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.36	78.32
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	782,000	54,200	191,000	16.10	77.58

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
MW17	11/28/2016	320	6,360	388	5,170	NA	NA	NA	NA	NA	NA	10.09	82.22
	2/27/2017	524	6,300	359	4,410	NA	NA	NA	NA	NA	NA	10.50	81.81
	5/22/2017	750	8,060	481	5,650	NA	NA	NA	NA	NA	NA	10.64	81.67
	8/22/2017	426	7,350	476	5,820	NA	NA	NA	NA	NA	NA	9.89	82.42
	11/16/2017	5.96	86.9	6.91	77.7	NA	NA	NA	NA	NA	NA	10.45	81.86
	2/6/2018	275	2,130	424	4,820	NA	NA	NA	NA	NA	NA	11.09	81.22
	5/30/2018	896	998	412	5,160	NA	NA	NA	NA	NA	NA	11.91	80.40
	8/23/2018	111	<10.0	314	3,410	NA	NA	NA	NA	NA	NA	11.53	80.78
	11/19/2018	527	711	398	4,210	NA	NA	NA	NA	NA	NA	12.05	80.26
	2/28/2019	546	368	307	4,270	NA	NA	NA	NA	NA	NA	12.89	79.42
	5/17/2019	204	126	260	3,700	NA	NA	NA	NA	NA	NA	13.42	78.89
	8/15/2019	828	462	262	3,830	NA	NA	NA	NA	NA	NA	12.63	79.68
	12/2/2019	328	193	172	2,550	NA	NA	NA	NA	NA	NA	13.35	78.96
	2/25/2020	103	<50.0	162	2,240	NA	NA	NA	NA	NA	NA	14.04	78.27
	5/6/2020	27.0	<10.0	85.8	1,700	NA	NA	NA	NA	NA	NA	13.70	78.61
	8/26/2020	13.0	<1.00	42.4	324	NA	NA	NA	NA	NA	NA	13.21	79.10
11/30/2020	11.6	<1.00	18.2	22.6	NA	NA	NA	NA	NA	NA	14.11	78.20	
2/24/2021	<4.00	<4.00	<4.00	<4.00	<16.0	15.5	<4.00	737,000	52,600	6,690	14.74	77.57	
MW18	11/28/2016	<4.00	<4.00	92.0	108	NA	NA	NA	NA	NA	NA	11.21	83.65
	2/27/2017	<1.00	<1.00	29.3	35.5	NA	NA	NA	NA	NA	NA	12.20	82.66
	5/22/2017	<1.00	<1.00	13.4	4.95	NA	NA	NA	NA	NA	NA	11.96	82.90
	8/22/2017	<1.00	<1.00	16.0	4.56	NA	NA	NA	NA	NA	NA	11.44	83.42
	11/16/2017	<1.00	<1.00	10.4	2.50	NA	NA	NA	NA	NA	NA	12.17	82.69
	2/6/2018	<1.00	<1.00	7.36	<1.00	NA	NA	NA	NA	NA	NA	12.81	82.05
	5/30/2018	<1.00	<1.00	4.29	<1.00	NA	NA	NA	NA	NA	NA	13.64	81.22
	8/23/2018	<1.00	<1.00	5.71	<1.00	NA	NA	NA	NA	NA	NA	13.28	81.58
	11/19/2018	<1.00	<1.00	2.96	<1.00	NA	NA	NA	NA	NA	NA	13.71	81.15
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.67	80.19
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.07	79.79
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.13	80.73
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.38	80.48
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.82	79.04
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.39	79.47
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.75	80.11

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	15.87	78.99
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	523,000	61,800	46,800	16.65	78.21
MW19	3/22/2017	587	<4.00	96.2	3,030	NA	NA	NA	NA	NA	NA	9.83	81.4
	3/23/2017	Surveyed - Not Sampled				NA	NA	NA	NA	NA	NA	9.86	81.37
	5/22/2017	479	<10.0	87.6	739	NA	NA	NA	NA	NA	NA	9.90	81.33
	8/22/2017	1,320	<4.00	248	2,340	NA	NA	NA	NA	NA	NA	9.18	82.05
	11/16/2017	66.1	<1.00	16.0	122	NA	NA	NA	NA	NA	NA	10.73	80.50
	2/6/2018	737	<1.00	274	1,990	NA	NA	NA	NA	NA	NA	10.51	80.72
	5/30/2018	319	<10.0	199	1,340	NA	NA	NA	NA	NA	NA	11.14	80.09
	8/23/2018	310	<4.00	215	1,030	NA	NA	NA	NA	NA	NA	10.81	80.42
	11/19/2018	148	<10.0	147	513	NA	NA	NA	NA	NA	NA	11.36	79.87
	2/28/2019	30.9	<10.0	73.9	<10.0	NA	NA	NA	NA	NA	NA	11.93	79.30
	5/17/2019	Inaccessible - Not Sampled				NA	NA	NA	NA	NA	NA	NM	NA
	8/15/2019	93.1	<1.00	22.6	7.50	NA	NA	NA	NA	NA	NA	12.48	78.75
	12/2/2019	1.40	<1.00	2.00	<1.00	NA	NA	NA	NA	NA	NA	12.43	78.80
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.02	78.21
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.58	78.65
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.34	78.89
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.17	78.06
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	783,000	52,500	215,000	13.96	77.27
MW20	3/22/2017	43.9	<1.00	9.80	171	NA	NA	NA	NA	NA	NA	9.70	81.85
	3/23/2017	Surveyed - Not Sampled				NA	NA	NA	NA	NA	NA	9.71	81.84
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.59	81.96
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	8.97	82.58
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.60	81.95
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.16	81.39
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.94	80.61
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.69	80.86
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.09	80.46
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.81	79.74
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.19	79.36
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	16.52	75.03
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.23	79.32
	2/25/2020	1.17	<1.00	26.2	121	NA	NA	NA	NA	NA	NA	12.91	78.64

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	5/6/2020	<1.00	<1.00	<1.00	13.8	NA	NA	NA	NA	NA	NA	12.34	79.21
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.06	79.49
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.89	78.66
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	1.02	703,000	119,000	104,000	13.56	77.99
MW21	3/22/2017	<1.00	1.12	2.68	59.6	NA	NA	NA	NA	NA	NA	11.08	80.96
	3/23/2017	Surveyed - Not Sampled				NA	NA	NA	NA	NA	NA	11.10	80.94
	5/22/2017	1.05	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.33	81.71
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.41	82.63
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.98	82.06
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.60	81.44
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.38	80.66
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.18	80.86
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.53	80.51
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.21	79.83
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.66	79.38
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.60	79.44
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.71	79.33
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.32	78.72
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.98	79.06
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.50	79.54
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.33	78.71
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	658,000	95,800	71,400	13.96	78.08
MW22	3/22/2017	<1.00	<1.00	<1.00	2.84	NA	NA	NA	NA	NA	NA	10.91	82.51
	3/23/2017	Surveyed - Not Sampled				NA	NA	NA	NA	NA	NA	10.93	82.49
	5/22/2017	1.18	<1.00	5.79	12.3	NA	NA	NA	NA	NA	NA	11.41	82.01
	8/22/2017	1.28	<1.00	1.09	<1.00	NA	NA	NA	NA	NA	NA	10.28	83.14
	11/16/2017	3.33	<1.00	3.76	<1.00	NA	NA	NA	NA	NA	NA	10.85	82.57
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.50	81.92
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.24	81.18
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.22	81.20
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.38	81.04
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.92	80.50
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.42	80.00
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.43	79.99

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.58	79.84
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.18	79.24
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.06	79.36
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.34	80.08
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	14.14	79.28
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	539,000	61,200	66,200	14.82	78.60
MW23	3/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.25	82.75
	3/23/2017	Surveyed - Not Sampled				NA	NA	NA	NA	NA	NA	10.27	82.73
	5/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.81	83.19
	8/22/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.29	83.71
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.86	83.14
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.56	82.44
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.41	81.59
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.92	82.08
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.49	81.51
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.35	80.65
	5/20/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.79	80.21
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.88	81.12
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.75	80.25
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.43	79.57
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.93	80.07
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.46	80.54
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	13.38	79.62
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	548,000	51,200	71,100	14.13	78.87
MW24	10/13/2017	<1.00	<1.00	<1.00	2.00	NA	NA	NA	NA	NA	NA	11.39	84.48
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	8.79	84.31
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.48	83.62
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.20	82.90
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.95	83.15
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.44	82.66
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.05	82.05
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.47	81.63
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.92	82.18
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.58	81.52

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.03	81.07
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.51	81.59
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.32	81.78
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.07	81.03
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	669,000	96,400	74,300	12.68	80.42
MW25	10/13/2017	25.8	<1.00	110	581	NA	NA	NA	NA	NA	NA	8.16	84.13
	11/16/2017	<1.00	<1.00	<1.00	1.68	NA	NA	NA	NA	NA	NA	8.35	83.94
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.07	83.22
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.77	82.52
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.50	82.79
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.97	82.32
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.56	81.73
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.10	81.19
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.52	81.77
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.05	81.24
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.61	80.68
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.01	81.28
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.95	81.34
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.70	80.59
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	732,000	53,500	159,000	12.15	80.14
MW26	10/13/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	5.88	84.53
	11/16/2017	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.06	84.12
	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.54	83.64
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.36	82.82
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.16	83.02
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	20.40	72.78
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.04	82.14
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.46	81.72
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.50	81.68
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.56	81.62
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.13	81.05
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.54	81.64
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.36	81.82
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	12.18	81.00

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-trimethylbenzene (µg/L)	1,3,5-trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400	140	67	67	863,750	250,000	250,000		
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	735,000	83,500	103,000	12.72	80.46
MW27	2/6/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	8.42	82.81
	5/30/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.26	81.97
	8/23/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.00	82.23
	11/19/2018	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	9.52	81.71
	2/28/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.10	81.13
	5/17/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.37	80.86
	8/15/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.03	81.20
	12/2/2019	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.67	80.56
	2/25/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.02	80.21
	5/6/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.39	80.84
	8/26/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	10.38	80.85
	11/30/2020	<1.00	<1.00	<1.00	<1.00	NA	NA	NA	NA	NA	NA	11.23	80.00
	2/24/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	759,000	59,700	151,000	11.69	79.54

Notes: COGCC - Colorado Oil and Gas Conservation Commission µg/L - micrograms per liter
ft bgs - feet below ground surface < - less than laboratory reporting limit
NA - not analyzed/not available Excavation groundwater depth is approximate
NM - not measured
Inorganic parameters for 2/24/21 sampling event based on local background sample MW11.
Corrected Relative GW Elev. is used when LNAPL is present.
Total dissolved solids based on local background sample (MW11 - 2/24/2021) concentration x 1.25
BOLD = Analytical result is in exceedance of COGCC Table 915-1 groundwater standards.
=Active remediation implementation period

September 02, 2020

LT Environmental, Inc.

Brian Sulzberger

4600 West 60th Avenue

Arvada CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. August 26, 2020. This project is associated with Origins project number Y008389-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y008389-01	Water	August 26, 2020 12:35	08/26/2020 16:22
MW02	Y008389-02	Water	August 26, 2020 14:55	08/26/2020 16:22
MW03	Y008389-03	Water	August 26, 2020 13:15	08/26/2020 16:22
MW04	Y008389-04	Water	August 26, 2020 12:30	08/26/2020 16:22
MW05	Y008389-05	Water	August 26, 2020 13:04	08/26/2020 16:22
MW06	Y008389-06	Water	August 26, 2020 13:05	08/26/2020 16:22
MW07	Y008389-07	Water	August 26, 2020 13:38	08/26/2020 16:22
MW08	Y008389-08	Water	August 26, 2020 13:12	08/26/2020 16:22
MW09R	Y008389-09	Water	August 26, 2020 13:40	08/26/2020 16:22
MW10	Y008389-10	Water	August 26, 2020 10:41	08/26/2020 16:22
MW11	Y008389-11	Water	August 26, 2020 10:58	08/26/2020 16:22
MW12	Y008389-12	Water	August 26, 2020 12:20	08/26/2020 16:22
MW13	Y008389-13	Water	August 26, 2020 13:26	08/26/2020 16:22
MW14	Y008389-14	Water	August 26, 2020 13:53	08/26/2020 16:22

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y008389-15	Water	August 26, 2020 14:02	08/26/2020 16:22
MW16	Y008389-16	Water	August 26, 2020 13:55	08/26/2020 16:22
MW17	Y008389-17	Water	August 26, 2020 12:40	08/26/2020 16:22
MW18	Y008389-18	Water	August 26, 2020 12:52	08/26/2020 16:22
MW19	Y008389-19	Water	August 26, 2020 14:02	08/26/2020 16:22
MW20	Y008389-20	Water	August 26, 2020 12:14	08/26/2020 16:22
MW21	Y008389-21	Water	August 26, 2020 14:10	08/26/2020 16:22
MW22	Y008389-22	Water	August 26, 2020 14:38	08/26/2020 16:22
MW23	Y008389-23	Water	August 26, 2020 12:25	08/26/2020 16:22
MW24	Y008389-24	Water	August 26, 2020 14:53	08/26/2020 16:22
MW25	Y008389-25	Water	August 26, 2020 14:22	08/26/2020 16:22
MW26	Y008389-26	Water	August 26, 2020 14:16	08/26/2020 16:22
MW27	Y008389-27	Water	August 26, 2020 14:08	08/26/2020 16:22

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station



100589

1 of 3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Client:	Project:	Project Manager:	Project Number:	Container	Qty	Analyses
Number	Sample Identification	Matrix	Sample Date	Sample Time	Sampled By	
01-001	MMW01	Water	8/26/20	1235	KMDH	3 BTEX by EPA 8260C
02-001	MMW02	Water		1455		3 BTEX by EPA 8260C
03-001	MMW03	Water		1315		3 BTEX by EPA 8260C
04-001	MMW04	Water		1230		3 BTEX by EPA 8260C
05-001	MMW05	Water		1304		3 BTEX by EPA 8260C
06-001	MMW06	Water		1305		3 BTEX by EPA 8260C
07-001	MMW07	Water		1338		3 BTEX by EPA 8260C
08-001	MMW08	Water		1312		3 BTEX by EPA 8260C
09-001	MMW09	Water		1340		3 BTEX by EPA 8260C
10-001	MMW10	Water		1041		3 BTEX by EPA 8260C
11-001	MMW11	Water		1059		3 BTEX by EPA 8260C

Temperature on Receipt: 4.1
 Turn Around Time:
 Same Day: 72-hr:
 24-hr: Standard:
 48-hr:

Relinquished By: *[Signature]* Date / Time: 8/26/20 1022
 Received By: *[Signature]* Date / Time: 8/26/20 1022

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

1008389

2 of 3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Relinquished By	Date / Time	Relinquished By	Date / Time	Temperature on Receipt	Turn Around Time	Standard
12-001 MW12	Water		8/26/20 1320	KMDH			3	BTEX by EPA 8260C
13-001 MW13	Water		1326				3	BTEX by EPA 8260C
14-001 MW14	Water		1353				3	BTEX by EPA 8260C
15-001 MW15	Water		1402				3	BTEX by EPA 8260C
16-001 MW16	Water		1355				3	BTEX by EPA 8260C
17-001 MW17	Water		1240				3	BTEX by EPA 8260C
18-001 MW18	Water		1252				3	BTEX by EPA 8260C
19-001 MW19	Water		1402				3	BTEX by EPA 8260C
20-001 MW20	Water		1214				3	BTEX by EPA 8260C
21-001 MW21	Water		1410				3	BTEX by EPA 8260C
22-001 MW22	Water		1438				3	BTEX by EPA 8260C
23-001 MW23	Water		1225				3	BTEX by EPA 8260C
24-001 MW24	Water		1453				3	BTEX by EPA 8260C
25-001 MW25	Water		1422				3	BTEX by EPA 8260C

Relinquished By: Kyle Mathis Date / Time: 8/26/20 1622

Relinquished By: [Signature] Date / Time: 8/26/20 1622

Received By: _____ Date / Time: _____

Temperature on Receipt: _____

Turn Around Time: Same Day 72-hr 24-hr Standard 48-hr

Origins Laboratory, Inc.

Jordan A. Merrill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

ORIGINS
LABORATORY, INC

Y008389

3 of 3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

26-001	MW26	Water	8/26/20	1416	KM, DH	40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
27-001	MW27	Water	1	1408	1	40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C

Relinquished By: Kyle Mathis Date / Time: 8/26/20 1622

Received By: _____ Date / Time: _____

Relinquished By: [Signature] Date / Time: 8/26/20 1622

Received By: _____ Date / Time: _____

Temperature on Receipt: _____

Turn-Around Time: Same Day 24-hr 48-hr 72-hr Standard

Origins Laboratory, Inc.

Jordan A. Merrill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y008359

Client: LTE
 Client Project ID: Platteville CS

Checklist Completed by: JG
 Date/time completed: 8/27/20

Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)
 Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other:

Cooler Number/Temperature: 1 / 4.1 °C 1 °C 1 °C (Describe) °C

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)		<input checked="" type="checkbox"/>		
Additional Comments (if any):				

⁽¹⁾if NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by: Jm (Project Manager)

8-28-20
 Date/Time Reviewed

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW01

8/26/2020 12:35:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-01 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW02

8/26/2020 2:55:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-02 (Water)

BTEX by EPA 8260D

Benzene	1630	50.0	ug/L	50	B0H2705	KDK	08/27/2020	08/31/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	682	50.0	"	"	"	KDK	"	"	
Xylenes, total	10100	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW03

8/26/2020 1:15:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-03 (Water)

BTEX by EPA 8260D

Benzene	162	50.0	ug/L	50	B0H2705	KDK	08/27/2020	08/31/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	ND	50.0	"	"	"	KDK	"	"	U
Xylenes, total	217	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW04

8/26/2020 12:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-04 (Water)

BTEX by EPA 8260D

Benzene	1.38	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	34.0	1.00	"	"	"	KDK	"	"	
Xylenes, total	5.22	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW05

8/26/2020 1:04:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-05 (Water)

BTEX by EPA 8260D

Benzene	1.14	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	1.96	1.00	"	"	"	KDK	"	"	
Xylenes, total	29.0	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW06

8/26/2020 1:05:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-06 (Water)

BTEX by EPA 8260D

Benzene	910	50.0	ug/L	50	B0H2705	KDK	08/27/2020	08/31/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	ND	50.0	"	"	"	KDK	"	"	U
Xylenes, total	207	50.0	"	"	"	KDK	"	"	
Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW07

8/26/2020 1:38:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-07 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW08

8/26/2020 1:12:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	105 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.1 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW09R

8/26/2020 1:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.9 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW10

8/26/2020 10:41:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW11

8/26/2020 10:58:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.4 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	99.8 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW12

8/26/2020 12:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW13

8/26/2020 1:26:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	08/31/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW14

8/26/2020 1:53:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW15
8/26/2020 2:02:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-15 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	105 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.9 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW16

8/26/2020 1:55:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-16 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	105 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.0 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW17

8/26/2020 12:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-17 (Water)

BTEX by EPA 8260D

Benzene	13.0	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	42.4	1.00	"	"	"	KDK	"	"	
Xylenes, total	324	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW18

8/26/2020 12:52:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.5 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW19

8/26/2020 2:02:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-19 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.8 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW20

8/26/2020 12:14:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-20 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2705	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.9 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW21

8/26/2020 2:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.7 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	98.9 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW22

8/26/2020 2:38:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	105 %	70-130			"	"		"	
Surrogate: Toluene-d8	97.7 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW23

8/26/2020 12:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	105 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.2 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	99.3 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW24

8/26/2020 2:53:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.6 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	98.3 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW25

8/26/2020 2:22:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-25 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.1 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW26

8/26/2020 2:16:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-26 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U
Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.7 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	99.1 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW27

8/26/2020 2:08:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y008389-27 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0H2708	KDK	08/27/2020	09/01/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.6 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2705 - EPA 5030B (Water)

Blank (B0H2705-BLK1)

Prepared: 08/27/2020 Analyzed: 08/31/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	67		"	62.5	107		70-130			
Surrogate: Toluene-d8	62		"	62.5	99.9		70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5	99.9		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2705 - EPA 5030B (Water)

LCS (B0H2705-BS1)

Prepared: 08/27/2020 Analyzed: 08/31/2020

Benzene	53.5	1.00	ug/L	50.0		107	70-130			
Toluene	51.1	1.00	"	50.0		102	70-130			
Ethylbenzene	53.8	1.00	"	50.0		108	70-130			
m,p-Xylene	104	2.00	"	100		104	70-130			
o-Xylene	48.9	1.00	"	50.0		97.7	70-130			
Surrogate: 1,2-Dichloroethane-d4	62		"	62.5		98.6	70-130			
Surrogate: Toluene-d8	61		"	62.5		98.0	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		101	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2705 - EPA 5030B (Water)

Matrix Spike (B0H2705-MS1)	Source: Y008389-09			Prepared: 08/27/2020 Analyzed: 08/31/2020						
Benzene	60.3	1.00	ug/L	50.0	ND	121	70-130			
Toluene	57.9	1.00	"	50.0	ND	116	70-130			
Ethylbenzene	60.3	1.00	"	50.0	ND	121	70-130			
m,p-Xylene	118	2.00	"	100	1.16	117	70-130			
o-Xylene	56.4	1.00	"	50.0	ND	113	70-130			
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		101	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		102	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2705 - EPA 5030B (Water)

Matrix Spike Dup (B0H2705-MSD1)	Source: Y008389-09			Prepared: 08/27/2020 Analyzed: 08/31/2020						
Benzene	61.8	1.00	ug/L	50.0	ND	124	70-130	2.37	20	
Toluene	57.5	1.00	"	50.0	ND	115	70-130	0.728	20	
Ethylbenzene	60.9	1.00	"	50.0	ND	122	70-130	1.01	20	
m,p-Xylene	120	2.00	"	100	1.16	119	70-130	1.61	20	
o-Xylene	57.2	1.00	"	50.0	ND	114	70-130	1.41	20	
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		102	70-130			
Surrogate: Toluene-d8	62		"	62.5		98.9	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		100	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2708 - EPA 5030B (Water)

Blank (B0H2708-BLK1)

Prepared: 08/27/2020 Analyzed: 09/01/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	66		"	62.5	106		70-130			
Surrogate: Toluene-d8	62		"	62.5	99.0		70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5	99.8		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2708 - EPA 5030B (Water)

LCS (B0H2708-BS1)

Prepared: 08/27/2020 Analyzed: 09/01/2020

Benzene	51.0	1.00	ug/L	50.0		102	70-130			
Toluene	53.0	1.00	"	50.0		106	70-130			
Ethylbenzene	54.7	1.00	"	50.0		109	70-130			
m,p-Xylene	110	2.00	"	100		110	70-130			
o-Xylene	54.2	1.00	"	50.0		108	70-130			
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5		104	70-130			
Surrogate: Toluene-d8	62		"	62.5		99.5	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.8	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2708 - EPA 5030B (Water)

Matrix Spike (B0H2708-MS1)	Source: Y008389-21			Prepared: 08/27/2020 Analyzed: 09/01/2020						
Benzene	70.7	1.00	ug/L	50.0	ND	141	70-130			QM-07
Toluene	65.6	1.00	"	50.0	ND	131	70-130			QM-07
Ethylbenzene	66.9	1.00	"	50.0	ND	134	70-130			QM-07
m,p-Xylene	131	2.00	"	100	ND	131	70-130			QM-07
o-Xylene	67.0	1.00	"	50.0	ND	134	70-130			QM-07
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		97.6	70-130			
Surrogate: Toluene-d8	63		"	62.5		100	70-130			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0H2708 - EPA 5030B (Water)

Matrix Spike Dup (B0H2708-MSD1)	Source: Y008389-21			Prepared: 08/27/2020 Analyzed: 09/01/2020						
Benzene	70.3	1.00	ug/L	50.0	ND	141	70-130	0.539	20	QM-07
Toluene	64.6	1.00	"	50.0	ND	129	70-130	1.58	20	
Ethylbenzene	65.4	1.00	"	50.0	ND	131	70-130	2.34	20	QM-07
m,p-Xylene	128	2.00	"	100	ND	128	70-130	2.43	20	
o-Xylene	65.1	1.00	"	50.0	ND	130	70-130	2.82	20	
Surrogate: 1,2-Dichloroethane-d4	62		"	62.5		99.2	70-130			
Surrogate: Toluene-d8	62		"	62.5		99.3	70-130			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

December 08, 2020

WSP USA

Brian Sulzberger

4600 W. 60th Ave.

Arvada

CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. November 30, 2020. This project is associated with Origins project number Y011407-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y011407-01	Water	November 30, 2020 12:30	11/30/2020 17:15
MW02	Y011407-02	Water	November 30, 2020 12:48	11/30/2020 17:15
MW03	Y011407-03	Water	November 30, 2020 13:24	11/30/2020 17:15
MW04	Y011407-04	Water	November 30, 2020 13:12	11/30/2020 17:15
MW05	Y011407-05	Water	November 30, 2020 13:37	11/30/2020 17:15
MW06	Y011407-06	Water	November 30, 2020 14:00	11/30/2020 17:15
MW07	Y011407-07	Water	November 30, 2020 14:12	11/30/2020 17:15
MW08	Y011407-08	Water	November 30, 2020 13:50	11/30/2020 17:15
MW09R	Y011407-09	Water	November 30, 2020 13:58	11/30/2020 17:15
MW10	Y011407-10	Water	November 30, 2020 10:50	11/30/2020 17:15
MW11	Y011407-11	Water	November 30, 2020 11:00	11/30/2020 17:15
MW12	Y011407-12	Water	November 30, 2020 13:00	11/30/2020 17:15
MW13	Y011407-13	Water	November 30, 2020 14:08	11/30/2020 17:15
MW14	Y011407-14	Water	November 30, 2020 14:07	11/30/2020 17:15

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y011407-15	Water	November 30, 2020 13:49	11/30/2020 17:15
MW16	Y011407-16	Water	November 30, 2020 13:25	11/30/2020 17:15
MW17	Y011407-17	Water	November 30, 2020 12:10	11/30/2020 17:15
MW18	Y011407-18	Water	November 30, 2020 13:56	11/30/2020 17:15
MW19	Y011407-19	Water	November 30, 2020 13:09	11/30/2020 17:15
MW20	Y011407-20	Water	November 30, 2020 12:28	11/30/2020 17:15
MW21	Y011407-21	Water	November 30, 2020 13:15	11/30/2020 17:15
MW22	Y011407-22	Water	November 30, 2020 13:34	11/30/2020 17:15
MW23	Y011407-23	Water	November 30, 2020 12:20	11/30/2020 17:15
MW24	Y011407-24	Water	November 30, 2020 13:00	11/30/2020 17:15
MW25	Y011407-25	Water	November 30, 2020 13:25	11/30/2020 17:15
MW26	Y011407-26	Water	November 30, 2020 12:37	11/30/2020 17:15
MW27	Y011407-27	Water	November 30, 2020 12:43	11/30/2020 17:15

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station



7011407

Page 1 of 3

1725 Elk Place, Denver, CO 80211
Laboratory # - 303.433.1322

Client: LT Environmental, Inc. Project Manager: Brian Sulzberger
 Project: KMG - Platteville Compressor Station Project Number: 014213112/WO #8971538_890628
 Number Sample Identification Matrix Sample Date Sample Time Sampled By Container Qty Analyses

Number	Sample Identification	Matrix	Sample Date	Sample Time	Sampled By	Container	Qty	Analyses
01-001	MMW01	Water	11-30-20	1230	KMS	40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
02-001	MMW02	Water		1248		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
03-001	MMW03	Water		1324		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
04-001	MMW04	Water		1312		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
05-001	MMW05	Water		1337		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
06-001	MMW06	Water		1400		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
07-001	MMW07	Water		1412		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
08-001	MMW08	Water		1350		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
09-001	MMW09R	Water		1358		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
10-001	MMW10	Water		1050		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
11-001	MMW11	Water		1100		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C

Temperature on Receipt: 5.8
 Turn Around Time: Same Day 24-hr 72-hr Standard 48-hr

Relinquished By: [Signature] Date / Time: 11/30/20 1715
 Received By: [Signature] Date / Time: 11/30/20 1715

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Y011407

Page 2 of 3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Collection Date	Time	Volume	Container	Analysis Method
12-001	Water	11-30-20	1300	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
13-001	Water		1408	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
14-001	Water		1407	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
15-001	Water		1349	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
16-001	Water		1325	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
17-001	Water		1210	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
18-001	Water		1356	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
19-001	Water		1309	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
20-001	Water		1228	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
21-001	Water		1315	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
22-001	Water		1334	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
23-001	Water		1220	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
24-001	Water		1320	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C
25-001	Water		1325	40mL	Amber VOA Vial - HC	BTEX by EPA 8260C

Temperature on Receipt: 58
 Turn Around Time: 72-hr Standard 48-hr
 Same Day: 24-hr Standard 48-hr

Relinquished By: *[Signature]* Date / Time: 11/30/20 1715
 Received By: *[Signature]* Date / Time: 11/30/20 1715

Relinquished By: *[Signature]* Date / Time: 11/30/20 1715
 Received By: *[Signature]* Date / Time: 11/30/20 1715

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

ORIGINS
LABORATORY, INC

Y011407

Page 3 of 3

1725 Elk Place, Denver, CO 80211
Laboratory # - 303.433.1322

26-001	MW26	Water	11-30-20	1237	K114/E	40mL Amber VOA Val - HC	3	BTEX by EPA 8260C
27-001	MW27	Water	11-30-20	1243	K114/E	40mL Amber VOA Val - HC	3	BTEX by EPA 8260C

Temperature on Receipt:
Turn Around Time: 72-hr Standard
Same Day: 24-hr 48-hr

Relinquished By: _____ Date / Time: 11/30/20 1715
Received By: _____ Date / Time: _____

Relinquished By: *[Signature]* Date / Time: 11/30/20 1715
Received By: _____ Date / Time: _____

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y011407

Client: WSP

Client Project ID: Platteville CS

Checklist Completed by: JG

Shipped Via: HD

Date/time completed: 11/30/20

Airbill #: N/A
(UPS, FedEx, Hand Delivered, Pick-up, etc.)

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1, 5.8 °C 1 °C 1 °C (Describe) _____ °C

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by JM (Project Manager)

12-1-20
Date/Time Reviewed

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW01

11/30/2020 12:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-01 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW02
11/30/2020 12:48:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-02 (Water)

BTEX by EPA 8260D

Benzene	671	50.0	ug/L	50	B0L0102	TEM	12/01/2020	12/01/2020	
Toluene	ND	50.0	"	"	"	TEM	"	"	U
Ethylbenzene	376	50.0	"	"	"	TEM	"	"	
Xylenes, total	3230	50.0	"	"	"	TEM	"	"	
Surrogate: 1,2-Dichloroethane-d4	109 %			70-130		"	"	"	
Surrogate: Toluene-d8	96.6 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	97.5 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW03

11/30/2020 1:24:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-03 (Water)

BTEX by EPA 8260D

Benzene	363	50.0	ug/L	50	B0L0102	TEM	12/01/2020	12/01/2020	
Toluene	ND	50.0	"	"	"	TEM	"	"	U
Ethylbenzene	137	50.0	"	"	"	TEM	"	"	
Xylenes, total	1190	50.0	"	"	"	TEM	"	"	
Surrogate: 1,2-Dichloroethane-d4	110 %			70-130			"	"	"
Surrogate: Toluene-d8	99.8 %			70-130			"	"	"
Surrogate: 4-Bromofluorobenzene	99.4 %			70-130			"	"	"

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW04

11/30/2020 1:12:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-04 (Water)

BTEX by EPA 8260D

Benzene	3.44	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	65.9	1.00	"	"	"	TEM	"	"	
Xylenes, total	17.9	1.00	"	"	"	TEM	"	"	

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.0 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW05

11/30/2020 1:37:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-05 (Water)

BTEX by EPA 8260D

Benzene	1.38	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	3.14	1.00	"	"	"	TEM	"	"	
Xylenes, total	162	1.00	"	"	"	TEM	"	"	

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW06

11/30/2020 2:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-06 (Water)

BTEX by EPA 8260D

Benzene	406	50.0	ug/L	50	B0L0102	TEM	12/01/2020	12/01/2020	
Toluene	ND	50.0	"	"	"	TEM	"	"	U
Ethylbenzene	ND	50.0	"	"	"	TEM	"	"	U
Xylenes, total	ND	50.0	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW07

11/30/2020 2:12:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-07 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
<i>Surrogate: 1,2-Dichloroethane-d4</i>	106 %	70-130			"	"		"	
<i>Surrogate: Toluene-d8</i>	98.7 %	70-130			"	"		"	
<i>Surrogate: 4-Bromofluorobenzene</i>	95.9 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW08

11/30/2020 1:50:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW09R

11/30/2020 1:58:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	2.10	1.00	"	"	"	TEM	"	"	
Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.4 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	95.3 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW10
11/30/2020 10:50:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"		"	
Surrogate: Toluene-d8	97.7 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	93.4 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW11
11/30/2020 11:00:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.9 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW12

11/30/2020 1:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.0 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	93.5 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW13

11/30/2020 2:08:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW14

11/30/2020 2:07:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW15

11/30/2020 1:49:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-15 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	112 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW16

11/30/2020 1:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-16 (Water)

BTEX by EPA 8260D

Benzene	7.50	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	92.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW17

11/30/2020 12:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-17 (Water)

BTEX by EPA 8260D

Benzene	11.6	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/02/2020	
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	18.2	1.00	"	"	"	TEM	"	"	
Xylenes, total	22.6	1.00	"	"	"	TEM	"	"	

Surrogate: 1,2-Dichloroethane-d4	104 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW18

11/30/2020 1:56:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	92.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW19

11/30/2020 1:09:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-19 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/01/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"		"	
Surrogate: Toluene-d8	97.6 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	96.1 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW20
11/30/2020 12:28:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-20 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0L0102	TEM	12/01/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"		"	
Surrogate: Toluene-d8	99.6 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	96.8 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW21

11/30/2020 1:15:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW22

11/30/2020 1:34:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"		"	
Surrogate: Toluene-d8	96.7 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	94.0 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW23

11/30/2020 12:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"		"	
Surrogate: Toluene-d8	93.8 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	94.8 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW24

11/30/2020 1:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW25

11/30/2020 1:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-25 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"		"	
Surrogate: Toluene-d8	102 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	96.5 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW26

11/30/2020 12:37:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-26 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW27

11/30/2020 12:43:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y011407-27 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0K3006	TEM	11/30/2020	12/02/2020	U
Toluene	ND	1.00	"	"	"	TEM	"	"	U
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	U
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	U
Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"		"	
Surrogate: Toluene-d8	95.2 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	95.7 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0K3006 - EPA 5030B (Water)

Blank (B0K3006-BLK1)

Prepared: 11/30/2020 Analyzed: 12/01/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	68		"	62.5	109		70-130			
Surrogate: Toluene-d8	61		"	62.5	97.9		70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5	97.0		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0K3006 - EPA 5030B (Water)

LCS (B0K3006-BS1)

Prepared: 11/30/2020 Analyzed: 12/01/2020

Benzene	44.9	1.00	ug/L	50.0		89.9	70-130			
Toluene	45.2	1.00	"	50.0		90.5	70-130			
Ethylbenzene	47.6	1.00	"	50.0		95.2	70-130			
m,p-Xylene	94.3	2.00	"	100		94.3	70-130			
o-Xylene	44.7	1.00	"	50.0		89.3	70-130			
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		103	70-130			
Surrogate: Toluene-d8	62		"	62.5		100	70-130			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0K3006 - EPA 5030B (Water)

Matrix Spike (B0K3006-MS1)	Source: Y011392-01			Prepared: 11/30/2020 Analyzed: 12/02/2020						
Benzene	49.2	1.00	ug/L	50.0	ND	98.3	70-130			
Toluene	49.4	1.00	"	50.0	ND	98.7	70-130			
Ethylbenzene	50.2	1.00	"	50.0	ND	100	70-130			
m,p-Xylene	100	2.00	"	100	ND	100	70-130			
o-Xylene	50.0	1.00	"	50.0	ND	99.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5		103	70-130			
Surrogate: Toluene-d8	63		"	62.5		100	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.9	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0K3006 - EPA 5030B (Water)

Matrix Spike Dup (B0K3006-MSD1)	Source: Y011392-01			Prepared: 11/30/2020 Analyzed: 12/02/2020						
Benzene	48.1	1.00	ug/L	50.0	ND	96.2	70-130	2.20	20	
Toluene	49.0	1.00	"	50.0	ND	98.0	70-130	0.732	20	
Ethylbenzene	51.5	1.00	"	50.0	ND	103	70-130	2.66	20	
m,p-Xylene	103	2.00	"	100	ND	103	70-130	2.39	20	
o-Xylene	48.0	1.00	"	50.0	ND	96.1	70-130	3.94	20	
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		102	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.7	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0L0102 - EPA 5030B (Water)

Blank (B0L0102-BLK1)

Prepared: 12/01/2020 Analyzed: 12/01/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	68		"	62.5	108		70-130			
Surrogate: Toluene-d8	62		"	62.5	99.0		70-130			
Surrogate: 4-Bromofluorobenzene	59		"	62.5	94.5		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0L0102 - EPA 5030B (Water)

LCS (B0L0102-BS1)

Prepared: 12/01/2020 Analyzed: 12/01/2020

Benzene	43.7	1.00	ug/L	50.0		87.4	70-130			
Toluene	44.1	1.00	"	50.0		88.2	70-130			
Ethylbenzene	47.0	1.00	"	50.0		93.9	70-130			
m,p-Xylene	92.1	2.00	"	100		92.1	70-130			
o-Xylene	43.8	1.00	"	50.0		87.6	70-130			
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		100	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		100	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0L0102 - EPA 5030B (Water)

Matrix Spike (B0L0102-MS1)	Source: Y011407-09			Prepared: 12/01/2020 Analyzed: 12/02/2020						
Benzene	46.6	1.00	ug/L	50.0	ND	93.1	70-130			
Toluene	47.1	1.00	"	50.0	ND	94.3	70-130			
Ethylbenzene	49.9	1.00	"	50.0	0.560	98.7	70-130			
m,p-Xylene	100	2.00	"	100	2.10	98.1	70-130			
o-Xylene	46.4	1.00	"	50.0	ND	92.7	70-130			
Surrogate: 1,2-Dichloroethane-d4	62		"	62.5		98.8	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	59		"	62.5		94.9	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0L0102 - EPA 5030B (Water)

Matrix Spike Dup (B0L0102-MSD1)	Source: Y011407-09			Prepared: 12/01/2020 Analyzed: 12/02/2020						
Benzene	46.1	1.00	ug/L	50.0	ND	92.3	70-130	0.906	20	
Toluene	46.2	1.00	"	50.0	ND	92.5	70-130	1.91	20	
Ethylbenzene	50.4	1.00	"	50.0	0.560	99.8	70-130	1.08	20	
m,p-Xylene	101	2.00	"	100	2.10	99.2	70-130	1.14	20	
o-Xylene	46.5	1.00	"	50.0	ND	93.0	70-130	0.323	20	
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		97.4	70-130			
Surrogate: Toluene-d8	62		"	62.5		99.4	70-130			
Surrogate: 4-Bromofluorobenzene	59		"	62.5		94.9	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



March 03, 2021

WSP USA

Brian Sulzberger

4600 W. 60th Ave.

Arvada

CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. February 24, 2021. This project is associated with Origins project number Y102462-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y102462-01	Water	February 24, 2021 11:53	02/24/2021 16:25
MW02	Y102462-02	Water	February 24, 2021 11:32	02/24/2021 16:25
MW03	Y102462-03	Water	February 24, 2021 13:13	02/24/2021 16:25
MW04	Y102462-04	Water	February 24, 2021 12:25	02/24/2021 16:25
MW05	Y102462-05	Water	February 24, 2021 12:44	02/24/2021 16:25
MW06	Y102462-06	Water	February 24, 2021 13:20	02/24/2021 16:25
MW07	Y102462-07	Water	February 24, 2021 13:45	02/24/2021 16:25
MW08	Y102462-08	Water	February 24, 2021 12:58	02/24/2021 16:25
MW09R	Y102462-09	Water	February 24, 2021 13:30	02/24/2021 16:25
MW10	Y102462-10	Water	February 24, 2021 14:47	02/24/2021 16:25
MW11	Y102462-11	Water	February 24, 2021 15:01	02/24/2021 16:25
MW12	Y102462-12	Water	February 24, 2021 12:10	02/24/2021 16:25
MW13	Y102462-13	Water	February 24, 2021 13:28	02/24/2021 16:25
MW14	Y102462-14	Water	February 24, 2021 13:46	02/24/2021 16:25

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y102462-15	Water	February 24, 2021 14:05	02/24/2021 16:25
MW16	Y102462-16	Water	February 24, 2021 14:05	02/24/2021 16:25
MW17	Y102462-17	Water	February 24, 2021 12:40	02/24/2021 16:25
MW18	Y102462-18	Water	February 24, 2021 13:07	02/24/2021 16:25
MW19	Y102462-19	Water	February 24, 2021 13:15	02/24/2021 16:25
MW20	Y102462-20	Water	February 24, 2021 12:30	02/24/2021 16:25
MW21	Y102462-21	Water	February 24, 2021 13:35	02/24/2021 16:25
MW22	Y102462-22	Water	February 24, 2021 13:50	02/24/2021 16:25
MW23	Y102462-23	Water	February 24, 2021 12:55	02/24/2021 16:25
MW24	Y102462-24	Water	February 24, 2021 13:05	02/24/2021 16:25
MW25	Y102462-25	Water	February 24, 2021 12:35	02/24/2021 16:25
MW26	Y102462-26	Water	February 24, 2021 12:50	02/24/2021 16:25
MW27	Y102462-27	Water	February 24, 2021 12:25	02/24/2021 16:25

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Page 1 of 12

4102462

1725 Elk Place, Denver, CO 80211
Laboratory # - 303.433.1322

Client: WSP USA
Project: KMG - Platteville Compressor Station
Project Manager: Brian Sulzberger
Project Number: 014213112/WO#8871538, 890628

Number	Sample Identification	Matrix	Sample Date	Sample Time	Container	QTY	Analyses
01-001	MW01	Water	2-24-21	1153	40mL Amber VOA Vial - HC	3	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
01-001	MW01	Water		1153	5_250mL Plastic Cool to 4°	1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
01-001	MW01	Water		1153	40_500mL Plastic Cool to 4°	1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
02-001	MW02	Water		1132	40mL Amber VOA Vial - HC	3	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
02-001	MW02	Water		1132	5_250mL Plastic Cool to 4°	1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
02-001	MW02	Water		1132	40_500mL Plastic Cool to 4°	1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C

Temperature on Receipt: 59
Turn Around Time:
Same Day: 24-hr: Standard: 48-hr:

Relinquished By: [Signature] Date / Time: 2/24/21 1625
Received By: [Signature] Date / Time: 2/24/21 1625

Relinquished By: [Signature] Date / Time: 2/24/21 1625
Received By: [Signature] Date / Time: 2/24/21 1625

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Page 2 of 12

4102462

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Date	Lab ID	Vial Type	Method	Analysis	Units
03-001	Water	2-24-21	1313	40mL Amber VOA Vial - HC	AS, RT, PH	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3
03-001	Water			5.250mL Plastic Cool to 4°		BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3
03-001	Water			50-500mL Plastic Cool to 4°		BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3
04-001	Water	2-24-21	1225	40mL Amber VOA Vial - HC	AS, RT, PH	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3
04-001	Water		1225	5.250mL Plastic Cool to 4°		BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1
04-001	Water		1225	50-500mL Plastic Cool to 4°		BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1
05-001	Water		1244	40mL Amber VOA Vial - HC		BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3

Temperature on Receipt: 5.9
 Turn Around Time:
 Same Day: 72-hr
 24-hr Standard
 48-hr

Relinquished By: [Signature] Date / Time: 2/24/21 1625
 Received By: [Signature] Date / Time: 2/24/21 1625

Relinquished By: [Signature] Date / Time: 2/24/21 1625
 Received By: [Signature] Date / Time: 2/24/21 1625

Origins Laboratory, Inc.

Jen Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

4102462

Page 3 of 12

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Time	Temp	Method	Analysis	Notes
05-001	Water	2-24-21	1244	5.250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	1
05-001	Water		1244	5p.500mL Plastic Cool to 4°	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	1
06-001	Water		1320	2.40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	3
06-001	Water		1320	5.250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	1
06-001	Water		1320	5p.500mL Plastic Cool to 4°	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	1
07-001	Water		1345	5p.500mL Plastic Cool to 4°	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	1
07-001	Water		1345	40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C	3

Relinquished By: *[Signature]* Date / Time: 2/24/21 1625

Received By: *[Signature]* Date / Time: 2/24/21 1625

Relinquished By: *[Signature]* Date / Time: 2/24/21 1625

Received By: *[Signature]* Date / Time: 2/24/21 1625

Temperature on Receipt: 5.9

Turn Around Time: 72-hr Standard 24-hr 48-hr

Origins Laboratory, Inc.

Jen Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Page 4 of 12

4102462

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Time	Temp	Method	Parameter	Unit	Result	Method	Parameter	Unit	Result
07-001	Water	2-24-21	1345	15.250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1					
08-001	Water		1258	1.40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3					
08-001	Water		1258	5.250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1					
08-001	Water		1258	60.500mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1					
08-001	Water		1330	1.40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3					
09-001	Water		1330	5.250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1					
09-001	Water		1330	60.500mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1					

Temperature on Receipt:
 Turn Around Time:
 Same Day: 72-hr
 24-hr Standard
 48-hr

Relinquished By: *[Signature]* Date / Time: 2/24/21 1625
 Received By: *[Signature]* Date / Time: 2/24/21 1625

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

4102462

Page 5 of 12

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Date	Lab ID	Container	Analysis	Method	Notes
10-001	Water	2-24-21	1447	40mL Amber VOA Val - HC	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	3
10-001	Water		1447	5_250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	1
10-001	Water		1447	50_500mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	1
11-001	Water		1501	5_250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	1
11-001	Water		1501	50_500mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	1
11-001	Water		1501	40mL Amber VOA Val - HC	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	2
12-001	Water		1210	5_250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 by 8260D	Sulfate by 300.0 Total Dissolved Solids by 2540C	1

Temperature on Receipt:
 Turn Around Time:
 Same Day: 72-hr:
 24-hr: Standard:
 48-hr:

Relinquished By: [Signature] Date / Time: 2/24/21 1625
 Received By: [Signature] Date / Time: 2/24/21 1625

Relinquished By: [Signature] Date / Time: 2/24/21 1625
 Received By: [Signature] Date / Time: 2/24/21 1625

Origins Laboratory, Inc.

Jen Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

Page 6 of 12

4102462

1725 Elk Place, Denver, CO 80211
Laboratory # - 303.433.1322

Sample ID	Matrix	Date	Parameter	Result	Method	Units
12-001	Water	2-24-21	pH	12.0	50mL Plastic Cool to 4°	BTEX+N+TMBs Chloride by 300.0 by 8260D
12-001	Water		pH	12.0	40mL Amber VOA Vial - HC	Total Dissolved Solids by 2540C
13-001	Water			13.2%	40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 by 8260D
13-001	Water			13.2%	5.250mL Plastic Cool to 4°	Total Dissolved Solids by 2540C
13-001	Water			13.2%	50.500mL Plastic Cool to 4°	BTEX+N+TMBs Chloride by 300.0 by 8260D
14-001	Water			13.4%	50.500mL Plastic Cool to 4°	Total Dissolved Solids by 2540C
14-001	Water			13.4%	40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 by 8260D

Temperature on Receipt:

Turn Around Time:
 Same Day
 24-hr
 72-hr
 Standard
 48-hr

Relinquished By

Date / Time: 2/24/21 1625

Received By

Date / Time: 2/24/21 1625

Origins Laboratory, Inc.

Jen Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

4102462

Page 7 of 12

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Lot #	Container	Volume	Analysis	Method	Volume	Analysis
14-001 MW14	Water	2-24-21	1346	15_250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1	1	
15-001 MW15	Water	1405	1405	15_250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1	1	
15-001 MW15	Water	1405	1405	30_500mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1	1	
15-001 MW15	Water	1405	1405	2_40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3	3	
16-001 MW16	Water	1405	1405	2_40mL Amber VOA Vial - HC	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3	3	
16-001 MW16	Water	1405	1405	15_250mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1	1	
16-001 MW16	Water	1405	1405	30_500mL Plastic Cool to 4° C	BTEX+N+TMBs Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1	1	

Relinquished By: *[Signature]* Date / Time: 2/24/21 16:25

Received By: *[Signature]* Date / Time: 2/24/21 16:25

Temperature on Receipt: Same Day 72-hr 24-hr Standard 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

1102462

Page 8 of 12

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Date	Time	Volume	Method	Analysis	Notes
17-001	Water	2-29-21	12:40	500mL	Plastic Cool to 4°	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1
17-001	Water		12:40	40mL	Amber VOA Vial - HC	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3
17-001	Water		12:40	250mL	Plastic Cool to 4°	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1
18-001	Water		13:07	500mL	Plastic Cool to 4°	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1
18-001	Water		13:07	250mL	Plastic Cool to 4°	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1
18-001	Water		13:07	40mL	Amber VOA Vial - HC	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	3
19-001	Water		13:15	500mL	Plastic Cool to 4°	BTEX+N+TMS Chloride by 300.0 Sulfate by 300.0 Total Dissolved Solids by 2540C	1

Relinquished By: *[Signature]* Date / Time: 2/29/21 1625

Received By: *[Signature]* Date / Time: 2/24/21 1625

Temperature on Receipt: Same Day 72-hr Standard 24-hr 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Page 9 of 12

4102462

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

19-001	MW19	Water	2-24-21	1315	As(K),PH	16_250mL Plastic Cool to 4° (1	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C
19-001	MW19	Water		1315		40mL Amber VOA Vial - HC	3	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C
20-001	MW20	Water		1230		50_500mL Plastic Cool to 4°	1	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C
20-001	MW20	Water		1230		5_250mL Plastic Cool to 4° (1	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C
20-001	MW20	Water		1230		40mL Amber VOA Vial - HC	3	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C
21-001	MW21	Water		1335		50_500mL Plastic Cool to 4°	1	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C
21-001	MW21	Water		1335		40mL Amber VOA Vial - HC	3	BTEX+N+TMS Chloride by 300.0 by 8260D	Sulfate by 300.0	Total Dissolved Solids by 2540C

Relinquished By: *[Signature]* Date / Time: 2/24/21 16:25

Received By: _____ Date / Time: _____

Relinquished By: *[Signature]* Date / Time: 2/24/21 16:25

Received By: _____ Date / Time: _____

Temperature on Receipt: _____

Turn Around Time: _____

Same Day: 72-hr: Standard: 24-hr: 48-hr:

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

4102462

Page 10 of 12

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

21-001	MW21	Water	2-24-21	1335	46.87 pH	15.250mL Plastic Cool to 4° (1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
22-001	MW22	Water		1350		40mL Amber VOA Vial - HC	3	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
22-001	MW22	Water		1350		5.250mL Plastic Cool to 4° (1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
22-001	MW22	Water		1350		50.500mL Plastic Cool to 4° (1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
23-001	MW23	Water		1255		5.250mL Plastic Cool to 4° (1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
23-001	MW23	Water		1255		50.500mL Plastic Cool to 4° (1	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C
23-001	MW23	Water		1255		40mL Amber VOA Vial - HC	3	BTEX+N+TMBs Chloride by 300.0 by 8260D Sulfate by 300.0 Total Dissolved Solids by 2540C

Relinquished By: *[Signature]* Date / Time: 2/24/21 1625

Received By: *[Signature]* Date / Time: 2/24/21 1625

Relinquished By: *[Signature]* Date / Time: 2/24/21 1625

Received By: *[Signature]* Date / Time: 2/24/21 1625

Temperature on Receipt:
 Turn Around Time:
 Same Day: 72-hr:
 24-hr: Standard:
 48-hr:

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

4102462

Page 11 of 12

1725 Elk Place, Denver, CO 80211
Laboratory # - 303.433.1322

24-001	MW24	Water	2-24-21	1305	ART, PH	40mL Amber VOA Vial - HC	3	BTEX+N+TMBs Chloride by 300.0 by 8260D
24-001	MW24	Water		1305		5_250mL Plastic Cool to 4° C	1	Sulfate by 300.0 Total Dissolved Solids by 2540C
24-001	MW24	Water		1305		50_500mL Plastic Cool to 4° C	1	BTEX+N+TMBs Chloride by 300.0 by 8260D
25-001	MW25	Water		1235		40mL Amber VOA Vial - HC	3	Sulfate by 300.0 Total Dissolved Solids by 2540C
25-001	MW25	Water		1235		5_250mL Plastic Cool to 4° C	1	BTEX+N+TMBs Chloride by 300.0 by 8260D
25-001	MW25	Water		1235		50_500mL Plastic Cool to 4° C	1	Sulfate by 300.0 Total Dissolved Solids by 2540C
26-001	MW26	Water		1250		40mL Amber VOA Vial - HC	3	BTEX+N+TMBs Chloride by 300.0 by 8260D
								Sulfate by 300.0 Total Dissolved Solids by 2540C

Temperature on Receipt:
Turn Around Time:

Same Day 72-hr
24-hr Standard
48-hr

Relinquished By _____
Date / Time 2/24/21 1625

Received By _____
Date / Time 2/24/21 1625

Relinquished By _____
Date / Time 2/24/21 1625

Received By _____
Date / Time 2/24/21 1625

Origins Laboratory, Inc.

Jen Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA

4600 W. 60th Ave.

Arvada CO 80003

Brian Sulzberger

Project Number: 014213112/WO

Project: KMG - Platteville Compressor Station

4102462

1725 Elk Place, Denver, CO 80211
Laboratory # - 303.433.1322

Page 12 of 12

26-001	MW26	Water	2-24-11	1250	At 12:11	5_250mL Plastic Cool to 4° C	1	BTEX+N+TMBs by 8260D	Chloride by 300.0
26-001	MW26	Water		1250		60_500mL Plastic Cool to 4°	1	BTEX+N+TMBs by 8260D	Total Dissolved Solids by 2540C
27-001	MW27	Water		1225		60_500mL Plastic Cool to 4°	1	BTEX+N+TMBs by 8260D	Chloride by 300.0
27-001	MW27	Water		1225		40mL Amber VOA Vial - HC	3	BTEX+N+TMBs by 8260D	Total Dissolved Solids by 2540C
27-001	MW27	Water		1225		5_250mL Plastic Cool to 4° C	1	BTEX+N+TMBs by 8260D	Chloride by 300.0

Temperature on Receipt:

Turn Around Time:

Same Day
 24-hr
 72-hr
 Standard

Relinquished By

Date / Time

2/24/11 1625

Received By

Date / Time

2/24/11 1625

Origins Laboratory, Inc.

Jen Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: 4102462 Client: WSP
 Checklist Completed by: JP Client Project ID: Platteville Compressor
 Date/time completed: 2/24/21 Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)
 Airbill #: NA
 Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____
 Cooler Number/Temperature: 1/5.9 °C / _____ °C / _____ °C (Describe) _____ °C
 Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH < 2 for samples preserved with HNO ₃ , HCl, H ₂ SO ₄) / (pH > 10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)	<input checked="" type="checkbox"/>			
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by jm (Project Manager) Date/Time Reviewed 2-26-21

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW01

2/24/2021 11:53:00AM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-01 (Water)

Anions by EPA 300.0

Chloride	50.6	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	215	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	4.00	ug/L	4	B1B2510	TEM	02/25/2021	03/02/2021	Ua
1,3,5-Trimethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Benzene	ND	4.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	16.0	"	"	"	TEM	"	"	Ua
Toluene	ND	4.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	4.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	96.1 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	89.2 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	736	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW02

2/24/2021 11:32:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-02 (Water)

Anions by EPA 300.0

Chloride	61.7	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	2.09	0.400	"	1	"	JLD1	"	02/27/2021	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	234	50.0	ug/L	50	B1B2510	TEM	02/25/2021	03/01/2021	
1,3,5-Trimethylbenzene	160	50.0	"	"	"	TEM	"	"	
Benzene	899	50.0	"	"	"	TEM	"	"	
Ethylbenzene	417	50.0	"	"	"	TEM	"	"	
Naphthalene	28.5	16.0	"	4	"	TEM	"	03/02/2021	
Toluene	ND	4.00	"	"	"	TEM	"	"	Ua
Xylenes, total	4100	50.0	"	50	"	TEM	"	"	

Surrogate: 1,2-Dichloroethane-d4	95.5 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	89.8 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	788	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW03

2/24/2021 1:13:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y102462-03 (Water)

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	4.52	4.00	ug/L	4	B1B2510	TEM	02/25/2021	03/02/2021	
1,3,5-Trimethylbenzene	9.80	4.00	"	"	"	TEM	"	"	
Benzene	45.1	4.00	"	"	"	TEM	"	"	
Ethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	16.0	"	"	"	TEM	"	"	Ua
Toluene	ND	4.00	"	"	"	TEM	"	"	Ua
Xylenes, total	15.9	4.00	"	"	"	TEM	"	"	

Surrogate: 1,2-Dichloroethane-d4	98.3 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	90.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW04

2/24/2021 12:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-04 (Water)

Anions by EPA 300.0

Chloride	65.5	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	31.1	0.800	"	2	"	JLD1	"	02/27/2021	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	1.11	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	91.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	584	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW05

2/24/2021 12:44:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-05 (Water)

Anions by EPA 300.0

Chloride	152	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	98.8	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	91.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	581	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW06

2/24/2021 1:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-06 (Water)

Anions by EPA 300.0

Chloride	51.6	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	99.7	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	4.00	ug/L	4	B1B2510	TEM	02/25/2021	03/02/2021	Ua
1,3,5-Trimethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Benzene	89.2	4.00	"	"	"	TEM	"	"	
Ethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	16.0	"	"	"	TEM	"	"	Ua
Toluene	ND	4.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	4.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	95.4 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	89.4 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	581	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW07

2/24/2021 1:45:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-07 (Water)

Anions by EPA 300.0

Chloride	58.6	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	173	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	90.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	626	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW08

2/24/2021 12:58:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-08 (Water)

Anions by EPA 300.0

Chloride	81.8	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	73.3	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	112 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	91.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	567	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW09R

2/24/2021 1:30:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-09 (Water)

Anions by EPA 300.0

Chloride	56.3	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	172	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	91.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	738	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW10

2/24/2021 2:47:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-10 (Water)

Anions by EPA 300.0

Chloride	76.9	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	69.6	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	114 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	90.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	533	5.00	mg/L	1	B1C0107	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW11

2/24/2021 3:01:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-11 (Water)

Anions by EPA 300.0

Chloride	138	20.0	mg/L	100	2096974	JLD1	02/24/2021	02/26/2021	
Sulfate	104	40.0	"	"	"	JLD1	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	89.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	691	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW12

2/24/2021 12:10:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-12 (Water)

Anions by EPA 300.0

Chloride	32.3	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	148	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	89.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	591	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW13

2/24/2021 1:28:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-13 (Water)

Anions by EPA 300.0

Chloride	90.1	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	19.5	0.800	"	2	"	LXA2	"	02/27/2021	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	90.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	494	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW14

2/24/2021 1:46:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-14 (Water)

Anions by EPA 300.0

Chloride	96.6	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	58.6	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	89.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	594	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW15

2/24/2021 2:05:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-15 (Water)

Anions by EPA 300.0

Chloride	139	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	8.72	0.400	"	1	"	LXA2	"	02/27/2021	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	114 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	87.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	612	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW16

2/24/2021 2:05:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-16 (Water)

Anions by EPA 300.0

Chloride	54.2	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	191	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	114 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	89.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	782	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW17

2/24/2021 12:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-17 (Water)

Anions by EPA 300.0

Chloride	52.6	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	6.69	0.400	"	1	"	LXA2	"	02/27/2021	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	15.5	4.00	ug/L	4	B1B2510	TEM	02/25/2021	03/02/2021	
1,3,5-Trimethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Benzene	ND	4.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	4.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	16.0	"	"	"	TEM	"	"	Ua
Toluene	ND	4.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	4.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	98.4 %	70-130			"	"		"	
Surrogate: Toluene-d8	98.4 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	89.0 %	70-130			"	"		"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	737	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW18

2/24/2021 1:07:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-18 (Water)

Anions by EPA 300.0

Chloride	61.8	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	46.8	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	90.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	523	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW19

2/24/2021 1:15:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
 Y102462-19 (Water)

Anions by EPA 300.0

Chloride	52.5	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	215	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	114 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	89.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	783	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW20

2/24/2021 12:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-20 (Water)

Anions by EPA 300.0

Chloride	119	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	104	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2510	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	1.02	1.00	"	"	"	TEM	"	"	
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	91.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	703	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW21

2/24/2021 1:35:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-21 (Water)

Anions by EPA 300.0

Chloride	95.8	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/26/2021	
Sulfate	71.4	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2507	TEM	02/25/2021	03/01/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	KDK	"	02/26/2021	Ua
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Naphthalene	ND	4.00	"	"	"	KDK	"	"	Ua
Toluene	ND	1.00	"	"	"	KDK	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	03/01/2021	Ua

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"		02/26/2021	
Surrogate: Toluene-d8	89.8 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	93.6 %	70-130			"	"		"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	658	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW22

2/24/2021 1:50:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-22 (Water)

Anions by EPA 300.0

Chloride	61.2	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/27/2021	
Sulfate	66.2	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2507	KDK	02/25/2021	02/26/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Benzene	ND	1.00	"	"	"	KDK	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Naphthalene	ND	4.00	"	"	"	KDK	"	"	Ua
Toluene	ND	1.00	"	"	"	KDK	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	116 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	86.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	89.7 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	539	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW23

2/24/2021 12:55:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-23 (Water)

Anions by EPA 300.0

Chloride	51.2	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/27/2021	
Sulfate	71.1	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2507	KDK	02/25/2021	02/26/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Benzene	ND	1.00	"	"	"	KDK	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Naphthalene	ND	4.00	"	"	"	KDK	"	"	Ua
Toluene	ND	1.00	"	"	"	KDK	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	86.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	90.4 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	548	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW24

2/24/2021 1:05:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-24 (Water)

Anions by EPA 300.0

Chloride	96.4	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/27/2021	
Sulfate	74.3	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2507	KDK	02/25/2021	02/27/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Benzene	ND	1.00	"	"	"	KDK	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Naphthalene	ND	4.00	"	"	"	KDK	"	"	Ua
Toluene	ND	1.00	"	"	"	KDK	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	118 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	86.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	91.4 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	669	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW25

2/24/2021 12:35:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-25 (Water)

Anions by EPA 300.0

Chloride	53.5	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/27/2021	
Sulfate	159	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2507	KDK	02/25/2021	02/27/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Benzene	ND	1.00	"	"	"	KDK	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Naphthalene	ND	4.00	"	"	"	KDK	"	"	Ua
Toluene	ND	1.00	"	"	"	KDK	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	119 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	86.6 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	90.0 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	732	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW26

2/24/2021 12:50:00PM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-26 (Water)

Anions by EPA 300.0

Chloride	83.5	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/27/2021	
Sulfate	103	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2507	KDK	02/25/2021	02/27/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Benzene	ND	1.00	"	"	"	KDK	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	Ua
Naphthalene	ND	4.00	"	"	"	KDK	"	"	Ua
Toluene	ND	1.00	"	"	"	KDK	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	115 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	87.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	90.4 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	735	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW27

2/24/2021 12:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

GEL Laboratories, LLC
Y102462-27 (Water)

Anions by EPA 300.0

Chloride	59.7	20.0	mg/L	100	2097043	LXA2	02/24/2021	02/27/2021	
Sulfate	151	40.0	"	"	"	LXA2	"	"	

BTEX+N+TMBs by 8260D

1,2,4-Trimethylbenzene	ND	1.00	ug/L	1	B1B2508	TEM	02/25/2021	03/02/2021	Ua
1,3,5-Trimethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Benzene	ND	1.00	"	"	"	TEM	"	"	Ua
Ethylbenzene	ND	1.00	"	"	"	TEM	"	"	Ua
Naphthalene	ND	4.00	"	"	"	TEM	"	"	Ua
Toluene	ND	1.00	"	"	"	TEM	"	"	Ua
Xylenes, total	ND	1.00	"	"	"	TEM	"	"	Ua

Surrogate: 1,2-Dichloroethane-d4	118 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	89.6 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Total Dissolved Solids by 2540C

Total Dissolved Solids	759	5.00	mg/L	1	B1C0108	DJL	03/01/2021	03/02/2021	
------------------------	-----	------	------	---	---------	-----	------------	------------	--

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2507 - EPA 5030B (Water)

Blank (B1B2507-BLK1)

Prepared: 02/25/2021 Analyzed: 02/26/2021

1,2,4-Trimethylbenzene	ND	1.00	ug/L							Ua
1,3,5-Trimethylbenzene	ND	1.00	"							Ua
Benzene	ND	1.00	"							Ua
Ethylbenzene	ND	1.00	"							Ua
Naphthalene	ND	4.00	"							Ua
Toluene	ND	1.00	"							Ua
Xylenes, total	ND	1.00	"							Ua
Surrogate: 1,2-Dichloroethane-d4	66		"	62.5	106		70-130			
Surrogate: Toluene-d8	58		"	62.5	92.7		70-130			
Surrogate: 4-Bromofluorobenzene	66		"	62.5	105		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2507 - EPA 5030B (Water)

LCS (B1B2507-BS1)

Prepared: 02/25/2021 Analyzed: 02/26/2021

1,2,4-Trimethylbenzene	54.8	1.00	ug/L	50.0		110	70-130			
1,3,5-Trimethylbenzene	54.6	1.00	"	50.0		109	70-130			
Benzene	52.5	1.00	"	50.0		105	70-130			
Ethylbenzene	50.6	1.00	"	50.0		101	70-130			
m,p-Xylene	101	2.00	"	100		101	70-130			
Naphthalene	54.6	4.00	"	50.0		109	70-130			
o-Xylene	50.3	1.00	"	50.0		101	70-130			
Toluene	47.7	1.00	"	50.0		95.4	70-130			
Surrogate: 1,2-Dichloroethane-d4	69		"	62.5		110	70-130			
Surrogate: Toluene-d8	60		"	62.5		95.8	70-130			
Surrogate: 4-Bromofluorobenzene	68		"	62.5		108	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2507 - EPA 5030B (Water)

Matrix Spike (B1B2507-MS1)	Source: Y102447-03			Prepared: 02/25/2021 Analyzed: 02/26/2021						
1,2,4-Trimethylbenzene	63.9	1.00	ug/L	50.0	ND	128	70-130			
1,3,5-Trimethylbenzene	66.5	1.00	"	50.0	ND	133	70-130			QM-07
Benzene	64.2	1.00	"	50.0	ND	128	70-130			
Ethylbenzene	63.0	1.00	"	50.0	ND	126	70-130			
m,p-Xylene	125	2.00	"	100	ND	125	70-130			
Naphthalene	60.7	4.00	"	50.0	ND	121	70-130			
o-Xylene	61.0	1.00	"	50.0	ND	122	70-130			
Toluene	59.7	1.00	"	50.0	ND	119	70-130			
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		112	70-130			
Surrogate: Toluene-d8	62		"	62.5		98.4	70-130			
Surrogate: 4-Bromofluorobenzene	67		"	62.5		107	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2507 - EPA 5030B (Water)

Matrix Spike Dup (B1B2507-MSD1)	Source: Y102447-03			Prepared: 02/25/2021 Analyzed: 02/26/2021						
1,2,4-Trimethylbenzene	64.6	1.00	ug/L	50.0	ND	129	70-130	1.14	20	
1,3,5-Trimethylbenzene	66.3	1.00	"	50.0	ND	133	70-130	0.226	20	QM-07
Benzene	62.2	1.00	"	50.0	ND	124	70-130	3.04	20	
Ethylbenzene	61.6	1.00	"	50.0	ND	123	70-130	2.36	20	
m,p-Xylene	123	2.00	"	100	ND	123	70-130	1.20	20	
Naphthalene	63.8	4.00	"	50.0	ND	128	70-130	5.00	20	
o-Xylene	60.0	1.00	"	50.0	ND	120	70-130	1.64	20	
Toluene	57.0	1.00	"	50.0	ND	114	70-130	4.73	20	
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		112	70-130			
Surrogate: Toluene-d8	60		"	62.5		96.0	70-130			
Surrogate: 4-Bromofluorobenzene	67		"	62.5		107	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2508 - EPA 5030B (Water)

Blank (B1B2508-BLK1)

Prepared: 02/25/2021 Analyzed: 03/01/2021

1,2,4-Trimethylbenzene	ND	1.00	ug/L							Ua
1,3,5-Trimethylbenzene	ND	1.00	"							Ua
Benzene	ND	1.00	"							Ua
Ethylbenzene	ND	1.00	"							Ua
Naphthalene	ND	4.00	"							Ua
Toluene	ND	1.00	"							Ua
Xylenes, total	ND	1.00	"							Ua
Surrogate: 1,2-Dichloroethane-d4	72		"	62.5	115		70-130			
Surrogate: Toluene-d8	57		"	62.5	90.9		70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5	101		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2508 - EPA 5030B (Water)

LCS (B1B2508-BS1)

Prepared: 02/25/2021 Analyzed: 03/01/2021

1,2,4-Trimethylbenzene	54.6	1.00	ug/L	50.0		109	70-130			
1,3,5-Trimethylbenzene	53.9	1.00	"	50.0		108	70-130			
Benzene	58.3	1.00	"	50.0		117	70-130			
Ethylbenzene	52.3	1.00	"	50.0		105	70-130			
m,p-Xylene	102	2.00	"	100		102	70-130			
Naphthalene	60.7	4.00	"	50.0		121	70-130			
o-Xylene	50.8	1.00	"	50.0		102	70-130			
Toluene	50.8	1.00	"	50.0		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	77		"	62.5		123	70-130			
Surrogate: Toluene-d8	60		"	62.5		96.1	70-130			
Surrogate: 4-Bromofluorobenzene	66		"	62.5		106	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2508 - EPA 5030B (Water)

Matrix Spike (B1B2508-MS1)	Source: Y102456-02			Prepared: 02/25/2021 Analyzed: 03/01/2021						
1,2,4-Trimethylbenzene	57.5	1.00	ug/L	50.0	ND	115	70-130			
1,3,5-Trimethylbenzene	59.0	1.00	"	50.0	ND	118	70-130			
Benzene	57.5	1.00	"	50.0	ND	115	70-130			
Ethylbenzene	54.3	1.00	"	50.0	ND	109	70-130			
m,p-Xylene	109	2.00	"	100	ND	109	70-130			
Naphthalene	69.0	4.00	"	50.0	ND	138	70-130			QM-07
o-Xylene	54.0	1.00	"	50.0	ND	108	70-130			
Toluene	51.6	1.00	"	50.0	ND	103	70-130			
Surrogate: 1,2-Dichloroethane-d4	75		"	62.5		121	70-130			
Surrogate: Toluene-d8	60		"	62.5		96.2	70-130			
Surrogate: 4-Bromofluorobenzene	67		"	62.5		107	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2508 - EPA 5030B (Water)

Matrix Spike Dup (B1B2508-MSD1)	Source: Y102456-02			Prepared: 02/25/2021 Analyzed: 03/01/2021						
1,2,4-Trimethylbenzene	52.8	1.00	ug/L	50.0	ND	106	70-130	8.43	20	
1,3,5-Trimethylbenzene	51.4	1.00	"	50.0	ND	103	70-130	13.8	20	
Benzene	53.4	1.00	"	50.0	ND	107	70-130	7.43	20	
Ethylbenzene	48.2	1.00	"	50.0	ND	96.4	70-130	12.0	20	
m,p-Xylene	97.2	2.00	"	100	ND	97.2	70-130	11.7	20	
Naphthalene	73.0	4.00	"	50.0	ND	146	70-130	5.70	20	QM-07
o-Xylene	50.7	1.00	"	50.0	ND	101	70-130	6.36	20	
Toluene	47.7	1.00	"	50.0	ND	95.4	70-130	7.91	20	
Surrogate: 1,2-Dichloroethane-d4	74		"	62.5		119	70-130			
Surrogate: Toluene-d8	60		"	62.5		95.8	70-130			
Surrogate: 4-Bromofluorobenzene	68		"	62.5		108	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2510 - EPA 5030B (Water)

Blank (B1B2510-BLK1)

Prepared: 02/25/2021 Analyzed: 03/01/2021

1,2,4-Trimethylbenzene	ND	1.00	ug/L							Ua
1,3,5-Trimethylbenzene	ND	1.00	"							Ua
Benzene	ND	1.00	"							Ua
Ethylbenzene	ND	1.00	"							Ua
Naphthalene	ND	4.00	"							Ua
Toluene	ND	1.00	"							Ua
Xylenes, total	ND	1.00	"							Ua
Surrogate: 1,2-Dichloroethane-d4	67		"	62.5	108		70-130			
Surrogate: Toluene-d8	58		"	62.5	93.5		70-130			
Surrogate: 4-Bromofluorobenzene	64		"	62.5	103		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2510 - EPA 5030B (Water)

LCS (B1B2510-BS1)

Prepared: 02/25/2021 Analyzed: 03/01/2021

1,2,4-Trimethylbenzene	60.9	1.00	ug/L	50.0		122	70-130			
1,3,5-Trimethylbenzene	63.5	1.00	"	50.0		127	70-130			
Benzene	60.3	1.00	"	50.0		121	70-130			
Ethylbenzene	59.5	1.00	"	50.0		119	70-130			
m,p-Xylene	118	2.00	"	100		118	70-130			
Naphthalene	63.4	4.00	"	50.0		127	70-130			
o-Xylene	57.2	1.00	"	50.0		114	70-130			
Toluene	55.4	1.00	"	50.0		111	70-130			
Surrogate: 1,2-Dichloroethane-d4	74		"	62.5		118	70-130			
Surrogate: Toluene-d8	60		"	62.5		96.4	70-130			
Surrogate: 4-Bromofluorobenzene	66		"	62.5		106	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2510 - EPA 5030B (Water)

Matrix Spike (B1B2510-MS1)	Source: Y102462-04			Prepared: 02/25/2021 Analyzed: 03/01/2021						
1,2,4-Trimethylbenzene	61.9	1.00	ug/L	50.0	1.11	122	70-130			
1,3,5-Trimethylbenzene	63.5	1.00	"	50.0	0.670	126	70-130			
Benzene	63.0	1.00	"	50.0	0.280	125	70-130			
Ethylbenzene	62.4	1.00	"	50.0	0.660	124	70-130			
m,p-Xylene	122	2.00	"	100	0.410	122	70-130			
Naphthalene	69.2	4.00	"	50.0	1.16	136	70-130			QM-07
o-Xylene	60.4	1.00	"	50.0	ND	121	70-130			
Toluene	58.2	1.00	"	50.0	ND	116	70-130			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		95.3	70-130			
Surrogate: Toluene-d8	60		"	62.5		96.3	70-130			
Surrogate: 4-Bromofluorobenzene	66		"	62.5		106	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1B2510 - EPA 5030B (Water)

Matrix Spike Dup (B1B2510-MSD1)	Source: Y102462-04			Prepared: 02/25/2021 Analyzed: 03/01/2021						
1,2,4-Trimethylbenzene	59.2	1.00	ug/L	50.0	1.11	116	70-130	4.51	20	
1,3,5-Trimethylbenzene	61.5	1.00	"	50.0	0.670	122	70-130	3.30	20	
Benzene	58.1	1.00	"	50.0	0.280	116	70-130	8.12	20	
Ethylbenzene	57.9	1.00	"	50.0	0.660	114	70-130	7.60	20	
m,p-Xylene	114	2.00	"	100	0.410	114	70-130	6.29	20	
Naphthalene	62.5	4.00	"	50.0	1.16	123	70-130	10.2	20	
o-Xylene	56.6	1.00	"	50.0	ND	113	70-130	6.47	20	
Toluene	54.2	1.00	"	50.0	ND	108	70-130	7.08	20	
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		112	70-130			
Surrogate: Toluene-d8	61		"	62.5		97.3	70-130			
Surrogate: 4-Bromofluorobenzene	66		"	62.5		106	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Classical Chemistry Parameters - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1C0107 - NO PREP

Blank (B1C0107-BLK1)

Prepared: 03/01/2021 Analyzed: 03/02/2021

Total Dissolved Solids ND 5.00 mg/L

LCS (B1C0107-BS1)

Prepared: 03/01/2021 Analyzed: 03/02/2021

Total Dissolved Solids 741 5.00 mg/L 716 103 85-115

Duplicate (B1C0107-DUP1)

Source: Y102411-04

Prepared: 03/01/2021 Analyzed: 03/02/2021

Total Dissolved Solids 1410 5.00 mg/L 1460 3.91 20

Batch B1C0108 - NO PREP

Blank (B1C0108-BLK1)

Prepared: 03/01/2021 Analyzed: 03/02/2021

Total Dissolved Solids ND 5.00 mg/L

LCS (B1C0108-BS1)

Prepared: 03/01/2021 Analyzed: 03/02/2021

Total Dissolved Solids 748 5.00 mg/L 716 104 85-115

Duplicate (B1C0108-DUP1)

Source: Y102462-11

Prepared: 03/01/2021 Analyzed: 03/02/2021

Total Dissolved Solids 683 5.00 mg/L 691 1.16 20

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Anions by EPA 300.0 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2096974 -

BLANK (1204761423-BLK)

Prepared: Analyzed: 02/27/2021

Sulfate	ND	0.400	mg/L				-			U
Chloride	ND	0.200	"				-			U

LCS (1204761424-BKS)

Prepared: Analyzed: 02/27/2021

Sulfate	10.2	0.400	mg/L	10.0		102	90-110			
Chloride	5.03	0.200	"	5.00		101	90-110			

DUP (1204761425 D)

Source: Y102462-11

Prepared: Analyzed: 02/27/2021

Chloride	138	20.0	mg/L		138		0-20	0.347	20	
Sulfate	105	40.0	"		104		0-20	1.46	20	

PS (1204761426 S)

Source: Y102462-11

Prepared: Analyzed: 02/27/2021

Sulfate	1160	40.0	mg/L	10.0		106	90-110			
Chloride	672	20.0	"	5.00		107	90-110			

DUP (1204761427 D)

Source: Y102462-10

Prepared: Analyzed: 02/26/2021

Sulfate	69.6	40.0	mg/L		69.6		0-20	0.0144	20	
Chloride	77.0	20.0	"		76.9		0-20	0.208	20	

PS (1204761428 S)

Source: Y102462-10

Prepared: Analyzed: 02/27/2021

Chloride	599	20.0	mg/L	5.00		104	90-110			
Sulfate	1120	40.0	"	10.0		105	90-110			

Batch 2097043 -

BLANK (1204761595-BLK)

Prepared: Analyzed: 02/26/2021

Sulfate	ND	0.400	mg/L				-			U
Chloride	ND	0.200	"				-			U

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
 4600 W. 60th Ave.
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Anions by EPA 300.0 - Quality Control
GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2097043 -										
LCS (1204761596-BKS)					Prepared: Analyzed: 02/26/2021					
Chloride	4.52	0.200	mg/L	5.00		90.4	90-110			
Sulfate	9.30	0.400	"	10.0		93	90-110			
DUP (1204761597 D)					Source: Y102462-12 Prepared: Analyzed: 02/26/2021					
Sulfate	147	40.0	mg/L		148		0-20	0.407	20	
Chloride	32.2	20.0	"		32.3		0-20	0.403	20	
DUP (1204761598 D)					Source: Y102462-13 Prepared: Analyzed: 02/27/2021					
Sulfate	19.3	0.800	mg/L		19.5		0-20	1.05	20	
Chloride	89.5	20.0	"		90.1		0-20	0.624	20	
PS (1204761599 S)					Source: Y102462-12 Prepared: Analyzed: 02/26/2021					
Sulfate	1090	40.0	mg/L	10.0		94.2	90-110			
Chloride	480	20.0	"	5.00		89.5	90-110			
PS (1204761600 S)					Source: Y102462-13 Prepared: Analyzed: 02/26/2021					
Chloride	553	20.0	mg/L	5.00		92.5	90-110			
Sulfate	60.2	0.800	"	20.0		102	90-110			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

WSP USA
4600 W. 60th Ave.
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

Notes and Definitions

Ua Sample is Non-Detect.

U Result not detected above the detection limit

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini, Project Manager