



25-Mar-2016

Brett Middleton  
Encana Oil and Gas (USA) Inc.  
143 Diamond Avenue  
Parachute, CO 81635

Re: **Standard Draw 3-14 Spill**

Work Order: **16031240**

Dear Brett,

ALS Environmental received 9 samples on 23-Mar-2016 09:30 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

Sample results are compliant with NELAP standard requirements and QC results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 16.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Chad Whelton".

Electronically approved by: Chad Whelton

Chad Whelton  
Project Manager



Certificate No: MN 998501

### Report of Laboratory Analysis

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Work Order:** 16031240

**Work Order Sample Summary**

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
16031240-01	20160322-SD3-14(SW30)	Soil		3/22/2016 09:15	3/23/2016 09:30	<input type="checkbox"/>
16031240-02	20160322-SD3-14(EXSP)	Soil		3/22/2016 09:30	3/23/2016 09:30	<input type="checkbox"/>
16031240-03	20160322-SD3-14(NW20)	Soil		3/22/2016 09:15	3/23/2016 09:30	<input type="checkbox"/>
16031240-04	20160322-SD3-14(W20)	Soil		3/22/2016 09:15	3/23/2016 09:30	<input type="checkbox"/>
16031240-05	20160322-SD3-14(W40)	Soil		3/22/2016 09:25	3/23/2016 09:30	<input type="checkbox"/>
16031240-06	20160322-SD3-14(W30)	Soil		3/22/2016 09:20	3/23/2016 09:30	<input type="checkbox"/>
16031240-07	20160322-SD3-14(W10)	Soil		3/22/2016 09:20	3/23/2016 09:30	<input type="checkbox"/>
16031240-08	20160322-SD3-14(BGSW)	Soil		3/22/2016 09:10	3/23/2016 09:30	<input type="checkbox"/>
16031240-09	20160322-SD3-14 Fill	Soil		3/22/2016 09:05	3/23/2016 09:30	<input type="checkbox"/>

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**WorkOrder:** 16031240

**QUALIFIERS,  
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and PQL, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
mg/L	Milligrams per Liter
none	

**ALS Group USA, Corp**

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(SW30)  
**Collection Date:** 3/22/2016 09:15 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-01  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>			Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Calcium	30		1.1	25	mg/L	50	3/25/2016 09:10
Magnesium	7.6	J	1.1	10	mg/L	50	3/25/2016 09:10
Sodium	100		1.2	10	mg/L	50	3/25/2016 09:10
<b>SODIUM ADSORPTION RATIO</b>			Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Sodium Adsorption Ratio	4.4		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

**ALS Group USA, Corp**

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(EXSP)  
**Collection Date:** 3/22/2016 09:30 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-02  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>				Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Calcium	320		1.1	25	mg/L	50	3/25/2016 09:15
Magnesium	110		1.1	10	mg/L	50	3/25/2016 09:15
Sodium	1,400		1.2	10	mg/L	50	3/25/2016 09:15
<b>SODIUM ADSORPTION RATIO</b>				Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Sodium Adsorption Ratio	18		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group USA, Corp

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(NW20)  
**Collection Date:** 3/22/2016 09:15 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-03  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>			Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Calcium	<b>81</b>		<b>1.1</b>	<b>25</b>	<b>mg/L</b>	50	3/25/2016 09:21
Magnesium	<b>12</b>		<b>1.1</b>	<b>10</b>	<b>mg/L</b>	50	3/25/2016 09:21
Sodium	<b>38</b>		<b>1.2</b>	<b>10</b>	<b>mg/L</b>	50	3/25/2016 09:21
<b>SODIUM ADSORPTION RATIO</b>			Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Sodium Adsorption Ratio	<b>1.0</b>		<b>0.010</b>	<b>0.010</b>	<b>none</b>	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group USA, Corp

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(W20)  
**Collection Date:** 3/22/2016 09:15 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-04  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>			Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Calcium	230		1.1	25	mg/L	50	3/25/2016 09:27
Magnesium	69		1.1	10	mg/L	50	3/25/2016 09:27
Sodium	460		1.2	10	mg/L	50	3/25/2016 09:27
<b>SODIUM ADSORPTION RATIO</b>			Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Sodium Adsorption Ratio	6.9		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

**ALS Group USA, Corp**

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(W40)  
**Collection Date:** 3/22/2016 09:25 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-05  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>				Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Calcium	320		0.44	10	mg/L	20	3/24/2016 17:09
Magnesium	73		0.44	4.0	mg/L	20	3/24/2016 17:09
Sodium	410		0.48	4.0	mg/L	20	3/24/2016 17:09
<b>SODIUM ADSORPTION RATIO</b>				Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Sodium Adsorption Ratio	5.3		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

**ALS Group USA, Corp**

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(W30)  
**Collection Date:** 3/22/2016 09:20 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-06  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>				Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Calcium	64		1.1	25	mg/L	50	3/25/2016 09:32
Magnesium	8.4	J	1.1	10	mg/L	50	3/25/2016 09:32
Sodium	110		1.2	10	mg/L	50	3/25/2016 09:32
<b>SODIUM ADSORPTION RATIO</b>				Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Sodium Adsorption Ratio	3.5		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group USA, Corp

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(W10)  
**Collection Date:** 3/22/2016 09:20 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-07  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>			Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Calcium	470		2.2	50	mg/L	100	3/25/2016 10:30
Magnesium	130		2.2	20	mg/L	100	3/25/2016 10:30
Sodium	1,100		2.4	20	mg/L	100	3/25/2016 10:30
<b>SODIUM ADSORPTION RATIO</b>			Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Sodium Adsorption Ratio	11		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group USA, Corp

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14(BGSW)  
**Collection Date:** 3/22/2016 09:10 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-08  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>			Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Calcium	230		1.1	25	mg/L	50	3/25/2016 09:43
Magnesium	40		1.1	10	mg/L	50	3/25/2016 09:43
Sodium	87		1.2	10	mg/L	50	3/25/2016 09:43
<b>SODIUM ADSORPTION RATIO</b>			Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16		Analyst: <b>BL</b>
Sodium Adsorption Ratio	1.4		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

**ALS Group USA, Corp**

Date: 25-Mar-16

**Client:** Encana Oil and Gas (USA) Inc.  
**Project:** Standard Draw 3-14 Spill  
**Sample ID:** 20160322-SD3-14 Fill  
**Collection Date:** 3/22/2016 09:05 AM

**Work Order:** 16031240  
**Lab ID:** 16031240-09  
**Matrix:** SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>SOLUBLE CATIONS FOR SAR</b>				Method: <b>SW846 6010C</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Calcium	290		0.44	10	mg/L	20	3/24/2016 17:31
Magnesium	760		0.44	4.0	mg/L	20	3/24/2016 17:31
Sodium	1,100		0.48	4.0	mg/L	20	3/24/2016 17:31
<b>SODIUM ADSORPTION RATIO</b>				Method: <b>USDA H60 METHOD 2</b>		Prep: USDA Method 20B / 3/24/16	Analyst: <b>BL</b>
Sodium Adsorption Ratio	8.0		0.010	0.010	none	1	3/25/2016

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

**Client:** Encana Oil and Gas (USA) Inc.  
**Work Order:** 16031240  
**Project:** Standard Draw 3-14 Spill

**QC BATCH REPORT**

Batch ID: **83834** Instrument ID **ICP2** Method: **SW846 6010C**

DUP		Sample ID: 16031190-01ADUP				Units: mg/L		Analysis Date: 3/24/2016 04:24 PM		
Client ID:		Run ID: ICP2_160324B			SeqNo: 3748203		Prep Date: 3/24/2016		DF: 20	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Calcium	41.79	10	0	0	0	0-0	0			
Magnesium	12.23	4.0	0	0	0	0-0	0			
Sodium	5583	4.0	0	0	0	0-0	0			

DUP		Sample ID: 16031190-01ADUP				Units: none		Analysis Date: 3/25/2016		
Client ID:		Run ID: SAR_160325A			SeqNo: 3749133		Prep Date: 3/24/2016		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sodium Adsorption Ratio	195.4	0.010	0	0	0		198.7	1.68	50	

The following samples were analyzed in this batch:

16031240-01A	16031240-02A	16031240-03A
16031240-04A	16031240-05A	16031240-06A
16031240-07A	16031240-08A	16031240-09A



# Environmental

Cincinnati, OH  
+1 513 733 5336

Fort Collins, CO  
+1 970 490 1511

Everett, WA  
+1 425 356 2600

Holland, MI  
+1 616 399 6070

## Chain of Custody Form

Houston, TX  
+1 281 530 5656

Spring City, PA  
+1 610 948 4903

South Charleston, WV  
+1 304 356 3168

Middletown, PA  
+1 717 944 5541

Salt Lake City, UT  
+1 801 266 7700

York, PA  
+1 717 505 5280

Page 1 of 1

COC ID: 24962

ALS Project Manager:

ALS Work Order #: 16031240

Customer Information		Project Information		Parameter/Method Request for Analysis											
Purchase Order		Project Name	<del>Standard Draw 3-14 SPIU</del>	A	SAR										
Work Order		Project Number	Standard Draw 3-14 SPIU	B											
Company Name	ENXANA	Bill To Company		C											
Send Report To		Invoice Attn	Brett Middleton	D											
Address	PARAGUET, CO	Address		E											
City/State/Zip		City/State/Zip		F											
Phone		Phone		G											
Fax		Fax		H											
e-Mail Address		e-Mail Address		I											
				J											

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	20160322 - SD 3-14 (SW30)	3/22/16	915	SS	N/A	1	X										
2	20160322 - SD 3-14 (EXSP)		920			1	X										
3	20160322 - SD 3-14 (NW20)		915			1	X										
4	20160322 - SD 3-14 (W20)		915			1	X										
5	20160322 - SD 3-14 (W40)		925			1	X										
6	20160322 - SD 3-14 (W30)		920			1	X										
7	20160322 - SD 3-14 (W10)		920			1	X										
8	20160322 - SD 3-14 (BGSW)		910			1	X										
9	20160322 - SD 3-14 Fill		905			1	X										
10																	

Sampler(s) Please Print & Sign <i>Matt Kasper</i>		Shipment Method		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> Other				Results Due Date:			
				<input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour							
Relinquished by:	Date: 3/22/16	Time: 1600	Received by:	Notes: *NEED RESULTS FRIDAY COB (3/25/16)							
Relinquished by:	Date: 3-27-16	Time: 1830	Received by (Laboratory):	Cooler ID	Cooler Temp	QC Package: (Check One Box Below)					
Logged by (Laboratory):	Date: 3/23/16	Time: 1045	Checked by (Laboratory):		4.4°C	<input type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP Checklist <input type="checkbox"/> Level III Std QC/Raw Data <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV SWB46/CLP <input type="checkbox"/> Other					
Preservative Key: 1-HCl 2-HNO <sub>3</sub> 3-H <sub>2</sub> SO <sub>4</sub> 4-NaOH 5-Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> 6-NaHSO <sub>4</sub> 7-Other 8-4°C 9-5035											

ORIGIN ID: RILA (816) 298-1033  
NICK MARTINEZ  
ALS ENVIRONMENTAL PARACHUTE  
PARACHUTE SERVICE CENTER  
127 EAST 1ST ST  
PARACHUTE, CO 81635  
UNITED STATES US


SHIP DATE: 22MAR16  
ACTWGHT: 42.00 LB  
CAD: 2204840/NET3730  
DIMS: 14x20x15 IN  
BILL SENDER

TO **SAMPLE RECEIVING**  
**ALS ENVIRONMENTAL HOLLAND LAB**  
**3352 128TH AVE**

5401/CF31/7ZF

**HOLLAND MI 49424**

(816) 398-6070 REF: 032216-1  
INV  
PO: PARACHUTE DEPT:




REL#  
3785346

**WED - 23 MAR 10:30A**  
**PRIORITY OVERNIGHT**

TRK# 7759 3791 8532  
0201

**XX HLMA**

MI-US 49424  
GRR




**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

**ALS Environmental**

3352 128th Avenue  
Holland, Michigan 49424  
Tel. +1 616 398 6070  
Fax. +1 616 398 6035



**CUSTODY SEAL**

Date: 3-23-16 Time: 10:30  
Name: Nick Martinez  
Company: ALS

Seal Broken By:

Date:

Sample Receipt Checklist

Client Name: **ENCANA2**

Date/Time Received: **23-Mar-16 09:30**

Work Order: **16031240**

Received by: **DS**

Checklist completed by Diane Shaw 23-Mar-16  
eSignature Date

Reviewed by: Chad Whelton 23-Mar-16  
eSignature Date

Matrices: Soil  
 Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample(s) received on ice?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<u>4.4/4.4 c</u>		<u>SR2</u>
Cooler(s)/Kit(s):	<u></u>		
Date/Time sample(s) sent to storage:	<u>3/23/2016 10:50:50 AM</u>		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:	<u></u>		

Login Notes:



Client Contacted: \_\_\_\_\_ Date Contacted: \_\_\_\_\_ Person Contacted: \_\_\_\_\_

Contacted By: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments:

CorrectiveAction: