

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

12/01/2020

Document Number:

402544142

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: Schuyler Hamilton
Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (303) 774-4017
Address: 1801 CALIFORNIA STREET #2500 Email: Schuyler.Hamilton@Crestonepr.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 434303 Location Type: Production Facilities
Name: Edith Ann-Duckworth Facilities Number: 21H-O268
County: WELD
Qtr Qtr: NWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.122520 Longitude: -105.005080

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

When construction of a pipeline occurs near public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and watercourses, flowlines are bored and cased. Applicable permits are acquired prior to construction across county road crossings.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466478 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300 Location Type: Well Site ☐
Name: Edith Ann-Duckworth Number: 21H-O268
County: WELD No Location ID
Qtr Qtr: SWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.117610 Longitude: -105.003560
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Date Construction Completed: 01/14/2015
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466483 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300 Location Type: Well Site ☐
Name: Edith Ann-Duckworth Number: 21H-O268
County: WELD No Location ID
Qtr Qtr: SWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.117610 Longitude: -105.003560
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Date Construction Completed: 01/14/2015
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466479 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300 Location Type: Well Site ☐
Name: Edith Ann-Duckworth Number: 21H-O268
County: WELD No Location ID
Qtr Qtr: SWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.117610 Longitude: -105.003560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 01/14/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466477 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300 Location Type: Well Site ☐
Name: Edith Ann-Duckworth Number: 21H-O268
County: WELD No Location ID
Qtr Qtr: SWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.117610 Longitude: -105.003560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 01/14/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466481 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300 Location Type: _____ Well Site ☐
Name: Edith Ann-Duckworth Number: 21H-O268
County: WELD No Location ID
Qtr Qtr: SWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.117610 Longitude: -105.003560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 01/14/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466476 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300 Location Type: _____ Well Site ☐

Name: Edith Ann-Duckworth

Number: 21H-O268

County: WELD

No Location ID

Qtr Qtr: SWSE

Section: 21

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.117610

Longitude: -105.003560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase

Pipe Material: Carbon Steel

Max Outer Diameter:(Inches) 2.000

Bedding Material:

Date Construction Completed: 01/14/2015

Maximum Anticipated Operating Pressure (PSI):

Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466480

Flowline Type: Wellhead Line

Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 434300

Location Type:

Well Site



Name: Edith Ann-Duckworth

Number: 21H-O268

County: WELD

No Location ID

Qtr Qtr: SWSE

Section: 21

Township: 2N

Range: 68W

Meridian: 6

Latitude: 40.117610

Longitude: -105.003560

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase

Pipe Material: Carbon Steel

Max Outer Diameter:(Inches) 2.000

Bedding Material:

Date Construction Completed: 01/14/2015

Maximum Anticipated Operating Pressure (PSI):

Testing PSI:

Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 466482 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 434300 Location Type: Well Site ☐
Name: Edith Ann-Duckworth Number: 21H-O268
County: WELD No Location ID
Qtr Qtr: SWSE Section: 21 Township: 2N Range: 68W Meridian: 6
Latitude: 40.117610 Longitude: -105.003560

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 01/14/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**OPERATOR COMMENTS AND SUBMITTAL**

Comments This form is submitted as a December 1, 2020 update including a description of corrosion protection, integrity management system and GIS data.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 12/01/2020 Email: Schuyler.Hamilton@Crestonepr.comPrint Name: Schuyler Hamilton Title: EHS Field Technician

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Conditions of Approval

COA Type

Description

Attachment Check List

Att Doc Num

Name

402544143

OFF-LOCATION FLOWLINE GEODATABASE GDB

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

Stamp Upon
Approval

Total: 0 comment(s)

