




COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 1. Location.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 2. Well.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158



40.11835, -108.22862, 5826.6ft, 349°
04/01/2021 03:04:03 PM



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 3. Meter building.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 4. Separator.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158




40.11816, -108.22854, 5836.0ft, 46°
04/01/2021 02:59:28 PM



40.11818, -108.2285, 5835.9ft, 266°
04/01/2021 03:00:52 PM



40.11819, -108.22849, 5835.4ft, 285°
04/01/2021 03:01:37 PM



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 8. Chemical label.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158

METHANOL

KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.
SEE MATERIAL SAFETY DATA SHEET FOR ADDITIONAL INFORMATION

EMERGENCY TELEPHONE (24 Hours)
800-424-9300 (CHEMTREC)

WARNING

FLAMMABLE VAPOR
MAY CAUSE SKIN IRRITATION
MAY CAUSE SKIN IRRITATION
HARMFUL IF ABSORBED THROUGH SKIN
MAY BE FATAL IF SWALLOWED
ASPHYXIATION HAZARD. CAN CAUSE LUNG DAMAGE
HARMFUL IF INHALED
KIDNEY, LIVER, AND CENTRAL NERVOUS
SYSTEM DAMAGE BASED ON ANIMAL DATA



AVOID CONTACT WITH PRODUCT
EQUIPMENT

DO NOT IN USE

WASH WITH RUNNING WATER, GET
MEDICAL ATTENTION IF NECESSARY

FIRE

FIGHT FIRE WITH WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICALS.

SPILLS

REMOVE ALL IGNITION SOURCES. VAPORS WHICH ARE HEAVIER THAN AIR CAN BE
CONCENTRATED AT GROUND LEVEL. WEARING RECOMMENDED PROTECTIVE EQUIPMENT
AND CLOTHING, DIKE THE SPILL AND PICK UP THE BULK OF LIQUID USING NON-SPARKING
TOOLS. OR ABSORB THE LIQUID IN SAND OR A NON-COMBUSTIBLE ADSORBENT. PLACE
IN APPROVED CONTAINERS FOR RECOVERY, DISPOSAL OR SATELLITE ACCUMULATION.
WASH OFF MUST BE CONTAINED AND DISPOSED OF PROPERLY.
IF LARGE SPILLS VAPORS MAY BE DISPERSED BY THE USE OF WATER FOG.
CONTAINER HAS BEEN EMPTIED. IT CAN BE REUSED FOR FLAMMABLE RESIDUES AND
VAPORS. DO NOT CUT, PUNCTURE, OR WELD ON OR NEAR
CONTAINER.
TWA-200PPM (3000)
STL-250 PPM
REF-4MM-020C

40.11839, -108.2286, 5828.5ft, 216°

04/01/2021 03:03:51 PM



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 9. Chemical label.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158



40.1181, -108.22866, 5837.6ft, 23°
04/01/2021 02:59:09 PM



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 10. Storm water channel.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158



40.11827, -108.22854, 5840.3ft, 103°
04/01/2021 03:06:46 PM



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

Photo 11. Debris.

Ant Hill Unit County 25-12 API: 05-103-10276
Inspection: 701500158