



Job Summary

Ticket Number	Ticket Date
TN# BCO-2103-0023	3/10/2021

COUNTY	COMPANY	API Number
WELD (CO)	NOBLE ENERGY	512324715
WELL NAME	RIG	JOB TYPE
BOOTH USX EE 35-17	Rigless	CM-P2A-TEMP
SURFACE WELL LOCATION	CJES Field Supervisor	CUSTOMER REP
40.53506 -104.62671	Anthony Staples	Tyson Hamacher

EMPLOYEES		
<i>TROY THYE</i>		
<i>JUSTIN WILLIAMS</i>		
<i>ELVIS SOTO</i>		

WELL PROFILE			
Max Treating Pressure (psi):		Bottom Hole Static Temperature (°F):	
Bottom Hole Circulating Temperature (°F):		Well Type:	

Open Hole

1	Size (in)	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
2	Size (in)	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)

Casing/Tubing/Drill Pipe

Type	Size (in)	Weight (lb/ft)	Grade	TMD From (ft)	TMD to (ft)	TVD From (Ft)	TVD to (Ft)
Production	4.5	11.6		7434	0	7434	0
Tubing	2.375	4.7		7059	0	7059	0

CEMENT DATA

Stage 1: From Depth (ft): **7434** To Depth (ft): **7059**
 Type: **Quartz Plug**
 Volume (sacks): Volume (bbls): **6**

Cement & Additives:	Density (ppg)	Yield (ft³/sk)	Water Req.
Quartz Blend			

Stage 2: From Depth (ft): To Depth (ft):
 Type: Volume (sacks): Volume (bbls):

Cement & Additives:	Density (ppg)	Yield (ft³/sk)	Water Req.

Stage 3: From Depth (ft): To Depth (ft):
 Type: Volume (sacks): Volume (bbls):

Cement & Additives:	Density (ppg)	Yield (ft³/sk)	Water Req.

Stage 4: From Depth (ft): To Depth (ft):
 Type: Volume (sacks): Volume (bbls):

Cement & Additives:	Density (ppg)	Yield (ft³/sk)	Water Req.

SUMMARY

Preflushes:	150 bbls of Fresh Water	Calculated Displacement (bbl):	27.3	Stage 1	Stage 2
	1 bbls of Fresh Water	Actual Displacement (bbl):	27.3		
Total Preflush/Spacer Volume (bbl):	151	Plug Bump (Y/N):		Bump Pressure (psi):	
Total Slurry Volume (bbl):	6	Lost Returns (Y/N):	N (if Y, when		
Total Fluid Pumped	184.3				
Returns to Surface:					

Job Notes (fluids pumped / procedures / tools / etc.): **Pumped 150 bbls of H2O down the Tubing, followed by 6 bbls of Quartzpack and displaced it with 27.3 bbls of H2O. Calculated Quartz Coverage is from 7434 ft to 7059 ft. Pumped 1 bbl of H2O for 500 PSI test on the Casing side.**

Customer Representative Signature: **Thank You For Using NexTier Completion Solutions**

