

FORM  
2

Rev  
12/20

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402518635

(SUBMITTED)

Date Received:

04/09/2021

APPLICATION FOR PERMIT TO:

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☒ GAS ☐ COALBED ☐ OTHER: \_\_\_\_\_

Refile ☒

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Kodak South FD Well Number: 28-342HN  
Name of Operator: GREAT WESTERN OPERATING COMPANY LLC COGCC Operator Number: 10110  
Address: 1001 17TH STREET #2000  
City: DENVER State: CO Zip: 80202  
Contact Name: Megan Conner Phone: (720)595-2124 Fax: ( )  
Email: mconner@gwp.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20160041

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SESW Sec: 26 Twp: 6N Rng: 67W Meridian: 6  
Footage at Surface: 616 Feet FSL 1859 Feet FWL  
Latitude: 40.452386 Longitude: -104.863664  
GPS Data: GPS Quality Value: 1.2 Type of GPS Quality Value: PDOP Date of Measurement: 06/29/2016  
Ground Elevation: 4743  
Field Name: WATTENBERG Field Number: 90750

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 26 Twp: 6N Rng: 67W Footage at TPZ: 660 FSL 856 FWL  
Measured Depth of TPZ: 7437 True Vertical Depth of TPZ: 6979 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 28 Twp: 6N Rng: 67W Footage at TPZ: 666 FSL 470 FWL  
Measured Depth of TPZ: 18253 True Vertical Depth of TPZ: 6979 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 28 Twp: 6N Rng: 67W Footage at BHL: 666 FSL 370 FWL  
FNL/FSL FEL/FWL

## LOCAL GOVERNMENT PERMITTING INFORMATION

County: WELD

Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? Yes

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☐ Yes ☒ No

☐ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Waived Date of Final Disposition: \_\_\_\_\_

Comments: The Form 2A for this facility was originally approved on 12/11/2014, an amended Form 2A was approved on 04/03/2015, an amended Form 2A was submitted on 01/04/2017 and approved on 05/02/2018. The effective date of the 1041 WOGLA Permit Process was 02/01/2017, therefore the local government does not precede the COGCC in siting determination at this location.

Additionally, the Weld County LGD left the following comment on the Kodak South FD Pad (Location ID: 306149) approved Form 2A (Document Number 401163313).

"This proposed oil and gas facility is located in unincorporated Weld County in the Industrial (I-1) Zoned District. As of today's date, January 27, 2017, the Weld County Oil and Gas Liaison/LGD has not been contacted by any nearby resident(s) or governmental jurisdiction(s) regarding this proposed location. The County will respond to legitimate concerns or issues regarding proposed locations and attempt to facilitate a solution with the operator. Prior to a recent code change Oil Gas Production Facilities in the Industrial Zoned District were an allowed use with no Site Plan Review required. The COGCC Form 2A for this location was submitted on or before February 1, 2017. The proposed use remains a Use by Right with no Weld Oil and Gas Location Assessment (WOGLA) required. A building permit is required for the production facilities (tank battery, separators, pump jacks, compressors, generators, etc.) and the operator has a Flood Hazard Development Permit (FHDP15-0067) from the Department of Planning Services. Troy Swain, Weld Oil/Gas Liaison and LGD (970) 400-3579."

## SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Financial Assurance (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

### MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☒ Fee
- ☐ State
- ☐ Federal
- ☐ Indian
- ☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Irregular lease, see attached map.

Total Acres in Described Lease: 316

Described Mineral Lease is: ☒ Fee

☐ State

☐ Federal

☐ Indian

Federal or State Lease # \_\_\_\_\_

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 549 Feet  
Building Unit: 736 Feet  
Public Road: 518 Feet  
Above Ground Utility: 741 Feet  
Railroad: 838 Feet  
Property Line: 556 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	407-3195	712	T6N-R67W; Sec 26: W1/2 SW1/4; Sec 27: S1/2; Sec 28: S1/2

Federal or State Unit Name (if appl): \_\_\_\_\_

Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 460 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 222 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

**DRILLING PROGRAM**Proposed Total Measured Depth: 18353 FeetTVD at Proposed Total Measured Depth 6979 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 10 Feet ☐ No well belonging to another operator within 1,500 feetWill a closed-loop drilling system be used? YesIs H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater thanor equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? NoWill salt sections be encountered during drilling? NoWill salt based (>15,000 ppm Cl) drilling fluids be used? NoWill oil based drilling fluids be used? YesBOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	13+1/2	9+5/8	J-55	36	0	2000	844	2000	0
1ST	8+1/2	5+1/2	HCP-110	20	0	18353	2497	18353	3300

☒ Conductor Casing is NOT planned**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Fox Hills	0	0	464	464	501-1000	USGS	USGS WSP 2302
Confining Layer	Pierre Fm	464	464	793	793			
Groundwater	Upper Pierre Aquifer	793	793	1134	1134	501-1000	Other	COGCC Project #2141
Confining Layer	Pierre Fm	1134	1134	3441	3441			
Hydrocarbon	Parkman	3441	3441	3790	3790			
Confining Layer	Pierre Fm	3790	3790	3968	3968			
Hydrocarbon	Sussex	3968	3968	4230	4230			
Confining Layer	Pierre Fm	4230	4230	4526	4526			
Hydrocarbon	Shannon	4526	4526	4604	4604			
Confining Layer	Pierre Fm	4604	4604	6710	6641			
Confining Layer	Sharon Springs	6710	6641	6813	6724			
Hydrocarbon	Niobrara	6813	6724	18353	7055			Potential Flow Formation Table: The TVD of the deepest hydrocarbon zone is the bottom of the well and not the bottom of the formation. The formation is not planned to be exited.

**OPERATOR COMMENTS AND SUBMITTAL**

Comments



Distance from completed portion of the wellbore to nearest wellbore permitted or completed in the same formation was measured in 3D to the proposed Kodak South FD 28-379HC.

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged and abandoned wells, was measured at 10 feet to POUDRE 15-28, API No 05-123-26630, SI Status, owned by Kerr McGee Oil & Gas Onshore LP, SI Status and was measured using in-house 3D anti-collision reports. 408.u signed consent is attached.

There is one additional well within 150', the distance was measured at 90 feet to the Poudre 14-28, API No. 05-123-26631, TA Status, owned by Kerr McGee Oil & Gas Onshore LP and was measured using in-house 3D anti-collision reports. 408.u signed consent is attached.

This is a refile APD for Kodak South FD 25-362HN. Changes are being made to well number, TPZ and BHL, Spacing Order, TD, drilling and casing program, offset well evaluation, Operator BMPs, well name, and attachments.

Great Western has requested an open hole logging exception to Rule 408.r for the proposed well. The 408.r exception request is attached.

This application is in a Comprehensive Area Plan \_\_\_\_\_ CAP #: \_\_\_\_\_  
Oil and Gas Development Plan Name \_\_\_\_\_ OGDID #: \_\_\_\_\_  
Location ID: 306149

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Megan Conner  
Title: Regulatory Analyst Date: 4/9/2021 Email: regulatorypermitting@gwp.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_  
Expiration Date: \_\_\_\_\_

**API NUMBER**

05 123 40797 00

**Conditions Of Approval**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

**COA Type**

**Description**

## Best Management Practices

<b>No</b>	<b>BMP/COA Type</b>	<b>Description</b>
1	Drilling/Completion Operations	Drill Stem Tests – Rule 603.g Conventional drill stem tests will not be conducted on DJ Basin horizontal wells currently being executed or planned by Great Western. If plans change in the future a well specific drill stem testing plan will be prepared for that particular well. Note that Great Western may elect to use one of several available wireline deployed tools for the purpose of measuring down hole formation pressures and/or collecting down hole fluid samples from the target formation(s) of a particular well.
2	Drilling/Completion Operations	Wellbore Collision Prevention – Rule 408.t Prior to drilling operations, Great Western will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument and compared against the proposed well path with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottom hole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment.
3	Drilling/Completion Operations	Stimulation Setback – Rule 408.u Great Western shall obtain signed written consent for any portion of the proposed wellbore's treated interval within 150' of an existing (producing, Shut-in, or temporarily abandoned) or permitted oil and gas well's treated interval belonging to another operator prior to completion of the well.
4	Drilling/Completion Operations	Bradenhead Monitoring Great Western will comply with Rule 419 and Order 1-232 for all Bradenhead compliance, as applicable.
5	Drilling/Completion Operations	Multi Well Open-Hole Logging – Rule 408.r Alternative Logging Program: One of the first wells already drilled on this pad (Kodak South FD 25-241HC, API 05-123-44116) has a triple combination open hole resistivity log with gamma ray in the well file. All additional proposed wells will have a cement bond log with gamma ray run from the intermediate casing shoe, or as close as possible, to above surface casing shoe to verify the setting depth of surface casing and aquifer coverage. The horizontal portion of all subject wells will be logged while drilling with a gamma ray tool. The Form 5 for each well shall clearly state, "No open hole logs were run" and shall reference the Rule 408.r Exception granted for the well. The Form 5 for each well on the pad will identify the well that was logged with alternative logs by API number, well name and well number.

Total: 5 comment(s)

## Attachment List

<b>Att Doc Num</b>	<b>Name</b>
402525032	WELL LOCATION PLAT
402533446	MINERAL LEASE MAP
402535152	DIRECTIONAL DATA
402595925	STIMULATION SETBACK CONSENT
402647026	DEVIATED DRILLING PLAN
402652667	OPEN HOLE LOGGING EXCEPTION
402652684	OffsetWellEvaluations Data

Total Attach: 7 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)



## Public Comments

No public comments were received on this application during the comment period.

