

Cement Verification Report - Cementer's Well Service, Inc.

P.O. BOX 336220 • GREELEY, CO 80633 • (970) 353-7299 • FAX (970) 353-7712

COGCC Operator Guidance

RULE #308.A.B(2)A.ii



CLIENT: PDC - Petroleum Development Corp	Cementor's FIELD TICKET #	300010
------------------------------------------	------------------------------	--------

Requested Operator Guidance:

1) Well Name & Number	Lease	Erwin	Well No.	4N
2) Well API Number	05-123-49376 -			
3) Job Date	11/14/20	Time on	0:00	24 hr time
4) Job Type	New Well Surface			
5) Cementing Company	Cementor's Well Service, Inc	Contact	Nate Kvamme - 303-324-4296	
6) Ambient conditions	clear / rain / snow / other	-	temp deg F	
7) Slurry Description				
a) Purpose	Surface - 9 5/8" CSG, 12 1/4" hole			
b) Cement Class	Type I / II			
c) Cement Yield	1.61	cuft / sk		
d) Cement Density	13.9	PPG		
e) Number of sks	540	sks (94# equiv)		
f) Cement Volume (dry)	540	cuft (ft^3)		
g) Mix Fluid Type				
Water / Cement	8.5	Gal / sk		
h) Slurry mixed	154.8	BBLs slurry		
i) Additives used	1.50%	CaCl2	3.00%	Bentonite
Total Water Used	284.4	BBLs H2O		
j) Displacement Fluid Vol	125.1	BBLs H2O		
k) Method of Placement				
l) Set Depth	1,674	feet (ft)		
m) Stage tool depth	n/a			
n) Float Collar Depth	1,619	feet (ft)		
o) Designed Top of Cement	n/a	to surface		
p) Centralizer depths	- feet (ft)			
8) Charts - (pressure, density, pump rate)				
Landed Plug @	900	psi	Final Lift Pressure @	540 psi
Cement Density (as weighed during job) @	14.0	PPG		
9) Job notes				
a) Plug down	<input checked="" type="radio"/> Y / <input type="radio"/> N	Time	2:30	24 hr time
b) Floats held	<input checked="" type="radio"/> Y / <input type="radio"/> N			
c) Full Returns	<input checked="" type="radio"/> Y / <input type="radio"/> N	Lost Circulation	<input checked="" type="radio"/> Y / <input type="radio"/> N	
d) Cement to surface	<input checked="" type="radio"/> Y / <input type="radio"/> N	22.0	BBLs to surface	
e) If no returns, top off	BBLs			
f) Top off detail				



Centralizer Depths

Well Name: Erwin 4N

Surface, Set Depth: 1,674.4ftKB

API 05123493760000		Surface Legal Location SWSE 27 5N 64W		Field Name Wattenberg		State CO		Well Configuration Type Horizontal					
Ground Elevation (ft) 4,639.00		Original KB Elevation (ft) 4,667.00		KB-Ground Distance (ft) 28.00		Spud Date 1/30/2021 00:00		Rig Release Date 2/1/2021 10:00		On Production Date		Abandon Date	

Casing Run Tally

Run #	Ref #	Item Des	OD (in)	Wt (lb/ft)	Grade	Run?	Len (ft)	Centralized?	Ext Jwlry	Connections	Top (ftKB)	Cum Len (ft)
2	1	Casing Joints	9 5/8	36.00	J-55	Yes	40.85	Yes		LT&C	1,631.7	42.70
7	6	Casing Joints	9 5/8	36.00	J-55	Yes	41.19	Yes		LT&C	1,428.2	246.21
12	11	Casing Joints	9 5/8	36.00	J-55	Yes	44.52	Yes		LT&C	1,219.8	454.65
17	16	Casing Joints	9 5/8	36.00	J-55	Yes	39.10	Yes		LT&C	1,015.2	659.20
22	21	Casing Joints	9 5/8	36.00	J-55	Yes	40.50	Yes		LT&C	810.4	864.05
27	26	Casing Joints	9 5/8	36.00	J-55	Yes	41.00	Yes		LT&C	605.9	1,068.49
32	31	Casing Joints	9 5/8	36.00	J-55	Yes	41.00	Yes		LT&C	401.7	1,272.72
37	36	Casing Joints	9 5/8	36.00	J-55	Yes	41.59	Yes		LT&C	194.5	1,479.86