

FORM
5A
Rev
09/20

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
402661805

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>47120</u>	4. Contact Name: <u>Callie Fiddes</u>
2. Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Phone: <u>(720) 929-4361</u>
3. Address: <u>P O BOX 173779</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	Email: <u>Callie_Fiddes@Oxy.com</u>

5. API Number <u>05-123-50820-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>CUMMINGS</u>	Well Number: <u>19-13HZ</u>
8. Location: QtrQtr: <u>SWNW</u> Section: <u>19</u> Township: <u>5N</u> Range: <u>67W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

Completed Interval

FORMATION: CODELL-FORT HAYS Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 03/06/2021 End Date: 03/18/2021 Date this Formation was Completed: _____

Perforations Top: 7807 Bottom: 18092 No. Holes: 600 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

PERF FROM 7807-18092

55 BBLS 15% HCL ACID; 24 BBLS 7.5% HCL ACID; 8,254 BBLS PUMP DOWN; 258,567 BBLS SLICKWATER; 266,900 BBLS TOTAL FLUID. 4,887,318 LBS WHITE 30/50 NORTHERN WHITE SANDS CORP; 793,175 LBS WHITE 40/70 OTTAWA/ST. PETERS; 5,680,493 LBS TOTAL PROPPANT.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 266900 Max pressure during treatment (psi): 7909

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: _____ Min frac gradient (psi/ft): 0.84

Total acid used in treatment (bbl): 79 Number of staged intervals: 25

Recycled or Reused Fluids used in treatment (bbl): 750 Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): 266071 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 5680493

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____

Perforations Top: 7807 Bottom: 18092 No. Holes: 600 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

7807-9552, 9839-9892, 9931-9934, 10318-18092

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

_____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Estimated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____

Perforations Top: 9552 Bottom: 10318 No. Holes: 600 Hole size: 0.44 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

9552-9839, 9892-9931, 9934-10318

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
 Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
 Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
 Total acid used in treatment (bbl): _____ Number of staged intervals: _____
 Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
 Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
 Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

_____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Estimated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 2488 FNL, 31' FEL, Sec. 24.
 Occidental certifies compliance with rule 408.u.
 See attachment for copy of well path through formations.
 This well was immediately shut in after frac and therefore does not have a date of first production, flowback volume or test data yet. Another 5A will be submitted when the well is turned on to production.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.
 Signed: _____ Print Name: Callie Fiddes
 Title: Regulatory Analyst Date: _____ Email: Callie_Fiddes@Oxy.com

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
402661806	OTHER

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)