

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

11/10/2020

Document Number:

402517065

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 10459 Contact Person: Nathan Bennett
Company Name: EXTRACTION OIL & GAS INC Phone: (720) 354-4616
Address: 370 17TH STREET SUITE 5200 Email: nbennett@extractionog.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 309954 Location Type: Production Facilities
Name: HERGERT-67N67W Number: 35SENE
County: WELD
Qtr Qtr: SENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.532970 Longitude: -104.854060

Description of Corrosion Protection

Extraction's corrosion procedures are detailed in its Flowline Management SOP. Coating materials will be used that minimize internal and external corrosion, such as internally coated pipe or stainless steel for water service, and externally coated FBE on all buried steel pipe. If flowlines are repaired due to corrosion, Extraction will investigate the failure, promptly respond with the appropriate remedial actions and determine the root cause and apply corrective actions as necessary. Extraction retains records of its chemical program in the form of Failure Analysis Reports, records of chemical invoices and chemical delivery.

Description of Integrity Management Program

Extraction's integrity management program is detailed in its Flowline Management SOP, which covers flowline installation, operation, maintenance, inspection, testing, and repairs. Prior to beginning any project involving flowlines, Extraction ensures the project plans, flowline installation, flowline maintenance (including repairs) and all flowline inspection and testing projects meet the requirements of the Flowline Management SOP. All pressure tests on flowlines will be conducted by an independent, third party qualified to do such testing. Precautions shall be taken to protect employees and the general public.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465220 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 440396 Location Type: Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/24/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/23/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465207 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 451686 Location Type: Well Site ☐
Name: Launer Number: 26-M Pad
County: WELD No Location ID
Qtr Qtr: SESE Section: 26 Township: 7N Range: 67W Meridian: 6
Latitude: 40.540005 Longitude: -104.852266

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 11/07/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 06/11/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465214 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 440396 Location Type: Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/25/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/23/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 479836 Flowline Type: Wellhead Line Action Type: Registration

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 453075 Location Type: Production Facilities ☐
Name: Hergert Number: 35-L Pad
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 04/04/2018
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 4700
Test Date: 07/26/2018

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465223 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 453075 Location Type: _____ Well Site ☐
Name: Hergert Number: 35-L Pad
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 01/25/2018
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465202 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 440396 Location Type: _____ Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/28/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/25/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465213 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 440396 Location Type: Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/25/2017
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465204 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 451686 Location Type: Well Site ☐

Name: Launer

Number: 26-M Pad

County: WELD

No Location ID

Qtr Qtr: SESE Section: 26 Township: 7N Range: 67W Meridian: 6

Latitude: 40.540005 Longitude: -104.852266

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials Date Construction Completed: 11/04/2017

Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500

Test Date: 06/16/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465212 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 453075 Location Type: Well Site



Name: Hergert

Number: 35-L Pad

County: WELD

No Location ID

Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6

Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials Date Construction Completed: 01/21/2018

Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500

Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 465218 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 451686 Location Type: _____ Well Site ☐
Name: Launer Number: 26-M Pad
County: WELD No Location ID
Qtr Qtr: SESE Section: 26 Township: 7N Range: 67W Meridian: 6
Latitude: 40.540005 Longitude: -104.852266

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Produced Water Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 11/06/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 06/11/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or
Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 465216 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 453075 Location Type: _____ Well Site ☐
Name: Hergert Number: 35-L Pad
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 01/25/2018
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465219 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 453075 Location Type: Well Site ☐
Name: Hergert Number: 35-L Pad
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 11/02/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 06/14/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465215 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 451686 Location Type: Well Site ☐
Name: Launer Number: 26-M Pad
County: WELD No Location ID
Qtr Qtr: SESE Section: 26 Township: 7N Range: 67W Meridian: 6
Latitude: 40.540005 Longitude: -104.852266

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 11/05/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 06/16/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465205 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATIONEquipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 440396 Location Type: Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/27/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/23/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465211 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATIONEquipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 440396 Location Type: Well Site ☐

Name: Hergert

Number: 35-D Pad

County: WELD

No Location ID

Qtr Qtr: NENE

Section: 35

Township: 7N

Range: 67W

Meridian: 6

Latitude: 40.535149

Longitude: -104.851824

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase

Pipe Material: Carbon Steel

Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials

Date Construction Completed: 09/26/2017

Maximum Anticipated Operating Pressure (PSI): 4700

Testing PSI: 5500

Test Date: 07/23/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465222

Flowline Type: Wellhead Line

Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 451686

Location Type: Well Site



Name: Launer

Number: 26-M Pad

County: WELD

No Location ID

Qtr Qtr: SESE

Section: 26

Township: 7N

Range: 67W

Meridian: 6

Latitude: 40.540005

Longitude: -104.852266

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase

Pipe Material: Carbon Steel

Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials

Date Construction Completed: 11/03/2017

Maximum Anticipated Operating Pressure (PSI): 4700

Testing PSI: 5500

Test Date: 06/14/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 465208 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 453075 Location Type: _____ Well Site ☐
Name: Hergert Number: 35-L Pad
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 01/22/2018
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or
Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 465221 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 451686 Location Type: _____ Well Site ☐
Name: Launer Number: 26-M Pad
County: WELD No Location ID
Qtr Qtr: SESE Section: 26 Township: 7N Range: 67W Meridian: 6
Latitude: 40.540005 Longitude: -104.852266

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 11/02/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 06/14/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465201 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 453075 Location Type: Well Site ☐
Name: Hergert Number: 35-L Pad
County: WELD No Location ID
Qtr Qtr: NESE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.529588 Longitude: -104.853601

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 01/20/2018
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465203 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 451686 Location Type: Well Site ☐
Name: Launer Number: 26-M Pad
County: WELD No Location ID
Qtr Qtr: SESE Section: 26 Township: 7N Range: 67W Meridian: 6
Latitude: 40.540005 Longitude: -104.852266

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 11/04/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 06/16/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465217 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATIONEquipment at End Point Riser: Well**Flowline Start Point Location Identification**

Location ID: 440396 Location Type: Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/28/2017
Maximum Anticipated Operating Pressure (PSI): 4700 Testing PSI: 5500
Test Date: 07/25/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465209 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATIONEquipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 453075 Location Type: Well Site ☐

Name: Hergert

Number: 35-L Pad

County: WELD

No Location ID

Qtr Qtr: NESE

Section: 35

Township: 7N

Range: 67W

Meridian: 6

Latitude: 40.529588

Longitude: -104.853601

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase

Pipe Material: Carbon Steel

Max Outer Diameter:(Inches)

2.375

Bedding Material: Native Materials

Date Construction Completed: 01/24/2018

Maximum Anticipated Operating Pressure (PSI): 4700

Testing PSI: 5500

Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 465210

Flowline Type: Wellhead Line

Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 451686

Location Type: Well Site



Name: Launer

Number: 26-M Pad

County: WELD

No Location ID

Qtr Qtr: SESE

Section: 26

Township: 7N

Range: 67W

Meridian: 6

Latitude: 40.540005

Longitude: -104.852266

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase

Pipe Material: Carbon Steel

Max Outer Diameter:(Inches)

2.375

Bedding Material: Native Materials

Date Construction Completed: 01/20/2018

Maximum Anticipated Operating Pressure (PSI): 4700

Testing PSI: 5500

Test Date: 07/26/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 465206 Flowline Type: Wellhead Line Action Type: _____**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 440396 Location Type: Well Site ☐
Name: Hergert Number: 35-D Pad
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 7N Range: 67W Meridian: 6
Latitude: 40.535149 Longitude: -104.851824

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375
Bedding Material: Native Materials Date Construction Completed: 09/23/2017
Maximum Anticipated Operating Pressure (PSI): 1700 Testing PSI: 2500
Test Date: 04/03/2017

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or
Abandonment Verification:**

OPERATOR COMMENTS AND SUBMITTAL

Comments This form is being submitted as a December 1, 2020 update to include a gis shapefile and description of the integrity management plan and corrosion protection plan for these flowlines.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 11/10/2020 Email: emartinez@h2eincorporated.comPrint Name: Emily Martinez Title: Environmental Scientist

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 4/19/2021

Conditions of Approval

COA Type

Description

Attachment Check List

Att Doc Num

Name

402517065	Form44 Submitted
402517074	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517076	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517077	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517078	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517079	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517080	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517081	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517082	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517085	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517086	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517087	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517088	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517090	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517093	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517094	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517095	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517096	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517097	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517099	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517100	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517102	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517103	OFF-LOCATION FLOWLINE GEODATABASE SHP
402517104	OFF-LOCATION FLOWLINE GEODATABASE SHP
402529559	OFF-LOCATION FLOWLINE GEODATABASE SHP
402529570	PRESSURE TEST

Total Attach: 26 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)