

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402657796

Receive Date:

04/15/2021

Report taken by:

CHRIS CANFIELD

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by COGCC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Refer to Rules 340, 905, 906, 907, 908, 909, and 910

OPERATOR INFORMATION

Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Operator No: <u>47120</u>	Phone Numbers
Address: <u>P O BOX 173779</u>		Phone: <u>(970) 336-3500</u>
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80217-3779</u>
Contact Person: <u>Phil Hamlin</u>	Email: <u>Phil_Hamlin@oxy.com</u>	Mobile: <u>()</u>

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 4891 Initial Form 27 Document #: 1632378

PURPOSE INFORMATION

- | | |
|--|--|
| <input type="checkbox"/> 901.e. Sensitive Area Determination | <input checked="" type="checkbox"/> 909.c.(5), Rule 910.b.(4): Remediation of impacted ground water |
| <input type="checkbox"/> 909.c.(1), Rule 905: Pit or PW vessel closure | <input type="checkbox"/> Rule 909.e.(2)A.: Notice completion of remediation in accordance with Rule 909.b. |
| <input checked="" type="checkbox"/> 909.c.(2), Rule 906: Spill/Release Remediation | <input type="checkbox"/> Rule 909.e.(2)B.: Closure of remediation project |
| <input type="checkbox"/> 909.c.(3), Rule 907.e.: Land treatment of oily waste | <input type="checkbox"/> Rule 906.c.: Director request |
| <input type="checkbox"/> 909.c.(4), Rule 908.g.: Centralized E&P Waste Management Facility closure | <input type="checkbox"/> Other _____ |

SITE INFORMATION

N Multiple Facilities (in accordance with Rule 909.c.)

Facility Type: <u>LOCATION</u>	Facility ID: <u>320405</u>	API #: _____	County Name: <u>ADAMS</u>
Facility Name: <u>HSR-DREYER-61S65W 5SWNW</u>		Latitude: <u>39.996994</u>	Longitude: <u>-104.693622</u>
		** correct Lat/Long if needed: Latitude: <u>39.996825</u>	Longitude: <u>-104.693891</u>
QtrQtr: <u>SWNW</u>	Sec: <u>5</u>	Twp: <u>1S</u>	Range: <u>65W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

SITE CONDITIONS

General soil type - USCS Classifications SC Most Sensitive Adjacent Land Use Residential

Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

Surface water approximately 700 feet (ft) west, water well approximately 400 ft south, building approximately 440 ft southwest, and groundwater approximately 8 ft below ground surface (bgs).

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids
- ☒ Oil ☐ Tank Bottoms
- ☐ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
Yes	GROUNDWATER	See attached data	Groundwater Samples/Lab Analysis
Yes	SOILS	25ft N-S X 25ft E-W X 10ft bgs	Soil Samples/Lab Analysis

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

The partially buried produced water sump at the HSR-Dreyer 5-5 tank battery floated following a heavy rain event. The produced water sump was removed, and it was discovered that the dumpline threads connecting to the sump were partially stripped, releasing an unknown volume of oil and produced water. The petroleum hydrocarbon impacted soil was excavated. Groundwater was encountered in the excavation at approximately 9 ft bgs.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

☒ Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Between September 17 and 25, 2009, thirteen soil samples were collected from the excavation for laboratory analysis of total petroleum hydrocarbons (TPH), benzene, toluene, ethylbenzene, and total xylenes (BTEX), pH, and specific conductivity (EC). Laboratory analytical results indicated that the soil samples were in full compliance with COGCC Table 910-1 allowable levels for TPH, BTEX, pH, and EC at the lateral extent of the excavation.

Proposed Groundwater Sampling

☒ Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

On September 25, 2009, one groundwater sample (GW01) was collected from the excavation and submitted for laboratory analysis of BTEX. Laboratory analytical results indicated sample GW01 exceeded the COGCC Table 910-1 allowable levels for benzene, toluene, and total xylenes at concentrations of 15,000 micrograms per liter (µg/L), 21,000 µg/L, and 7,200 µg/L, respectively. The groundwater sample location is depicted on Figure 1. The groundwater sample analytical results are summarized in Table 1.

Groundwater monitoring has been conducted on a quarterly basis since December 2009.

Proposed Surface Water Sampling

☐ Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

☐ Additional alternative investigative actions described in attached Site Investigation Plan (summary):

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 13
Number of soil samples exceeding 910-1 5
Was the areal and vertical extent of soil contamination delineated? Yes
Approximate areal extent (square feet) 625

NA / ND

-- Highest concentration of TPH (mg/kg) 5130
NA Highest concentration of SAR
BTEX > 910-1 Yes
Vertical Extent > 910-1 (in feet) 9

Groundwater

Number of groundwater samples collected 1087
Was extent of groundwater contaminated delineated? Yes
Depth to groundwater (below ground surface, in feet) 8'
Number of groundwater monitoring wells installed 36
Number of groundwater samples exceeding 910-1 394

-- Highest concentration of Benzene (µg/l) 48000
-- Highest concentration of Toluene (µg/l) 68000
-- Highest concentration of Ethylbenzene (µg/l) 1700
-- Highest concentration of Xylene (µg/l) 44000
NA Highest concentration of Methane (mg/l)

Surface Water

0 Number of surface water samples collected
 Number of surface water samples exceeding 910-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

☒ Were impacts to adjacent property or offsite impacts identified?

Petroleum hydrocarbon impacted groundwater was encountered northwest and south of the excavation.

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) Volume of liquid waste (barrels)

☐ Is further site investigation required?

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No _____

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Approximately 230 cubic yards of petroleum hydrocarbon impacted soil were removed from the excavation and transported to Buffalo Ridge Landfill in Keenesburg, Colorado, for disposal. The impacted soil was excavated into the capillary and phreatic zones to address potential hydrocarbon impacts that may have been present below the groundwater table due to past seasonal fluctuations. Approximately 58 barrels of petroleum hydrocarbon impacted groundwater were removed from the excavation and transported to a licensed injection facility for disposal. The general site layout and excavation footprint are depicted on the Site Map provided as Figure 1.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Please refer to the attached Remediation Summary.

Soil Remediation Summary

☐ In Situ

_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Air sparge / Soil vapor extraction
_____ Natural Attenuation
_____ Other _____

☒ Ex Situ

Yes Excavate and offsite disposal
_____ If Yes: Estimated Volume (Cubic Yards) 230
Name of Licensed Disposal Facility or COGCC Facility ID # _____
No Excavate and onsite remediation
_____ Land Treatment
_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Other _____

Groundwater Remediation Summary

Yes Bioremediation (or enhanced bioremediation)
No Chemical oxidation
Yes Air sparge / Soil vapor extraction
Yes Natural Attenuation
Yes Other Groundwater Removal and MicroBlaze® Application _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Groundwater monitoring wells MW01 through MW31 are sampled on a quarterly basis. The groundwater samples were submitted for BTEX by United States Environmental Protection Agency Method 8260D through the December 2020 monitoring event. Per the January 15, 2021 rule changes, groundwater samples were submitted for the full list of analytes for groundwater in Table 915-1 as of the March 2021 monitoring event. Cross-gradient and historically compliant groundwater monitoring well MW13 was established as a representative background sample for calculating the inorganic parameters in Table 915-1. Groundwater monitoring will continue on a quarterly basis. The monitoring well locations are depicted on Figure 1. The Groundwater Elevation Contour Map generated using the March 2021 survey data is provided as Figure 2. The groundwater analytical results are summarized in Table 1, and the laboratory analytical reports for the December 2020 and March 2021 groundwater monitoring events are attached.

Groundwater monitoring will continue on a quarterly basis until a No Further Action status request is warranted.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Frequency: ☐ Quarterly ☐ Semi-Annually ☒ Annually ☐ Other _____

Report Type: ☒ Groundwater Monitoring ☐ Land Treatment Progress Report ☐ O&M Report
☐ Other _____

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? Yes

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

NA

Volume of E&P Waste (solid) in cubic yards 230

E&P waste (solid) description Petroleum hydrocarbon impacted soil

COGCC Disposal Facility ID #, if applicable: _____

Non-COGCC Disposal Facility: Buffalo Ridge Landfill in Keenesburg, Colorado

Volume of E&P Waste (liquid) in barrels 58

E&P waste (liquid) description Petroleum hydrocarbon impacted groundwater (49 barrels from excavation; 9 barrels bailed from MWs)

COGCC Disposal Facility ID #, if applicable: 159443

Non-COGCC Disposal Facility: _____

REMEDIATION COMPLETION REPORT

REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No

Do all soils meet Table 910-1 standards? _____

Does the previous reply indicate consideration of background concentrations? _____

Are the only residual soil impacts pH, SAR, or EC at depths greater than 3 feet below ground surface? _____

Does Groundwater meet Table 910-1 standards? No

Is additional groundwater monitoring to be conducted? Yes

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The Kerr-McGee facility was decommissioned. The site will be reclaimed in accordance with COGCC 1000 Series Reclamation Rules.

Is the described reclamation complete? No

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim? ☐ Final?

Did the Surface Owner approve the seed mix? _____

If NO, does the seed mix comply with local soil conservation district recommendations? _____

IMPLEMENTATION SCHEDULE

PRIOR DATES

Date of Surface Owner notification/consultation, if required. _____

Actual Spill or Release date, if known. 09/18/2009

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 09/18/2009

Date of commencement of Site Investigation. 09/18/2009

Date of completion of Site Investigation. 09/13/2018

REMEDIAL ACTION DATES

Date of commencement of Remediation. 09/18/2009

Date of completion of Remediation. _____

SITE RECLAMATION DATES

Date of commencement of Reclamation. _____

Date of completion of Reclamation. _____

OPERATOR COMMENT

--

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: ` Phil Hamlin

Title: Senior Environmental Rep.

Submit Date: ` 04/15/2021

Email: Phil_Hamlin@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: CHRIS CANFIELD

Date: 04/21/2021

Remediation Project Number: 4891

Condition of Approval**COA Type****Description**

0 COA	

Attachment Check List

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

402657796	FORM 27-SUPPLEMENTAL-SUBMITTED
402657891	SITE MAP
402657904	GROUND WATER ELEVATION MAP
402658425	ANALYTICAL RESULTS
402658432	LOGS
402660195	REMEDIATION PROGRESS REPORT

Total Attach: 6 Files

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)