

Location

Overall Good:

Signs/Marker:			
Type	WELLHEAD		
Comment:			
Corrective Action:		Date:	
Type	TANK LABELS/PLACARDS		
Comment:			
Corrective Action:		Date:	
Type	BATTERY		
Comment:			
Corrective Action:		Date:	
Type	DRILLING/RECOMP		
Comment:			
Corrective Action:		Date:	

Emergency Contact Number:

Comment:

Corrective Action: Date: _____

Overall Good:

Spills:			
Type	Area	Volume	

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:			
Type	WELLHEAD		
Comment:	Pipe fencing		
Corrective Action:		Date:	

Equipment:			corrective date
Type: Flow Line	# 1		
Comment:			
Corrective Action:		Date:	
Type: Horizontal Heated Separator	# 1		
Comment:			
Corrective Action:		Date:	
Type: Bradenhead	# 1		
Comment:	Bradenhead valve is exposed at surface.		
Corrective Action:		Date:	
Type: Gas Meter Run	# 1		

Comment:			
Corrective Action:		Date:	
Type: Bird Protectors	# 1		
Comment:			
Corrective Action:		Date:	

Tanks and Berms:

Contents	#	Capacity	Type	Tank ID	SE GPS
CRUDE OIL	1	300 BBLs	STEEL AST		,
Comment:					
Corrective Action:					Date:

Paint

Condition	Adequate	
Other (Content)		
Other (Capacity)		
Other (Type)		

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate
Comment:				
Corrective Action:				
				Date:

Venting:

Yes/No	NO	
Comment:		
Corrective Action:		
		Date:

Flaring:

Type	
Comment:	
Corrective Action:	
	Date:

Inspected Facilities

Facility ID: 216850 Type: WELL API Number: 069-06037 Status: PR Insp. Status: WK

Cement

Cement Contractor

Contractor Name: Swabbco

Contractor Phone: _____

Surface Casing

Cement Volume (sx): _____

Circulate to Surface: _____

Cement Fall Back: _____

Top Job, 1" Volume: _____

Intermediate Casing

Cement Volume (sxs): _____

Good Return During Job: _____

Production Casing

Cement Volume (sx): _____

Good Return During Job: _____

Plugging Operations

Depth Plugs(feet range): 2000'-1815'

Cement Volume (sx): 50 sxs

Good Return During Job: YES

Cement Type: Class G Neat 15.8#

Comment: MIRU RMWS e-line, RIH with 5 1/2" 10K CIBP and set @ 4288' KB, POOH with setting tool, RIH with dumpbailer and spot 2 sxs of cement slurry on top of CIBP, POOH with dumpbailer, RIH with gun and perforate csg @ 2000' KB 6 SPF for annular squeeze, POOH with spent gun, RDMO e-line, TIH with tbg to 1815' KB, MIRU Swabbco cementers, establish circulation and condition wellbore, pump 30 bbls fresh water spacer followed by 50 sxs Class G Neat 15.8 ppg cement slurry balance plug (10.2 bbls total), displace tbg with 7 bbls of fresh water, RD cementers, POOH with tbg, RDMO cementers, SIW, WOC.

Corrective Action: _____

Date: _____

Reclamation - Storm Water - Pit

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass			

Comment:

Corrective Action:

Date: _____

Pits: NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
697003567	Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5414083