

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402690438

Date Received:

05/16/2021

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 69175

Name of Operator: PDC ENERGY INC

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Tyranny Bergin

970-313-5547

EHSCOGCCInspections@pdce.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 699103312

Inspection Date: 03/30/2021

FIR Submit Date: 03/30/2021

FIR Status: _____

Inspected Operator Information:

Company Name: PDC ENERGY INC

Company Number: 69175

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 442583

Location Name: R&R Farms Number: 5N63W29Q County: _____

Qtrqr: SESW Sec: 29 Twp: 5N Range: 63W Meridian: 6

Latitude: 40.364110 Longitude: -104.462420

FACILITY - API Number: 05-123-00 Facility ID: 442583

Facility Name: R&R Farms Number: 5N63W29Q

Qtrqr: SESW Sec: 29 Twp: 5N Range: 63W Meridian: 6

Latitude: 40.364110 Longitude: -104.462420

CORRECTIVE ACTIONS:

1 CA# 147838

Corrective Action: Securely fasten all valves, pipes, and fittings to ensure good mechanical condition, inspect at regular intervals and maintain in good mechanical condition per Rule 608.e.

Date: 04/08/2021

Response: CA COMPLETED

Date of Completion: 04/05/2021

Operator Comment: Removed unused equipment, cleaned up stained soil with fertilizer, and fixed the leak. Satisfactory Follow-Up Inspection #699103382 done. All CA's complete.

COGCC Decision: _____

COGCC
Representative:

2 CA# 147839

Corrective Action: Comply with Rule 606.

Date: 04/08/2021

Response: CA COMPLETED

Date of Completion: 04/05/2021

Operator Comment: Removed unused equipment, cleaned up stained soil with fertilizer, and fixed the leak. Satisfactory Follow-Up Inspection #699103382 done. All CA's complete.

COGCC Decision:

COGCC
Representative:

3 CA# 147840

Corrective Action: Conduct maintenance on equipment, cleanup stained material and review self-inspection processes per Rule 1002..(2).D

Date: 04/08/2021

Response: CA COMPLETED

Date of Completion: 04/05/2021

Operator Comment: Removed unused equipment, cleaned up stained soil with fertilizer, and fixed the leak. Satisfactory Follow-Up Inspection #699103382 done. All CA's complete.

COGCC Decision:

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: Removed unused equipment, cleaned up stained soil with fertilizer, and fixed the leak. Satisfactory Follow-Up Inspection #699103382 done. All CA's complete.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Tyranny Bergin

Signed:

Title: EHS Coordinator

Date: 5/16/2021 4:23:00 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

--	--

Total Attach: 0 Files