



STS Wireline, 2424 6th Ave, Greeley, CO 80631 Office 970-356-4644 Fax 970-356-0183

6/2/2021

Mark Brown

SECRET

SERVICE ORDER NO.

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7090
U.S.A.
BRITISH COLUMBIA LIBRARY
VICTORIA, CANADA V8W 2Y4

100

14

10

1875

11

1000

EXPLOSIVE USAGE SHEET

DISTRICT: _____

COMPANY NAME: Brown Oil DATE: 6-2-21

WELL NAME: Cedar Creek 14 CHECKED OUT BY: Chuck Bunn

ITEM	PART # / DESCRIPTION	DATE	SHIFT	CODE	OUT	USED	IN
CHARGES	BIG HOLE						
DET. CORD	80 PETN						
	40 RDX						
	80 RDX						
DETONATORS	B-P3						
	SECONDARY						
	CHAMMAS IGN						
	LEGACY JET CUTTER						
	LEGACY POWER CHARGE IGNITOR						
	<u>Titau Jet Cutter Cap</u>	<u>01-12-21A</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>1</u>	
	A-140S						
	A-105						
MISC.	BAKER 20 SLOW SET						
	3 5/8 POWER CHARGE						
	<u>Titau Jet Cutter</u>	<u>03-30-21A</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>1</u>	
	LEGACY 3 5/8 JET CUTTER						
	LEGACY 4.5 JET CUTTER						
	1 11/16 POWER CHARGE						
	PROPELLANT						

EXPLOSIVE USAGE SHEET

DISTRICT:		DATE:	6-1-21
COMPANY NAME:	Brown Oil & Gas	CHECKED OUT BY:	Chuck Bury
WELL NAME:	Cedar Creek 1-7		

ITEM	PART # / DESCRIPTION	DATE	SHIFT	CODE	OUT	USED	IN
CHARGES	BIG HOLE						
DET. CORD	80 PETN						
	40 RDX						
	80 RDX						
DETONATORS	B-P3						
	SECONDARY						
	CHAMMAS IGN						
	LEGACY JET CUTTER						
	LEGACY POWER CHARGE IGNITOR	02 MAR 2021			2	1	1
MISC.	Titon Jet Cutter	01-12-21A					
	A-140S						
	A-105						
	Titon Jet Cutter Cap	01-12-21A			2	0	2
	BAKER 20 SLOW SET						
	3 5/8 POWER CHARGE	30 Sep 2020			2	1	1
	LEGACY 3 5/8 JET CUTTER						
	LEGACY 4.5 JET CUTTER						
	1 11/16 POWER CHARGE						
	PROPELLANT						
	Titon Jet Cutter	03-30-21A			2	0	2

24 Hour Emergency Response (800-Talk-2-Us or 800-452-7829)

Brand-X Wireline 12931 CR 31.7 Sterling CO 80751
US DOT NUMBER: 2568189

Page 1
No.

DISTRICT NAME

TRUCK NO

SERVICE ORDER NO.

ID #	PROPER SHIPPING NAME	HAZARD CLASS	PG	EX NUMBER	PACKAGE TYPE	NO. OF PACKAGES (Box of loose parts etc.)		TOTAL QUANTITY (No. of loose parts etc.)		NET EXP. WT. IN LBS		GROSS WT. IN LBS	
						TRIP OUT	TRIP IN	TRIP OUT	TRIP IN	TRIP OUT	TRIP IN	TRIP OUT	TRIP IN
1000001	1000001	1.43	2		STEEL CYL								
1000002	1000002	1.43	2		STEEL CYL								
1000003	1000003	1.43	2		STEEL CYL								
1000004	1000004	1.43	2		STEEL CYL								
1000005	1000005	1.43	2		STEEL CYL								
1000006	1000006	1.43	2		STEEL CYL								
1000007	1000007	1.43	2		STEEL CYL								
1000008	1000008	1.43	2		STEEL CYL								
1000009	1000009	1.43	2		STEEL CYL								
1000010	1000010	1.43	2		STEEL CYL								
1000011	1000011	1.43	2		STEEL CYL								
1000012	1000012	1.43	2		STEEL CYL								
1000013	1000013	1.43	2		STEEL CYL								
1000014	1000014	1.43	2		STEEL CYL								
1000015	1000015	1.43	2		STEEL CYL								
1000016	1000016	1.43	2		STEEL CYL								
1000017	1000017	1.43	2		STEEL CYL								
1000018	1000018	1.43	2		STEEL CYL								
1000019	1000019	1.43	2		STEEL CYL								
1000020	1000020	1.43	2		STEEL CYL								
1000021	1000021	1.43	2		STEEL CYL								
1000022	1000022	1.43	2		STEEL CYL								
1000023	1000023	1.43	2		STEEL CYL								
1000024	1000024	1.43	2		STEEL CYL								
1000025	1000025	1.43	2		STEEL CYL								
1000026	1000026	1.43	2		STEEL CYL								
1000027	1000027	1.43	2		STEEL CYL								
1000028	1000028	1.43	2		STEEL CYL								
1000029	1000029	1.43	2		STEEL CYL								
1000030	1000030	1.43	2		STEEL CYL								
1000031	1000031	1.43	2		STEEL CYL								
1000032	1000032	1.43	2		STEEL CYL								
1000033	1000033	1.43	2		STEEL CYL								
1000034	1000034	1.43	2		STEEL CYL								
1000035	1000035	1.43	2		STEEL CYL								
1000036	1000036	1.43	2		STEEL CYL								
1000037	1000037	1.43	2		STEEL CYL								
1000038	1000038	1.43	2		STEEL CYL								
1000039	1000039	1.43	2		STEEL CYL								
1000040	1000040	1.43	2		STEEL CYL								
1000041	1000041	1.43	2		STEEL CYL								
1000042	1000042	1.43	2		STEEL CYL								
1000043	1000043	1.43	2		STEEL CYL								
1000044	1000044	1.43	2		STEEL CYL								
1000045	1000045	1.43	2		STEEL CYL								
1000046	1000046	1.43	2		STEEL CYL								
1000047	1000047	1.43	2		STEEL CYL								
1000048	1000048	1.43	2		STEEL CYL								
1000049	1000049	1.43	2		STEEL CYL								
1000050	1000050	1.43	2		STEEL CYL								
1000051	1000051	1.43	2		STEEL CYL								
1000052	1000052	1.43	2		STEEL CYL								
1000053	1000053	1.43	2		STEEL CYL								
1000054	1000054	1.43	2		STEEL CYL								
1000055	1000055	1.43	2		STEEL CYL								
1000056	1000056	1.43	2		STEEL CYL								
1000057	1000057	1.43	2		STEEL CYL								
1000058	1000058	1.43	2		STEEL CYL								
1000059	1000059	1.43	2		STEEL CYL								
1000060	1000060	1.43	2		STEEL CYL								
1000061	1000061	1.43	2		STEEL CYL								
1000062	1000062	1.43	2		STEEL CYL								
1000063	1000063	1.43	2		STEEL CYL								
1000064	1000064	1.43	2		STEEL CYL								
1000065	1000065	1.43	2		STEEL CYL								
1000066	1000066	1.43	2		STEEL CYL								
1000067	1000067	1.43	2		STEEL CYL								
1000068	1000068	1.43	2		STEEL CYL								
1000069	1000069	1.43	2		STEEL CYL								
1000070	1000070	1.43	2		STEEL CYL								
1000071	1000071	1.43	2		STEEL CYL								
1000072	1000072	1.43	2		STEEL CYL								
1000073	1000073	1.43	2		STEEL CYL								
1000074	1000074	1.43	2		STEEL CYL								
1000075	1000075	1.43	2		STEEL CYL								
1000076	1000076	1.43	2		STEEL CYL								
1000077	1000077	1.43	2		STEEL CYL								
1000078	1000078	1.43	2		STEEL CYL								
1000079	1000079	1.43	2		STEEL CYL								
1000080	1000080	1.43	2		STEEL CYL								
1000081	1000081	1.43	2		STEEL CYL								
1000082	1000082	1.43	2		STEEL CYL								
1000083	1000083	1.43	2		STEEL CYL								
1000084	1000084	1.43	2		STEEL CYL								
1000085	1000085	1.43	2		STEEL CYL								
1000086	1000086	1.43	2		STEEL CYL								
1000087	1000087	1.43	2		STEEL CYL								
1000088	1000088	1.43	2		STEEL CYL								
1000089	1000089	1.43	2		STEEL CYL								
1000090	1000090	1.43	2		STEEL CYL								
1000091	1000091	1.43	2		STEEL CYL								
1000092	1000092	1.43	2		STEEL CYL								
1000093	1000093	1.43	2		STEEL CYL								
1000094	1000094	1.43	2		STEEL CYL								
1000095	1000095	1.43	2		STEEL CYL								
1000096	1000096	1.43	2		STEEL CYL								
1000097	1000097	1.43	2		STEEL CYL								
1000098	1000098	1.43	2		STEEL CYL								
1000099	1000099	1.43	2		STEEL CYL								
1000100	1000100	1.43	2		STEEL CYL								
1000101	1000101	1.43	2		STEEL CYL								
1000102	1000102	1.43	2		STEEL CYL								
1000103	1000103	1.43	2		STEEL CYL								
1000104	1000104	1.43	2		STEEL CYL								
1000105	1000105	1.43	2		STEEL CYL								
1000106	1000106	1.43	2		STEEL CYL								
1000107	1000107	1.43	2		STEEL CYL								
1000108	1000108	1.43	2		STEEL CYL								
1000109	1000109	1.43	2		STEEL CYL								
1000110	1000110	1.43	2		STEEL CYL								
1000111	1000111	1.43	2		STEEL CYL								
1000112	1000112	1.43	2		STEEL CYL								
1000113	1000113	1.43	2		STEEL CYL								
1000114	1000114	1.43	2		STEEL CYL								
1000115	1000115	1.43	2		STEEL CYL								
1000116	1000116	1.43	2		STEEL CYL								
1000117	1000117	1.43	2		STEEL CYL								
1000118	1000118	1.43	2		STEEL CYL								
1000119	1000119	1.43	2		STEEL CYL								
1000120	1000120	1.43	2		STEEL CYL								
1000121	1000121	1.43	2		STEEL CYL								
1000122	1000122	1.43	2		STEEL CYL								
1000123	1000123	1.43	2		STEEL CYL								
1000124	1000124	1.43	2		STEEL CYL								
1000125	1000125	1.43	2		STEEL CYL								
1000126	1000126	1.43	2		STEEL CYL								
1000127	1000127	1.43	2		STEEL CYL								
1000128	1000128	1.43	2		STEEL CYL								
1000129	1000129	1.43	2		STEEL CYL								
1000130	1000130	1.43	2		STEEL CYL								
1000131	1000131	1.43	2		STEEL CYL								
1000132	1000132	1.43	2		STEEL CYL								
1000133	1000133	1.43	2		STEEL CYL								
1000134	1000134	1.43	2		STEEL CYL								
1000135	1000135	1.43	2		STEEL CYL								
1000136	1000136	1.43	2		STEEL CYL								
1000137	1000137	1.43	2		STEEL CYL								
1000138	1000138	1.43	2		STEEL CYL								
1000139	1000139	1											

containers to carry such dangerous-injected materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

Handwritten: "Handwritten: 1881-1882 A.D. 37. Starting at 10000"

Figure 1

Mark Brown

10

1994

Figure 1. The structure of the proposed model.

11

Bureau X Washington, DC 20535

Archery

6-1-21

1990

1846
 1847
 1848
 1849
 1850
 1851
 1852
 1853
 1854
 1855
 1856
 1857
 1858
 1859
 1860
 1861
 1862
 1863
 1864
 1865
 1866
 1867
 1868
 1869
 1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900
 1901
 1902
 1903
 1904
 1905
 1906
 1907
 1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050
 2051
 2052
 2053
 2054
 2055
 2056
 2057
 2058
 2059
 2060
 2061
 2062
 2063
 2064
 2065
 2066
 2067
 2068
 2069
 2070
 2071
 2072
 2073
 2074
 2075
 2076
 2077
 2078
 2079
 2080
 2081
 2082
 2083
 2084
 2085
 2086
 2087
 2088
 2089
 2090
 2091
 2092
 2093
 2094
 2095
 2096
 2097
 2098
 2099
 2100
 2101
 2102
 2103
 2104
 2105
 2106
 2107
 2108
 2109
 2110
 2111
 2112
 2113
 2114
 2115
 2116
 2117
 2118
 2119
 2120
 2121
 2122
 2123
 2124
 2125
 2126
 2127
 2128
 2129
 2130
 2131
 2132
 2133
 2134
 2135
 2136
 2137
 2138
 2139
 2140
 2141
 2142
 2143
 2144
 2145
 2146
 2147
 2148
 2149
 2150
 2151
 2152
 2153
 2154
 2155
 2156
 2157
 2158
 2159
 2160
 2161
 2162
 2163
 2164
 2165
 2166
 2167
 2168
 2169
 2170
 2171
 2172
 2173
 2174
 2175
 2176
 2177
 2178
 2179
 2180
 2181
 2182
 2183
 2184
 2185
 2186
 2187
 2188
 2189
 2190
 2191
 2192
 2193
 2194
 2195
 2196
 2197
 2198
 2199
 2200
 2201
 2202
 2203
 2204
 2205
 2206
 2207
 2208
 2209
 2210
 2211
 2212
 2213
 2214
 2215
 2216
 2217
 2218
 2219
 2220
 2221
 2222
 2223
 2224
 2225
 2226
 2227
 2228
 2229
 2230
 2231
 2232
 2233
 2234
 2235
 2236
 2237
 2238
 2239
 2240
 2241
 2242
 2243
 2244
 2245
 2246
 2247
 2248
 2249
 2250
 2251
 2252
 2253
 2254
 2255
 2256
 2257
 2258
 2259
 2260
 2261
 2262
 2263
 2264
 2265
 2266
 2267
 2268
 2269
 2270
 2271
 2272
 2273
 2274
 2275
 2276
 2277
 2278
 2279
 2280
 2281
 2282
 2283
 2284
 2285
 2286
 2287
 2288
 2289
 2290
 2291
 2292
 2293
 2294
 2295
 2296
 2297
 2298
 2299
 2300

Anthony


6-1-24

Brand X
Wireline LLC

CEDAR CREEK 1Y

Database File ceder creekplg.db
Dataset Pathname run2/pass2
Presentation Format ccl
Dataset Creation Wed Jun 02 11:22:51 2021
Charted by Depth in Feet scaled 1:240

8	CCL	-8	-10	LTEN (lb)	2000	
				8	CCL	-8



Brand X
Wireline LLC

CEDAR CREEK 1-Y

Database File ceder creekplg.db
Dataset Pathname pass4
Presentation Format ccl
Dataset Creation Tue Jun 01 13:23:40 2021
Charted by Depth in Feet scaled 1:240

8	CCL	-8	-10	LTEN (lb)	2000
---	-----	----	-----	-----------	------

