



SULFUR IN NATURAL GAS ANALYSIS

SN/PRIMARY DB KEY
LEASE #/ PROJECT #:
FIELD/AREA:

NAME/DESCRIP : **NICHOLS 0994-21-02W**
SALES GAS LINE

PROJECT NO. : **202106078**
COMPANY NAME : **LARAMIE ENERGY, LLC**
OFFICE / BRANCH: **GRAND JUNCTION, CO**
CUSTOMER REF:
PRODUCER :

ANALYSIS NO. : **02**
ANALYSIS DATE: **JUNE 17, 2021 08:26**
SAMPLE DATE : **JUNE 14, 2021 9:55**
TO:
EFFECTIVE DATE:

*****FIELD DATA*****

SAMPLE CYCLE:
SAMPLE PRES. : **psig**
FLOW PRES. : **psig**
LAB PRES: **psig**
SAMPLE TEMP. : **°f**
AMBIENT TEMP.: **°f**
H2O BY STAIN TUBE: **- #/mmcf**
FIELD COMMENTS:
LAB COMMENTS:

SAMPLE TYPE: **SPOT**
PROBE :
CYLINDER NO. : **1L TEDLAR**
SAMPLED BY : **GALE MCENDREE**
SAMPLING COMPANY: **EMPACT**
H2S BY STAIN TUBE: **- ppm**
CO2 BY STAIN TUBE: **- Mol %**

COMPONENT

SULFUR
ppm mole
(ul/L)

Hydrogen Sulfide (H2S)	3.5
Carbonyl Sulfide (COS)/Sulfur Dioxide (SO2)	BDL
Methanethiol (MeSH)	BDL
Ethanethiol (EtSH)	BDL
Dimethylsulfide (DMS)	BDL
Carbon Disulfide (CS2)	BDL
i-Propanethiol (i-PrSH)	BDL
t-Butanethiol (t-BuSH)	BDL
n-Propanethiol (n-PrSH)	BDL
Methylethylsulfide (MES)	BDL
s-Butanethiol (s-BuSH)	BDL
i-Butanethiol (i-BuSH)	BDL
Thiophene (TP)	BDL
Diethylsulfide (DES)	BDL
n-Butanethiol (n-BuSH)	BDL
Dimethyldisulfide (DMDS)	BDL
Unidentified Sulfurs - Light Ends	BDL
Methylthiophenes (MTP)	BDL
2-Ethylthiophene (2-ETP)	BDL
Methylethylsulfide (MEDS)	BDL
Dimethylthiophenes (DMTP)	BDL
Diethylsulfide (DEDS)	BDL
Benzothiophene (BzTP)	BDL
Unidentified Sulfurs - Mid Range	BDL
Methylbenzothiophenes (MBzTP)	BDL
Dimethylbenzothiophenes (DMBzTP)	BDL
Trimethylbenzothiophenes (TMBzTP)	BDL
Dibenzothiophenes (DBzTP)	BDL
Methyldibenzothiophenes (MDBzTP)	BDL
<u>Unidentified Sulfurs - Heavy Ends</u>	<u>BDL</u>
TOTAL SULFUR	3.5

* ASTM D5504 ** DETECTION LIMIT DETERMINED TO BE 0.1 ppm (ul/L) Sulfur - BDL (BELOW DETECTION LIMIT)
The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.