



**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	adequate		
Corrective Action:		Date:	

Emergency Contact Number:

Comment:		Date:	
Corrective Action:		Date:	

**Good Housekeeping:**

Type	OTHER		
Comment:	stained soil around WH		
Corrective Action:	Comply with Rule 1002..(2).D	Date:	06/08/2021

Overall Good:

**Spills:**

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	PUMP JACK		
Comment:	fabricated angle iron		
Corrective Action:		Date:	
Type	OTHER		
Comment:	ancillary equip. has fabricated steel pipe and round stock		
Corrective Action:		Date:	

**Equipment:**

Type			corrective date
Type: Ancillary equipment	# 1		
Comment:	electric panel, meter box and transformers		
Corrective Action:		Date:	
Type: Pump Jack	# 1		
Comment:			
Corrective Action:		Date:	
Type: Bradenhead	# 1		
Comment:	appears to be plumbed to surface		
Corrective Action:		Date:	
Type: Prime Mover	# 1		
Comment:	electric motor		
Corrective Action:		Date:	

<b>Venting:</b>			
Yes/No	NO		
Comment:			
Corrective Action:		Date:	

<b>Flaring:</b>			
Type			
Comment:			
Corrective Action:		Date:	

**Inspected Facilities**

Facility ID: 241173 Type: WELL API Number: 123-08961 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

Corrective Action:

Date:

**BradenHead**

Date of Last Brhd Test: 09/24/2020 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: 0

Comment:

Corrective Action:

Date:

**COGCC Comments**

Comment	User	Date
<p><a href="#">COGCC Inspection Report Summary</a>                      On Wednesday 6/24/2021 at approximately 1330 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection at a KP Kauffman location: Follow up inspection to Doc # 699303914.                      Sidney Strear #3 at Location #318364 in Weld County Colorado.                      While there, I observed a wellsite, PR at the time of inspection.                      During this inspection the following possible compliance issues were observed and are now delinquent:                      1002..(2).D Housekeeping: Stained soil around WH, CA date 6-8-2021. See photos 2, 3 and 4.                      See attached photos.                      Location: dry, Weather: cloudy.                      A follow up on this site inspection needs to be conducted to ensure the Compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	revasr	06/24/2021

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402729855	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5464230">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5464230</a>
699304053	loction pics	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5464226">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5464226</a>