



J00658876 Well Services

Cons #kt - 1015-20210419-J00658873

N96000053105
NO. 66065

Customer Noble 0512310835 Date April, 19, 2021
Well / Lease Reistad 01 State CO
Company Rep. Cody Jones Time 1:30 To 4:30 Area WELD Rig No. Bohler 7
START FINISH

DESCRIPTION

Arrive, JSA, Spot, Rig up CSG 4 1/2, 11.6#
Break circulation with 10 bbl Chem wash Tbg 2 3/8, 4.7#
H₂O spacer 5 bbl hole 9"
190 SKS G, 15.8#, Verified by scale
Displace 2.1 bbl H₂O, string out displace 5.2 bbl H₂O Class G, 15.8#
* Pumped 155 SKS through CIRC yield, 1.15
leaving 35 SKS on top CIRC gal/sk, 5
Top perf 2000'
Bot perf 2500'
CIRC 2400'
TOCIC/TOCIA 2000'

TOOL BOX SAFETY MEETING

ATTENDEES OTHER THAN LISTED BELOW

TOPIC

Pump # 3052
BULK # 2250

CHARGE RECORD

Rig Time _____ Hrs. @ _____ Per Hr. \$
Crew Travel x _____ \$
Mud Pump x Tank _____ \$
Base Beam _____ \$
Power Swivel x _____ \$
Washington Head _____ \$
Blow-out Preventer x _____ \$
Flanges x _____ \$
Tool Pusher _____ \$
Mud Tank x _____ \$
Power Rod Tongs x _____ \$
Fuel _____ Gals. @ _____ Per Gal \$
Pipe Dope @ \$ _____ Per Trip \$
Washington/Stripper Rubber # @ \$ \$

Fishing Tools x _____ \$
Light Plant x _____ \$
Swab Cups # @ \$ \$
Swab Cups # @ \$ \$
Oil Svr. Rbr. # @ \$ \$
TBG Wiper Rubber # @ \$ \$
Rod Wiper Rubber # @ \$ \$

CHARGE RECORD

Type Well Head _____ Mud Anchor _____ No. & Size Rods _____
Packer Settings _____ Size Tubing _____ No. & Size Subs _____
Type Packer _____ Subs _____ Pump Description (out) _____
No. Jts. Tubing _____ Perf. Nppl. _____ (in) _____

SIGNATURE - CUSTOMER REPRESENTATIVE

SIGNATURE - SUPERVISOR

OPERATOR

DERRICKMAN

FLOOR HAND

FLOOR HAND

RIG	TRAVEL	TOTAL
-----	--------	-------



J00658876

Well Services

N96000053278
NO. 66987
66987

Customer Noble Date April, 21, 2021
Well / Lease Reinstad 01 State COLORADO
Company Rep. Cody Jones Time 10:30 To 4:00 Area _____
Rig No. Bohler 7

DESCRIPTION

Arrive, Jsn, Spot, Rig up #1 Class G, LCM blend, 3% CC, 15.8#
Broke circulation with 10 bbl Chem wash yield 1.15
H₂O spacer 5 bbl gal/sk 5
160 sks G, 3% CC, Polly, 15.8#, Verified by scale
Displace .5 bbl H₂O, shut down W.O.C. #2 Class G, 15.8#
Pumped 126 sks G, 15.8# to surface yield 1.15
CSG 8 5/8, 24# gal/sk 5
Tbg 2 3/8, 4.7#

TOOL BOX SAFETY MEETING

Hole 9" #1 shoe 329' #2 shoe 329'
ATTENDEES OTHER THAN LISTED BELOW Pump # 3052 EOT 576' EOT 345'
TOPIC Bulk # 2250 TOC 345' TOC 0'

CHARGE RECORD

Rig Time _____ Hrs. @ _____ Per Hr. \$ _____	Fishing Tools x _____ \$ _____
Crew Travel x _____ \$ _____	Light Plant x _____ \$ _____
Mud Pump x Tank _____ \$ _____	Swab Cups # @ \$ _____ \$ _____
Base Beam _____ \$ _____	Swab Cups # @ \$ _____ \$ _____
Power Swivel x _____ \$ _____	Oil Svr. Rbr. # @ \$ _____ \$ _____
Washington Head _____ \$ _____	TBG Wiper Rubber # @ \$ _____ \$ _____
Blow-out Preventer x _____ \$ _____	Rod Wiper Rubber # @ \$ _____ \$ _____
Flanges x _____ \$ _____	Sub Pump # _____ \$ _____
Tool Pusher _____ \$ _____	
Mud Tank x _____ \$ _____	
Power Rod Tongs x _____ \$ _____	
Fuel _____ Gals. @ _____ Per Gal \$ _____	
Pipe Dope @ \$ _____ Per Trip \$ _____	
Washington/Stripper Rubber # @ \$ _____ \$ _____	

CHARGE RECORD

Type Well Head _____ Mud Anchor _____ No. & Size Rods _____
Packer Settings _____ Size Tubing _____ No. & Size Subs _____
Type Packer _____ Subs _____ Pump Description (out) _____
No. Jls. Tubing _____ Perf. Npl. _____ (in) _____

SIGNATURE - CUSTOMER REPRESENTATIVE

SIGNATURE - SUPERVISOR

	RIG	TRAVEL	TOTAL
OPERATOR			
DERRICKMAN			
FLOOR HAND			
FLOOR HAND			



SPN Well Services

TREATMENT REPORT

P.O. BOX 329

FORT LUPTON, CO 80621

303-654-9202

DATE 4-21-21

FIELD TICKET #

WELL NAME & NO.		LOC.	SERIAL #	LIFT PRESSURE & POP OFF
Reistad 01		Besh Leg F	0512310835	LIFT: 531 POP OFF: 400
PUMP: 3052	BULK: 2250	JOB PUMPED THRU:	TUBING CASING ANNULUS	WATER PH: 7 CH<1
COUNTY: WELD	STATE: CO	WELL TYPE: OIL	GAS WATER INJ.	TYPE OF CEMENT: G ^{3/4} CC Polly
		AGE OF WELL:	NEW REWORK	CASING SIZE: 8 7/8, 24#, 4 1/2, 11.6#
		JOB TYPE: Partial		CASING DEPTH: 329'
CUSTOMER NAME: Noble				TUBING SIZE: 2 3/8, 4.7#
				TUBING DEPTH: 576'
JOB SUPERVISOR: Cody Jones				OPEN HOLE: 9"
				CSG OR ANRL VOL:
SERVICE RATED: POOR FAIR EXCELLENT Bob Hale Tony Rhany				TBG VOLUME:
REMARKS: SKS - 160 LCM blend Class G - 126 SKS				WELL INFORMATION
				DESCRIPTION
				DEPTH
Chamwash - 10 bbl				#2 shoe 329'
Sugar - 100 lbs				EOT 345'
CC - 450 lbs				TOC Ø'
CUSTOMER SIGNATURE:				
TIME	INJECTION	PRESSURE	CEMENT	

[illegible]