

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402715239

Date Received:

06/10/2021

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Victoria Dizghinjili

Phone

303-825-4822

Email

vdizghinjili@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 696303303

Inspection Date: 06/01/2021

FIR Submit Date: 06/01/2021

FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC

Company Number: 46290

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 465200

Location Name: State of Co AJ 1 Facility Number: 3-62-33 County: _____

Qtrqr: SWN Sec: 33 Twp: 3N Range: 62W Meridian: 6
W

Latitude: 40.185173 Longitude: -104.336510

FACILITY - API Number: 05-123- -00 Facility ID: 465200

Facility Name: State of Co AJ 1 Facility Number: 3-62-33

Qtrqr: SWN Sec: 33 Twp: 3N Range: 62W Meridian: 6
W

Latitude: 40.185173 Longitude: -104.336510

CORRECTIVE ACTIONS:

1 ☒ CA# 151594

Corrective Action: Display legible meter calibration record in conspicuous location to comply with rule 430.d.(2).
Calibrate gas metering equipment annually to comply with rule 430.d.(1).

Date: 07/01/2021

Response: CA COMPLETED

Date of Completion: 06/08/2021

Meter is a property of DCP. KPK will submit a request to DCP to have the meter calibrated to comply with a Rule 430.d.(1).

Operator
Comment:

COGCC Decision: Approved

COGCC Representative: Approved

2 ☒ CA# 151595

Corrective Action: Comply with Rule 606 Date: 09/07/2020

Response: CA COMPLETED Date of Completion: 06/08/2021

Operator
Comment: Weeds have been removed from location. Please see attached pictures.

COGCC Decision: Approved

COGCC Representative: Approved

3 ☒ CA# 151596

Corrective Action: Install sign to comply with Rule 605.h. Date: 07/01/2021

Response: CA COMPLETED Date of Completion: 06/09/2021

Operator
Comment: Faded and missed labels on tank and vault have been labeled. Please see attached picture.

COGCC Decision: Approved

COGCC Representative: Approved

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Victoria Dizghinjili Signed: _____

Title: Engineering Tech Date: 6/10/2021 3:27:36 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402715239	FIR RESOLUTION SUBMITTED
402715305	New labels PIC1
402715308	Weeds removed PIC2

Total Attach: 3 Files