

Location

Overall Good:

Signs/Marker:

Type	WELLHEAD		
Comment:			
Corrective Action:			Date:

Emergency Contact Number:

Comment:			
Corrective Action:			Date: _____

Good Housekeeping:

Type	WEEDS		
Comment:	Weeds have grown around wellhead. See attached photos.		
Corrective Action:	Comply with Rule 606		Date: <u>08/24/2021</u>

Overall Good:

Spills:

Type	Area	Volume		

In Containment: No

Comment: _____

Multiple Spills and Releases?

Fencing/:

Type	WELLHEAD		
Comment:	Panel		
Corrective Action:			Date:

Equipment:

Type	#		corrective date
Type: Plunger Lift	# 1		
Comment:			
Corrective Action:			Date:
Type: Flow Line	# 1		
Comment:			
Corrective Action:			Date:

Tanks and Berms:

Contents	#	Capacity	Type	Tank ID	SE GPS
			CENTRALIZED BATTERY		,
Comment:	Location #306199				
Corrective Action:					Date:

Paint

Condition					
Other (Content)					
Other (Capacity)					

Other (Type) _____	
--------------------	--

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Comment: _____				
Corrective Action: _____				Date: _____

Venting:

Yes/No	NO		
Comment: _____			
Corrective Action: _____			Date: _____

Flaring:

Type		
Comment: _____		
Corrective Action: _____		Date: _____

Inspected Facilities

Facility ID: 286934 Type: WELL API Number: 123-27294 Status: PR Insp. Status: SI

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

Comment:

Corrective Action: Date: _____

Reclamation - Storm Water - Pit

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Seeding	Pass	Seeding	Pass			

Comment:

Corrective Action:

Date: _____

Pits: NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On Monday 8/9/2021 at approximately 11:10 hours, I, Inspector Tom Peterson, conducted an on-site inspection at the Extraction Perkins 29-44 location #302174 in Weld County, Colorado. While there, I observed weeds around the wellhead. During this inspection the following possible compliance issues were observed: Rule 606. with a corrective action date of 8/24/2021. A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of the inspection report.</p>	petersont	08/09/2021

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
697004319	Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5501580