



**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	adequate		
Corrective Action:		Date:	

Emergency Contact Number:

Comment:		Date:	
Corrective Action:			

**Good Housekeeping:**

Type	WEEDS		
Comment:	weeds overgrown around location ROW		
Corrective Action:	Comply with Rule 606	Date:	08/17/2021

Overall Good:

**Spills:**

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	PUMP JACK		
Comment:	Fabricated round stock		
Corrective Action:		Date:	

**Equipment:**

Type:		#		corrective date
Ancillary equipment		# 1		
Comment:	electric panel, meter box and transformers			
Corrective Action:			Date:	
Pump Jack		# 1		
Comment:				
Corrective Action:			Date:	
Prime Mover		# 1		
Comment:	electric motor			
Corrective Action:			Date:	
Bradenhead		# 1		
Comment:	appears to be plumbed to surface			
Corrective Action:			Date:	

**Venting:**

Yes/No	NO		
Comment:			

Corrective Action:		Date:	
--------------------	--	-------	--

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**

Facility ID: 240107 Type: WELL API Number: 123-07895 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

Corrective Action:

Date:

**BradenHead**

Date of Last Brhd Test: 09/21/2020 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: 0

Comment:

Corrective Action:

Date:

**Reclamation - Storm Water - Pit**

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass			

Comment:

Corrective Action:

Date: \_\_\_\_\_

**Pits:**     NO SURFACE INDICATION OF PIT

**COGCC Comments**

Comment	User	Date
<p>COGCC Inspection Report Summary                      On Tuesday 8/3/2021 at approximately 1105 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection at a KP Kauffman location:</p> <p align="right">Devore #1 at API #05-123-07895 in Weld County Colorado.</p> <p>While there, I observed a wellsite, PR at the time of inspection. During this inspection the following possible compliance issues were observed: 606 housekeeping: Weeds overgrown around location ROW, CA date 8-17-2021. see photos 4 &amp; 5.                      See attached photos.                      Location: dry, Weather: clear.                      A follow up on this site inspection needs to be conducted to ensure the Compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	revasr	08/03/2021

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402769609	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5497187">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5497187</a>
699304180	location pics	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5497180">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5497180</a>