

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
402756094  
Receive Date:  
08/09/2021  
Report taken by:  
RICK ALLISON

Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by COGCC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: <u>PDC ENERGY INC</u>	Operator No: <u>69175</u>	Phone Numbers Phone: <u>(303) 860-5800</u> Mobile: <u>( )</u>
Address: <u>1775 SHERMAN STREET - STE 3000</u>		
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80203</u>
Contact Person: <u>Karen Olson</u>	Email: <u>COGCCSpillRemediation@pdce.com</u>	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 19632 Initial Form 27 Document #: 402756094

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: \_\_\_\_\_

SITE INFORMATION

Yes  Multiple Facilities

Facility Type: <u>LOCATION</u>	Facility ID: <u>429667</u>	API #: _____	County Name: <u>WELD</u>
Facility Name: <u>HOLTON 24-12</u>	Latitude: <u>40.493820</u>	Longitude: <u>-104.611790</u>	
	** correct Lat/Long if needed: Latitude: <u>40.493506</u>	Longitude: <u>-104.612169</u>	
QtrQtr: <u>SESW</u>	Sec: <u>12</u>	Twp: <u>6N</u>	Range: <u>65W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>
Facility Type: <u>WELL</u>	Facility ID: _____	API #: <u>123-35860</u>	County Name: <u>WELD</u>
Facility Name: <u>HOLTON 24-12</u>	Latitude: <u>40.493820</u>	Longitude: <u>-104.612060</u>	
	** correct Lat/Long if needed: Latitude: _____	Longitude: _____	
QtrQtr: <u>SESW</u>	Sec: <u>12</u>	Twp: <u>6N</u>	Range: <u>65W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

## SITE CONDITIONS

General soil type - USCS Classifications SM

Most Sensitive Adjacent Land Use Agriculture

Is domestic water well within 1/4 mile? Yes

Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? Yes

### **Other Potential Receptors within 1/4 mile**

Tank Battery: Nearest Well: Domestic - 701 feet E, Surface Water: Livestock Pond - 258 feet SW, Occupied Buildings: 464 feet SW, Livestock: 447 feet NE, FWS Wetlands: Freshwater Emergent Wetland (PEM1F) - 995 feet NW, HPH: Aquatic Native Species Conservation Waters - 1,580 feet SE

Wellhead: Nearest Well: Domestic - 680 feet E, Surface Water: Livestock Pond - 346 feet SW, Occupied Buildings: 542 feet SW, Livestock: 414 feet NE, FWS Wetlands: Freshwater Emergent Wetland (PEM1F) - 912 feet NW, HPH: Aquatic Native Species Conservation Waters - 1,690 feet SE

# SITE INVESTIGATION PLAN

## TYPE OF WASTE:

- E&P Waste       Other E&P Waste       Non-E&P Waste
- Produced Water       Workover Fluids
- Oil       Tank Bottoms
- Condensate       Pigging Waste
- Drilling Fluids       Rig Wash
- Drill Cuttings       Spent Filters
- Pit Bottoms
- Other (as described by EPA)

## DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	SOILS	TBD	Confirmation Soil Sampling

## INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

In accordance with COGCC Rule 911, this form serves as notification for the decommissioning and abandonment of the Holton 24-12 production facility, Holton 24-12 Wellhead, and removal of the associated flowline. The ground and sub-surfaces will be visually inspected for hydrocarbon impacts during equipment decommissioning. Field observations and photo documentation will be recorded in a field inspection form for submittal to the COGCC.

## PROPOSED SAMPLING PLAN

### Proposed Soil Sampling

Will soil samples be collected as part of this investigation? ( Number, type (grab/composite), analyses, and locations of samples ):

Grab soil samples will be collected below and/or adjacent to applicable facility equipment, as defined in the Rule 911.a.(4) guidance document (1/4/21), for field screening purposes. Discrete soil samples will be collected for laboratory analysis either in any area of observed hydrocarbon impacts, or in the sample locations designated by the COGCC. GPS data will be collected for all soil sample locations. Soil samples collected at the tank battery will be submitted for laboratory for analysis of BTEX, naphthalene, TPH (C6-C36), 1,2,4-TMB, and 1,3,5-TMB by EPA Methods 8260B and 8015. Additionally, soil sample(s) will be collected in the area most likely to be impacted by produced water and will be submitted for laboratory analysis of EC, pH, SAR, and boron by saturated paste and hot water soluble extraction methods. Soil samples will be collected adjacent to the wellhead from native material and submitted for laboratory analysis of Organic Compounds in Soil and soil suitability.

### Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

If groundwater is encountered during decommissioning and/or abandonment activities, a grab sample will be collected as soon as practical. If contaminated soil is in contact with groundwater or if free product/hydrocarbon sheen are observed, the release will be reported in accordance with Rule 912.b. Groundwater samples will be submitted for laboratory analysis of BTEX, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene by EPA Method 8260.

### Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

## Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan ( summary ):

If a produced water vessel is present, discrete soil samples will be collected from the base of the excavation and excavation sidewall in areas most likely to be impacted and exhibiting the highest field screening measurement and will be submitted for additional laboratory analysis of EC, pH, SAR, and boron by saturated paste and hot water soluble extraction methods.

Assessments will be conducted during the removal of this off-location flowline (estimated to be 130 feet in length). Additional assessments will be conducted in the areas where the flowline is in close proximity to sensitive areas. The flowline and adjacent sub-surface will be inspected for any visual and olfactory indicators of potential failure and hydrocarbon impacts. Soils will be field screened below the flowline and if suspected impacts are observed, a soil sample will be submitted for lab analysis of BTEX, naphthalene, 1,2,4-TMB, 1,3,5-TMB, and TPH (C6-C36) by EPA Methods 8260B and 8015.

# SITE INVESTIGATION REPORT

## SAMPLE SUMMARY

### Soil

Number of soil samples collected \_\_\_\_\_ 0  
Number of soil samples exceeding 915-1 \_\_\_\_\_  
Was the areal and vertical extent of soil contamination delineated? \_\_\_\_\_  
Approximate areal extent (square feet) \_\_\_\_\_

### NA / ND

\_\_\_\_\_ Highest concentration of TPH (mg/kg) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of SAR \_\_\_\_\_  
BTEX > 915-1 \_\_\_\_\_  
Vertical Extent > 915-1 (in feet) \_\_\_\_\_

### Groundwater

Number of groundwater samples collected \_\_\_\_\_ 0  
Was extent of groundwater contaminated delineated? No \_\_\_\_\_  
Depth to groundwater (below ground surface, in feet) \_\_\_\_\_  
Number of groundwater monitoring wells installed \_\_\_\_\_  
Number of groundwater samples exceeding 915-1 \_\_\_\_\_

\_\_\_\_\_ Highest concentration of Benzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Toluene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Ethylbenzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Xylene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Methane (mg/l) \_\_\_\_\_

### Surface Water

\_\_\_\_\_ 0 Number of surface water samples collected  
\_\_\_\_\_ Number of surface water samples exceeding 915-1  
If surface water is impacted, other agency notification may be required.

## OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) \_\_\_\_\_ Volume of liquid waste (barrels) \_\_\_\_\_

Is further site investigation required?

## REMEDIAL ACTION PLAN

### SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Any hydrocarbon impacted material will be transported off-site to a licensed disposal facility in accordance with Rules 905 and 906.

### REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

If reportable hydrocarbon impacts, as defined in Rule 912.b., are discovered, a site-specific remediation plan will be developed and submitted via a Supplemental Form 27. If reportable impacts are not encountered, a Supplemental Form 27 closure request will be submitted within 90 days of abandonment and/or decommissioning activities.

### Soil Remediation Summary

In Situ

Ex Situ

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

\_\_\_\_\_ Excavate and offsite disposal

\_\_\_\_\_ Chemical oxidation

If Yes: Estimated Volume (Cubic Yards) \_\_\_\_\_

\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

Name of Licensed Disposal Facility or COGCC Facility ID # \_\_\_\_\_  
\_\_\_\_\_ Excavate and onsite remediation  
\_\_\_\_\_ Land Treatment  
\_\_\_\_\_ Bioremediation (or enhanced bioremediation)  
\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Other \_\_\_\_\_

**Groundwater Remediation Summary**

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )  
\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

**GROUNDWATER MONITORING**

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

**REMEDIATION PROGRESS UPDATE**

**PERIODIC REPORTING**

**Approved Reporting Schedule:**

Quarterly     Semi-Annually     Annually     Other \_\_\_\_\_

**Request Alternative Reporting Schedule:**

Semi-Annually     Annually     Other \_\_\_\_\_

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

**Report Type:**     Groundwater Monitoring     Land Treatment Progress Report     O&M Report  
 Other \_\_\_\_\_

**WASTE DISPOSAL INFORMATION**

Was E&P waste generated as part of this remediation? \_\_\_\_\_

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards \_\_\_\_\_

E&P waste (solid) description \_\_\_\_\_

COGCC Disposal Facility ID #, if applicable: \_\_\_\_\_

Non-COGCC Disposal Facility: \_\_\_\_\_

Volume of E&P Waste (liquid) in barrels \_\_\_\_\_

E&P waste (liquid) description \_\_\_\_\_

COGCC Disposal Facility ID #, if applicable: \_\_\_\_\_

Non-COGCC Disposal Facility: \_\_\_\_\_

# RECLAMATION PLAN

## RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Reclamation will be conducted in accordance with COGCC 1004 Series Rules.

Is the described reclamation complete? \_\_\_\_\_

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim  Final

Did the Surface Owner provide the seed mix? \_\_\_\_\_

If YES, does the seed mix comply with local soil conservation district recommendations? \_\_\_\_\_

Did the local soil conservation district provide the seed mix? \_\_\_\_\_

## SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. \_\_\_\_\_

Proposed date of completion of Reclamation. \_\_\_\_\_

## IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

### PRIOR DATES

Date of Surface Owner notification/consultation, if required. 05/05/2021

Actual Spill or Release date, or date of discovery. \_\_\_\_\_

### SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 08/16/2021

Proposed site investigation commencement. 08/16/2021

Proposed completion of site investigation. \_\_\_\_\_

### REMEDIAL ACTION DATES

Proposed start date of Remediation. \_\_\_\_\_

Proposed date of completion of Remediation. \_\_\_\_\_

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

\_\_\_\_\_

**OPERATOR COMMENT**

This Form 27 serves as notification for the closure and abandonment of the Holton 24-12 tank battery and wellhead, and associated on-location equipment. Decommissioning activities are planned to begin the week of August 16, 2021. This schedule may be adjusted due to unforeseen circumstances, delays, and/or changes in weather.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Karen Olson

Title: Senior Program Manager

Submit Date: 08/09/2021

Email: COGCCSpillRemediation@pdce.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: RICK ALLISON

Date: 08/17/2021

Remediation Project Number: 19632

**Condition of Approval****COA Type****Description**

	If impacted soil indicative of a Spill/Release is discovered during field screening the lateral and vertical extent of impact will be determined with appropriate confirmation soil sampling, and Operator will expand the analyte list to include Table 915-1 contaminants of concern. Housekeeping and de minimis amounts of stained soil removed during facility dismantling are not necessarily considered a Spill/Release.
1 COA	

**Attachment Check List**

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

**Att Doc Num****Name**

402756094	FORM 27-INITIAL-SUBMITTED
402756098	SITE INVESTIGATION PLAN
402773922	SITE MAP

Total Attach: 3 Files

**General Comments****User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)