



**Location**

Overall Good:

Emergency Contact Number:

Comment: Adequate

Corrective Action:

Date: \_\_\_\_\_

**Good Housekeeping:**

Type: DEBRIS

Comment: Dead Weeds/debris.

Corrective Action: Location is within a designated setback location, remove trash, debris and weeds per Rule 604.c.(2)P. Corrective Action Date 10/8/2021. See attached photo # 1.

Date: 10/08/2021

Overall Good:

**Spills:**

Type	Area	Volume

In Containment: No

Comment:

Multiple Spills and Releases?

**Equipment:**

corrective date

Type: Plunger Lift # 1

Comment:

Corrective Action:

Date:

Type: Bradenhead # 1

Comment: Appeared to be plumbed to surface

Corrective Action:

Date:

Type: Deadman # & Marked # 4

Comment:

Corrective Action:

Date:

**Venting:**

Yes/No NO

Comment:

Corrective Action:

Date:

**Flaring:**

Type

Comment:

Corrective Action:

Date:

**Inspected Facilities**

Facility ID: 202648 Type: WELL API Number: 001-08053 Status: SI Insp. Status: SI

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_

Comment: SI

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Date of Last Brhd Test: \_\_\_\_\_ Annual Brhd Completed? \_\_\_\_\_

Last Brhd Test Results Initial Surf Csg Pressure: \_\_\_\_\_ Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: \_\_\_\_\_

Comment: Appeared to be plumbed to surface

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**COGCC Comments**

Comment	User	Date
<p>COGCC Inspection Report Summary                      On Friday September 3, 2021 at approximately 10:30am. I, Inspector Chane Finkenbinder, conducted an on-site inspection at Champlin 248 Amoco C7, Renegade Oil &amp; Gas company, at API #001-08053 in Adams County Colorado.                      While there, I observed a shut in well.                      During this inspection the following possible compliance issues were observed:                      Dead Weeds/debris. Location is within a designated setback location, remove trash, debris and weeds per Rule 604.c.(2)P. Corrective Action Date 10/8/2021. See attached photo # 1.                      A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	finkenbc	09/16/2021

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
700900680	Inspection photo	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5533169">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5533169</a>