

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402811461

Date Received:

09/14/2021

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 96850  
Name of Operator: TEP ROCKY MOUNTAIN LLC  
Address: PO BOX 370  
City: PARACHUTE State: CO Zip: 81635

Contact Name and Telephone:  
Name: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_  
Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
<u>TEP</u>		<u>COGCCInspectionReports@terraep.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 699803537  
Inspection Date: 08/11/2021 FIR Submit Date: 08/11/2021 FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: TEP ROCKY MOUNTAIN LLC Company Number: 96850  
Address: PO BOX 370  
City: PARACHUTE State: CO Zip: 81635

LOCATION - Location ID: 335472

Location Name: UNOCAL-66S96W Number: 33NWNW County: \_\_\_\_\_  
Qtrqr: NWN Sec: 33 Twp: 6S Range: 96W Meridian: 6  
W  
Latitude: 39.484692 Longitude: -108.122060

FACILITY - API Number: 05-045-00 Facility ID: 335472

Facility Name: UNOCAL-66S96W Number: 33NWNW  
Qtrqr: NWN Sec: 33 Twp: 6S Range: 96W Meridian: 6  
W  
Latitude: 39.484692 Longitude: -108.122060

CORRECTIVE ACTIONS:

1  CA# 154788

Corrective Action: Operators will ensure that signs are well maintained and legible, and will replace damaged signs.

Date: 10/11/2021

Response: CA COMPLETED

Date of Completion: 09/14/2021

Operator Comment: Battery sign has been replaced.

COGCC Decision: Approved pending re-inspection

COGCC Representative:

**2**  CA# 154789

Corrective Action: Containers that are used to store, treat, or otherwise handle a hazardous material and which are required to be marked, placarded, or labeled.

Date: 10/11/2021

Response: CA COMPLETED

Date of Completion: 09/14/2021

Operator Comment: A separator is not a "tank or container" per COGCC definitions in Section 100 where separators are specifically excluded from the definition of a tank. Therefore, the labeling requirements at Rule 605.h "Tank and Container Labels", do not apply. Further, the glycol used in our separators is not a DOT-regulated hazardous material; therefore, Rule 605.h.(3), does not apply.

COGCC Decision: Approved pending re-inspection

COGCC Representative:

**OPERATOR COMMENT AND SUBMITTAL**

Comment: All corrective actions have been completed and/or addressed.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Michael Gardner

Signed: \_\_\_\_\_

Title: TEP ENV

Date: 9/14/2021 4:24:09 PM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402811461	FIR RESOLUTION SUBMITTED
402811478	Labeling correspondence

Total Attach: 2 Files