



Service Order #: 70437

Date: 12-Aug-21

Well Name	Location	County	St	API#		
ROUNDUP STORAGE	FIELD 8	MORGAN	CO			
Formation	Cement Via	Type Of Service	Well Type	Age	AFE#	PO#
	TUBING	PLUG		REWORK		

Customer: SCHNEIDER SUMMIT

Remarks: 20 SKS, 4.2 BBLS ETOC 2852' - 2680'
 75 SKS, 15.3 BBLS
 CASINIG 8.3 BBLS, TOC 0' - 350'
 7 BBLS THROUGH PERFS
 LOCK UP SHUT IN WELL 400 PSI

Customer Rep: GARY C.

PH:

Type	Size	Weight	Depth	Volume
Surface Casing:	13.375	48.0	294.0	
Production Casing:	9.625	36.0	81.0	
Intermediate:				
Drill Pipe:				
Tubing:				

BHT	Max PSI	Total Depth

Packer or RetainerType / Depth:

--	--

Type	Size	Depth (Top)	Depth (Bot)	Volume
Liner:	5.500	81.0	350.0	
Open Hole:	7.875	294.0	350.0	

Perf Depths:	#	Total
350.0	0	0
	0	
	0	

TIME	PUMP RATES		DENSITY (lb/gl)	PRESS (psi)	STG TOT (bbls)	TOTAL (bbls)	REMARKS
	WATER (gpm)	PUMP (bpm)					
7:38	0	0.1	7.91	2,250	22.0	47.8	PSI TEST
7:40	0	0.0	7.91	6	0.1	0.1	PUMP H2O
7:45	51	0.9	15.86	12	0.0	4.3	END H2O / START CMT
7:48	12	1.5	16.74	24	4.4	8.7	END CMT / START DISPLACEMENT
7:55	0	0.1	8.01	0	15.0	23.8	OFF LINE
13:50	0	0.0	0.00	0	0.0	0.0	PUMP H2O INTO PERFS
14:49	0	0.0	7.91	352	70.0	70.0	NO CIRCULATION / OFF LINE
15:35	0	0.0	15.37	135	0.0	0.0	PUMP CMT
16:16	0	0.5	15.52	412	15.3	15.3	END CMT / OFF LINE
16:26	0	0.0	7.93	11	0.0	30.4	PUMP H2O
16:28	0	0.0	7.91	381	0.0	30.4	OFF LINE / LOCKED UP SHUT IN W/400 PSI

Summary

Max Fl. Rate	Avg Fl. Rate	Max Psi	Avg Psi
1.5	0.7	2,256	314

Customer Acknowledgement:

Service Rating:

- Satisfactory
- Unsatisfactory

Cementer:

S. BOHLEN

PRODUCTS USED

G CMT W/ 2% CaCl

ROUNDUP STORAGE FIELD 8
SCHNEIDER SUMMIT

