





Service Order #: 70438

Date: 17-Aug-21

Well Name	Location	County	St	API#		
ROUNDUP STORAGE	FIELD 9	MORGAN	CO			
Formation	Cement Via	Type Of Service	Well Type	Age	AFE#	PO#
	TUBING	PLUG		REWORK		

Customer: SCHNEIDER SUMMIT

Remarks: 15 SKS, 3.1 BBLS ETOC 2518' - 2389'  
191 SKS, 36.1 BBLS 380' - SURFACE  
BUMPED PSI UP LOCKED UP SHUT IN  
WITH 90 PSI

Customer Rep: G. CHANDLER PH:

Type	Size	Weight	Depth	Volume
Surface Casing:	13.375	48.0	298.0	
Production Casing:	5.500	15.5	2,518.0	
Intermediate:				
Drill Pipe:				
Tubing:	2.875	6.5	2,518.0	

Type	Size	Depth (Top)	Depth (Bot)	Volume
Liner:	9.625	36.0	98.0	
Open Hole:				

BHT	Max PSI	Total Depth

Packer or RetainerType / Depth:

Perf Depths:	#	Total
350.0	0	0
	0	
	0	

TIME	PUMP RATES		DENSITY (lb/gl)	PRESS (psi)	STG TOT (bbbls)	TOTAL (bbbls)	REMARKS
	WATER (gpm)	PUMP (bpm)					
7:20	0	0.2	7.91	2,348	5.2	35.5	PSI TEST
7:21	0	0.1	7.91	0	0.0	0.0	PUMP H2O
7:26	0	0.9	15.80	12	3.9	3.9	GOT CIRCULATION / START CMT
7:28	0	1.8	16.17	0	3.2	7.1	END CMT / START DISPLACEMENT
7:36	0	2.0	7.91	0	13.7	24.6	OFF LINE
12:59	0	0.4	4.50	0	0.0	0.0	START H2O
13:18	47	2.0	15.54	84	28.1	28.1	GOT CIRCULATION / START CMT
13:32	0	0.1	9.96	6	28.4	56.6	CMT TO SURFACE
13:35	36	0.0	15.80	0	28.4	56.6	START BUMPING CMT
14:20	0	0.0	8.78	364	36.1	64.3	STOP BUMPING UP / OFF LINE

Summary

Max Fl. Rate	Avg Fl. Rate	Max Psi	Avg Psi
2.0	1.0	2,348	91

Customer Acknowledgement:	Service Rating:	Cementer:	PRODUCTS USED
	<input type="checkbox"/> Satisfactory <input type="checkbox"/> Unsatisfactory	S. BOHLEN	CLASS G CMT W/2 % CaCl

# ROUNDUP STORAGE FIELD 9 SCHNEIDER SUMMIT

