

TABLE 1
SOIL SAMPLE ANALYTICAL AND FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Analyte	Groundwater Protection Values (GPV)	B01@6'	E01@3'	Pot Hole 01@6'	BG01@6'	B02@9'
		4/20/2021	4/20/2021	4/20/2021	4/22/2021	5/24/2021
Photoionization Detector Reading						
PID (ppm)	NA	0.4	52.8	1.9	0.0	1.2
Total Petroleum Hydrocarbons by USEPA Method 8015D						
TPH-GRO* (mg/kg)	500	<0.200	3.37	0.557	NA	NA
TPH-DRO* (mg/kg)	500	<25.0	148	137	NA	NA
TPH-RRO* (mg/kg)	500	<100	268	326	NA	NA
Soil Suitability for Reclamation						
EC (mmhos/cm)	4	1.11	1.93	2.35	1.02	NA
Sodium Adsorption Ratio (SAR)	6	NA	NA	NA	NA	NA
Sodium Adsorption Ratio (units)	6	3.31	3.19	7.62	4.37	NA
pH, Lab (pH units)	6-8.3	7.95	7.83	7.75	7.58	NA
Boron (mg/L)	2	0.3	1.1	0.9	0.4	NA
Soil Suitability for Reclamation (GPV for Soil)						
Benzene (mg/kg)	0.0026	<0.00200	<0.00200	<0.00200	NA	NA
Toluene (mg/kg)	0.69	<0.00200	<0.00200	<0.00200	NA	NA
Ethylbenzene (mg/kg)	0.78	<0.00200	<0.00200	<0.00200	NA	NA
Xylenes, Total (mg/kg)	9.9	<0.00200	<0.00200	<0.00200	NA	NA
1,2,4-Trimethylbenzene (mg/kg)	0.0081	<0.00200	0.00230	<0.00200	NA	NA
1,3,5-Trimethylbenzene (mg/kg)	0.0087	<0.00200	<0.00200	<0.00200	NA	NA
Acenaphthene (mg/Kg)	0.55	<0.00067	0.0345	0.00268	NA	NA
Anthracene (mg/Kg)	5.8	<0.00067	0.0505	0.00708	NA	NA
Benzo (a) anthracene (mg/Kg)	0.011	<0.00067	<0.00335	0.000939	NA	NA
Benzo (b) fluoranthene (mg/Kg)	0.3	<0.00067	0.00413	0.00231	NA	NA
Benzo (k) fluoranthene (mg/Kg)	2.9	<0.00067	0.00246	0.000663	NA	NA
Benzo (a) pyrene (mg/Kg)	0.24	<0.00067	0.0051	0.00214	NA	NA
Chrysene (mg/Kg)	9	<0.00067	0.0099	0.00455	NA	NA
Dibenz (a,h) anthracene (mg/Kg)	0.096	<0.00067	<0.00335	<0.00067	NA	NA
Fluoranthene (mg/Kg)	8.9	<0.00067	0.0117	0.00255	NA	NA
Fluorene (mg/Kg)	0.54	<0.00067	0.0896	0.0104	NA	NA
Indeno (1,2,3-cd) pyrene (mg/Kg)	0.98	<0.00067	0.00193	0.00119	NA	NA
1-Methylnaphthalene (mg/Kg)	0.006	0.000491	0.386	0.0277	NA	<0.00067
2-Methylnaphthalene (mg/Kg)	0.019	0.000693	0.441	0.0295	NA	<0.00067
Naphthalene (mg/Kg)	0.0038	<0.00067	0.028	0.00786	NA	<0.00067
Pyrene (mg/Kg)	1.3	<0.00067	0.0529	0.0094	NA	NA
Metals in Soils (GPV for Soil)						
Arsenic (mg/Kg)	0.29	0.605	2.75	1.3	0.463	1.92
Barium (mg/Kg)	82	43	77.5	52.3	38.6	NA
Cadmium (mg/Kg)	0.38	0.0528	0.311	0.175	<0.25	NA
Chromium, Hexavalent (mg/Kg)	0.00067	<1	<1	<1	<0.5	NA
Copper (mg/Kg)	46	3.01	42.9	7.01	2.52	NA
Lead (mg/Kg)	14	4.18	217	9.59	3.2	7.34
Nickel (mg/Kg)	26	3.14	7.31	4.69	2.88	NA
Selenium (mg/Kg)	0.26	<0.25	0.307	0.171	0.157	0.213
Silver (mg/Kg)	0.8	0.0219	0.0883	0.0566	0.0158	NA
Zinc (mg/Kg)	370	14.8	76	29.7	12.5	NA

TABLE 1 (Continued)
SOIL SAMPLE ANALYTICAL AND FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Analyte	Groundwater Protection Values (GPV)	BG02@9'	E02@6.5'	N02@6.5'	Pothole01-B01@7'	Pothole01-E01@6'
		5/24/2021	5/24/2021	5/24/2021	5/24/2021	5/24/2021
Photoionization Detector Reading						
PID (ppm)	NA	NA	2.3	0.1	1.3	0.1
Total Petroleum Hydrocarbons by USEPA Method 8015D						
TPH-GRO* (mg/kg)	500	NA	NA	NA	NA	NA
TPH-DRO* (mg/kg)	500	NA	NA	NA	NA	NA
TPH-RRO* (mg/kg)	500	NA	NA	NA	NA	NA
Soil Suitability for Reclamation						
EC (mmhos/cm)	4	1.82	NA	NA	NA	NA
Sodium Adsorption Ratio (SAR)	6	3.86	NA	NA	5.07	6.73
Sodium Adsorption Ratio (units)	6	NA	NA	NA	NA	NA
pH, Lab (pH units)	6-8.3	7.83	NA	NA	NA	NA
Boron (mg/L)	2	0.4	NA	NA	NA	NA
Soil Suitability for Reclamation (GPV for Soil)						
Benzene (mg/kg)	0.0026	NA	NA	NA	NA	NA
Toluene (mg/kg)	0.69	NA	NA	NA	NA	NA
Ethylbenzene (mg/kg)	0.78	NA	NA	NA	NA	NA
Xylenes, Total (mg/kg)	9.9	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene (mg/kg)	0.0081	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene (mg/kg)	0.0087	NA	NA	NA	NA	NA
Acenaphthene (mg/Kg)	0.55	NA	NA	NA	NA	NA
Anthracene (mg/Kg)	5.8	NA	NA	NA	NA	NA
Benzo (a) anthracene (mg/Kg)	0.011	NA	NA	NA	NA	NA
Benzo (b) fluoranthene (mg/Kg)	0.3	NA	NA	NA	NA	NA
Benzo (k) fluoranthene (mg/Kg)	2.9	NA	NA	NA	NA	NA
Benzo (a) pyrene (mg/Kg)	0.24	NA	NA	NA	NA	NA
Chrysene (mg/Kg)	9	NA	NA	NA	NA	NA
Dibenz (a,h) anthracene (mg/Kg)	0.096	NA	NA	NA	NA	NA
Fluoranthene (mg/Kg)	8.9	NA	NA	NA	NA	NA
Fluorene (mg/Kg)	0.54	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) pyrene (mg/Kg)	0.98	NA	NA	NA	NA	NA
1-Methylnaphthalene (mg/Kg)	0.006	NA	<0.00067	<0.00067	<0.00067	<0.00067
2-Methylnaphthalene (mg/Kg)	0.019	NA	<0.00067	<0.00067	<0.00067	<0.00067
Naphthalene (mg/Kg)	0.0038	NA	<0.00067	<0.00067	<0.00067	<0.00067
Pyrene (mg/Kg)	1.3	NA	NA	NA	NA	NA
Metals in Soils (GPV for Soil)						
Arsenic (mg/Kg)	0.29	0.949	0.993	0.624	0.707	1.1
Barium (mg/Kg)	82	36.3	NA	NA	NA	NA
Cadmium (mg/Kg)	0.38	0.0674	NA	NA	NA	NA
Chromium, Hexavalent (mg/Kg)	0.00067	<0.5	NA	NA	NA	NA
Copper (mg/Kg)	46	4.48	NA	NA	NA	NA
Lead (mg/Kg)	14	5.14	3.54	3.07	NA	NA
Nickel (mg/Kg)	26	3.74	NA	NA	NA	NA
Selenium (mg/Kg)	0.26	0.171	0.177	0.142	NA	NA
Silver (mg/Kg)	0.8	0.0298	NA	NA	NA	NA
Zinc (mg/Kg)	370	18.5	NA	NA	NA	NA

TABLE 1 (Continued)
SOIL SAMPLE ANALYTICAL AND FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Analyte	Groundwater Protection Values (GPV)	Pothole01-N01@6'	Pothole01-S01@6'	Pothole01-W01@6'	S02@6.5'	W02@6.5'
		5/24/2021	5/24/2021	5/24/2021	5/24/2021	5/24/2021
Photoionization Detector Reading						
PID (ppm)	NA	0.1	0.0	0.1	0.3	0.0
Total Petroleum Hydrocarbons by USEPA Method 8015D						
TPH-GRO* (mg/kg)	500	NA	NA	NA	NA	NA
TPH-DRO* (mg/kg)	500	NA	NA	NA	NA	NA
TPH-RRO* (mg/kg)	500	NA	NA	NA	NA	NA
Soil Suitability for Reclamation						
EC (mmhos/cm)	4	NA	NA	NA	NA	NA
Sodium Adsorption Ratio (SAR)	6	7.25	5.99	6.29	NA	NA
Sodium Adsorption Ratio (units)	6	NA	NA	NA	NA	NA
pH, Lab (pH units)	6-8.3	NA	NA	NA	NA	NA
Boron (mg/L)	2	NA	NA	NA	NA	NA
Soil Suitability for Reclamation (GPV for Soil)						
Benzene (mg/kg)	0.0026	NA	NA	NA	NA	NA
Toluene (mg/kg)	0.69	NA	NA	NA	NA	NA
Ethylbenzene (mg/kg)	0.78	NA	NA	NA	NA	NA
Xylenes, Total (mg/kg)	9.9	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene (mg/kg)	0.0081	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene (mg/kg)	0.0087	NA	NA	NA	NA	NA
Acenaphthene (mg/Kg)	0.55	NA	NA	NA	NA	NA
Anthracene (mg/Kg)	5.8	NA	NA	NA	NA	NA
Benzo (a) anthracene (mg/Kg)	0.011	NA	NA	NA	NA	NA
Benzo (b) fluoranthene (mg/Kg)	0.3	NA	NA	NA	NA	NA
Benzo (k) fluoranthene (mg/Kg)	2.9	NA	NA	NA	NA	NA
Benzo (a) pyrene (mg/Kg)	0.24	NA	NA	NA	NA	NA
Chrysene (mg/Kg)	9	NA	NA	NA	NA	NA
Dibenz (a,h) anthracene (mg/Kg)	0.096	NA	NA	NA	NA	NA
Fluoranthene (mg/Kg)	8.9	NA	NA	NA	NA	NA
Fluorene (mg/Kg)	0.54	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) pyrene (mg/Kg)	0.98	NA	NA	NA	NA	NA
1-Methylnaphthalene (mg/Kg)	0.006	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067
2-Methylnaphthalene (mg/Kg)	0.019	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067
Naphthalene (mg/Kg)	0.0038	<0.00067	<0.00067	<0.00067	<0.00067	<0.00067
Pyrene (mg/Kg)	1.3	NA	NA	NA	NA	NA
Metals in Soils (GPV for Soil)						
Arsenic (mg/Kg)	0.29	0.923	1.26	0.926	0.862	0.465
Barium (mg/Kg)	82	NA	NA	NA	NA	NA
Cadmium (mg/Kg)	0.38	NA	NA	NA	NA	NA
Chromium, Hexavalent (mg/Kg)	0.00067	NA	NA	NA	NA	NA
Copper (mg/Kg)	46	NA	NA	NA	NA	NA
Lead (mg/Kg)	14	NA	NA	NA	3.39	2.98
Nickel (mg/Kg)	26	NA	NA	NA	NA	NA
Selenium (mg/Kg)	0.26	NA	NA	NA	0.139	<0.25
Silver (mg/Kg)	0.8	NA	NA	NA	NA	NA
Zinc (mg/Kg)	370	NA	NA	NA	NA	NA

TABLE 1 (Continued)
SOIL SAMPLE ANALYTICAL AND FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Analyte	Groundwater Protection Values (GPV)	B03@12'	E03@12'	Native-BG03@12'	Pothole-E02@5'	Pothole-N02@5'
		6/11/2021	6/11/2021	6/11/2021	6/11/2021	6/11/2021
Photoionization Detector Reading						
PID (ppm)	NA	10.0	8.9	NA	1.2	6.7
Total Petroleum Hydrocarbons by USEPA Method 8015D						
TPH-GRO* (mg/kg)	500	NA	NA	NA	NA	NA
TPH-DRO* (mg/kg)	500	NA	NA	NA	NA	NA
TPH-RRO* (mg/kg)	500	NA	NA	NA	NA	NA
Soil Suitability for Reclamation						
EC (mmhos/cm)	4	NA	NA	1.32	NA	NA
Sodium Adsorption Ratio (SAR)	6	NA	NA	4.63	4.43	5.71
Sodium Adsorption Ratio (units)	6	NA	NA	NA	NA	NA
pH, Lab (pH units)	6-8.3	NA	NA	7.92	NA	NA
Boron (mg/L)	2	NA	NA	0.182	NA	NA
Soil Suitability for Reclamation (GPV for Soil)						
Benzene (mg/kg)	0.0026	NA	NA	NA	NA	NA
Toluene (mg/kg)	0.69	NA	NA	NA	NA	NA
Ethylbenzene (mg/kg)	0.78	NA	NA	NA	NA	NA
Xylenes, Total (mg/kg)	9.9	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene (mg/kg)	0.0081	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene (mg/kg)	0.0087	NA	NA	NA	NA	NA
Acenaphthene (mg/Kg)	0.55	NA	NA	NA	NA	NA
Anthracene (mg/Kg)	5.8	NA	NA	NA	NA	NA
Benzo (a) anthracene (mg/Kg)	0.011	NA	NA	NA	NA	NA
Benzo (b) fluoranthene (mg/Kg)	0.3	NA	NA	NA	NA	NA
Benzo (k) fluoranthene (mg/Kg)	2.9	NA	NA	NA	NA	NA
Benzo (a) pyrene (mg/Kg)	0.24	NA	NA	NA	NA	NA
Chrysene (mg/Kg)	9	NA	NA	NA	NA	NA
Dibenz (a,h) anthracene (mg/Kg)	0.096	NA	NA	NA	NA	NA
Fluoranthene (mg/Kg)	8.9	NA	NA	NA	NA	NA
Fluorene (mg/Kg)	0.54	NA	NA	NA	NA	NA
Indeno (1,2,3-cd) pyrene (mg/Kg)	0.98	NA	NA	NA	NA	NA
1-Methylnaphthalene (mg/Kg)	0.006	NA	NA	NA	NA	NA
2-Methylnaphthalene (mg/Kg)	0.019	NA	NA	NA	NA	NA
Naphthalene (mg/Kg)	0.0038	NA	NA	NA	NA	NA
Pyrene (mg/Kg)	1.3	NA	NA	NA	NA	NA
Metals in Soils (GPV for Soil)						
Arsenic (mg/Kg)	0.29	1.16	0.188	0.838	NA	NA
Barium (mg/Kg)	82	NA	NA	35.7	NA	NA
Cadmium (mg/Kg)	0.38	NA	NA	0.0496	NA	NA
Chromium, Hexavalent (mg/Kg)	0.00067	NA	NA	<0.5	NA	NA
Copper (mg/Kg)	46	NA	NA	3.77	NA	NA
Lead (mg/Kg)	14	NA	NA	4.1	NA	NA
Nickel (mg/Kg)	26	NA	NA	4.19	NA	NA
Selenium (mg/Kg)	0.26	NA	NA	<0.25	NA	NA
Silver (mg/Kg)	0.8	NA	NA	0.0139	NA	NA
Zinc (mg/Kg)	370	NA	NA	16.9	NA	NA

TABLE 1 (Continued)
SOIL SAMPLE ANALYTICAL AND FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Analyte	Groundwater Protection Values (GPV)	Pothole-S02@5'	Pothole-W02@5'	B04@15'	Pothole-W03@5'
		6/11/2021	6/11/2021	7/2/2021	7/2/2021
Photoionization Detector Reading					
PID (ppm)	NA	1.2	106.7	0.2	2.5
Total Petroleum Hydrocarbons by USEPA Method 8015D					
TPH-GRO* (mg/kg)	500	NA	44.7	NA	NA
TPH-DRO* (mg/kg)	500	NA	306	NA	NA
TPH-RRO* (mg/kg)	500	NA	140	NA	NA
Soil Suitability for Reclamation					
EC (mmhos/cm)	4	NA	3.27	NA	NA
Sodium Adsorption Ratio (SAR)	6	NA	8.61	NA	8.48
Sodium Adsorption Ratio (units)	6	NA	NA	NA	NA
pH, Lab (pH units)	6-8.3	NA	7.79	NA	NA
Boron (mg/L)	2	NA	0.642	NA	NA
Soil Suitability for Reclamation (GPV for Soil)					
Benzene (mg/kg)	0.0026	NA	<0.00200	NA	NA
Toluene (mg/kg)	0.69	NA	<0.00200	NA	NA
Ethylbenzene (mg/kg)	0.78	NA	<0.00200	NA	NA
Xylenes, Total (mg/kg)	9.9	NA	<0.00200	NA	NA
1,2,4-Trimethylbenzene (mg/kg)	0.0081	NA	<0.00200	NA	NA
1,3,5-Trimethylbenzene (mg/kg)	0.0087	NA	<0.00200	NA	NA
Acenaphthene (mg/Kg)	0.55	NA	0.0257	NA	NA
Anthracene (mg/Kg)	5.8	NA	0.0177	NA	NA
Benzo (a) anthracene (mg/Kg)	0.011	NA	0.00304	NA	NA
Benzo (b) fluoranthene (mg/Kg)	0.3	NA	0.00277	NA	NA
Benzo (k) fluoranthene (mg/Kg)	2.9	NA	<0.00335	NA	NA
Benzo (a) pyrene (mg/Kg)	0.24	NA	0.00481	NA	NA
Chrysene (mg/Kg)	9	NA	0.0052	NA	NA
Dibenz (a,h) anthracene (mg/Kg)	0.096	NA	<0.00335	NA	NA
Fluoranthene (mg/Kg)	8.9	NA	0.00736	NA	NA
Fluorene (mg/Kg)	0.54	NA	0.0679	NA	NA
Indeno (1,2,3-cd) pyrene (mg/Kg)	0.98	NA	0.003	NA	NA
1-Methylnaphthalene (mg/Kg)	0.006	NA	0.0468	NA	<0.00067
2-Methylnaphthalene (mg/Kg)	0.019	NA	0.00469	NA	NA
Naphthalene (mg/Kg)	0.0038	NA	0.00243	NA	NA
Pyrene (mg/Kg)	1.3	NA	0.0342	NA	NA
Metals in Soils (GPV for Soil)					
Arsenic (mg/Kg)	0.29	0.611	1.18	1.35	1.17
Barium (mg/Kg)	82	NA	41	NA	NA
Cadmium (mg/Kg)	0.38	NA	0.185	NA	NA
Chromium, Hexavalent (mg/Kg)	0.00067	NA	<2.5	NA	NA
Copper (mg/Kg)	46	NA	7.12	NA	NA
Lead (mg/Kg)	14	NA	10	NA	NA
Nickel (mg/Kg)	26	NA	3.64	NA	NA
Selenium (mg/Kg)	0.26	NA	<0.25	NA	NA
Silver (mg/Kg)	0.8	NA	0.0824	NA	NA
Zinc (mg/Kg)	370	NA	30.7	NA	NA

TABLE 1 (Continued)
SOIL SAMPLE ANALYTICAL AND FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Notes:

GPV - groundwater protection values
mg/kg - milligrams per kilogram
PID - Photoionization Detector
ppm - parts per million
TPH - total petroleum hydrocarbons
GRO - gasoline range organics
DRO - diesel range organics
RRO - residual range organics

EC - electrical conductivity
SAR - sodium adsorption ratio
mmhos/cm - millimhos per centimeter
<0.00200 - less than laboratory reporting limit
NA - Not Applicable / Not Analyzed
Bold indicates exceeds allowable level
*Allowable level for TPH is 500 mg/kg for combined GRO,
DRO, and RRO

TABLE 2
PHOTOIONIZATION DETECTOR FIELD RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Screening Location	Location	Date	PID Reading (ppm)
B01@6'	Wellhead Excavation	4/20/2021	0.4
North Wall	Wellhead Excavation	4/20/2021	1.3
E01@3'	Wellhead Excavation	4/20/2021	52.8
South Wall	Wellhead Excavation	4/20/2021	1.1
West Wall	Wellhead Excavation	4/20/2021	2.0
B02@9'	Wellhead Excavation	5/24/2021	1.2
N02@6.5'	Wellhead Excavation	5/24/2021	0.1
S02@6.5'	Wellhead Excavation	5/24/2021	0.3
W02@6.5'	Wellhead Excavation	5/24/2021	0.0
E02@6.5'	Wellhead Excavation	5/24/2021	2.3
B03@12'	Wellhead Excavation	6/11/2021	10.1
E03@6.5'	Wellhead Excavation	6/11/2021	8.9
B04@15'	Wellhead Excavation	7/2/2021	0.2
Pothole 1	Flowline Riser	4/20/2021	1.9
Pothole01@6'	Flowline Pothole	4/20/2021	17.3
Pothole01-N01@6'	Flowline Pothole	5/24/2021	0.1
Pothole01-S01@6'	Flowline Pothole	5/24/2021	0.0
Pothole01-W01@6'	Flowline Pothole	5/24/2021	0.1
Pothole01-E01@6'	Flowline Pothole	5/24/2021	0.2
Pothole01-Base01@7'	Flowline Pothole	5/24/2021	1.3
Pothole-N02@5'	Flowline Pothole	6/11/2021	6.7
Pothole-E02@5'	Flowline Pothole	6/11/2021	1.2
Pothole-S02@5'	Flowline Pothole	6/11/2021	1.2
Pothole-W02@5'	Flowline Pothole	6/11/2021	106.7
Pothole-W03@5'	Flowline Pothole	7/2/2021	2.5
BG01@6'	Background	4/22/2021	0.0
Native-BG03@12'	Background	6/11/2021	NA

Notes:

PID - Photoionization Detector

ppm - parts per million

NA - Not analyzed with PID; Sampled for inorganic parameters only.

TABLE 3
GROUNDWATER ANALYTICAL RESULTS
SCHMID 2-34 WELLHEAD
WELD COUNTY, COLORADO
KERR-MCGEE OIL & GAS ONSHORE, LP

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4- trimethylbenzene (µg/L)	1,3,5- trimethylbenzene (µg/L)	Total Dissolved Solids (ug/L)	Chloride Ion (ug/L)	Sulfate Ion (ug/L)	Depth to Water/ (Product Thickness) (ft bgs)
COGCC Allowable Levels		5	560	700	1400	140	67	67	2,875,000	250,000	467,500	
GW01	4/22/2021	<1.00	<1.00	<1.00	<1.00	<4.00	<1.00	<1.00	2,220,000	441,000	568,000	9
Pothole01-GW01	5/24/2021	<4.00	<4.00	<4.00	<4.00	<16.0	<4.00	<4.00	2,300,000	237,000	374,000	9

Notes: COGCC - Colorado Oil and Gas Conservation Commission µg/L - micrograms per liter
ft bgs - feet below ground surface < - less than laboratory reporting limit
NA - not analyzed/not available Excavation groundwater depth is approximate
Inorganic parameters based on background sample (Pothole01-GW01) concentration x 1.25