

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402854555

Date Received:

10/28/2021

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 66561

Name of Operator: OXY USA INC

Address: PO BOX 27757 #110

City: HOUSTON State: TX Zip: 77227-7757

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Maestas, Eric

575-420-7825

eric_maestas@oxy.com

Dittrich, Wade

575-390-2828

Wade_Dittrich@Oxy.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 700600318

Inspection Date: 10/14/2021

FIR Submit Date: 10/22/2021

FIR Status: _____

Inspected Operator Information:

Company Name: OXY USA INC

Company Number: 66561

Address: PO BOX 27757 #110

City: HOUSTON State: TX Zip: 77227-7757

LOCATION - Location ID: 324493

Location Name: GARCIA-627S70W Number: 35NESE County: _____

Qtrqtr: NESE Sec: 35 Twp: 27S Range: 70W Meridian: 6

Latitude: 37.655942 Longitude: -105.181462

FACILITY - API Number: 05-055-00 Facility ID: 324493

Facility Name: GARCIA-627S70W Number: 35NESE

Qtrqtr: NESE Sec: 35 Twp: 27S Range: 70W Meridian: 6

Latitude: 37.655942 Longitude: -105.181462

CORRECTIVE ACTIONS:

1 ☒ CA# 157058

Corrective Action: Net or fence pit to prevent access per rule 909.f.

Date: _____

Submit FIRR documenting corrective action. Note that if fencing issue was corrected during inspection no corrective action would have been needed.

Response: CA COMPLETED

Date of Completion: 10/24/2021

Operator Comment: The excavation fencing was repaired per rule 909.f on October 24, 2021.

COGCC Decision: Approved

COGCC
Representative:

2  CA# 157059

Corrective Action: Net or fence pit to prevent access per rule 909.f. CA date is for fixing fencing.

Date: 10/23/2021

Submit FIRR documenting corrective action. Note that if fencing issue was corrected during inspection no corrective action would have been needed.

Response: CA COMPLETED

Date of Completion: 10/24/2021

Operator
Comment:

The excavation fencing was repaired per rule 909.f on October 24, 2021.

COGCC Decision: Approved

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Wade Dittrich

Signed: _____

Title: Environmental Specialist

Date: 10/28/2021 2:16:50 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

402854555	FIR RESOLUTION SUBMITTED
402856198	Fence Repair

Total Attach: 2 Files