

# Mile-Hi Duck Club- Tracy #1 Proposed P&A



DESCRIPTION DEPTH WELLBORE

8-5/8" Surface Casing:  
(cement to surface)

165'

0'

314'

120sx Cement Plug  
Cement to surface, Class G Neat

875'

180sx Cement Plug  
Class G Neat

1275'

2400'

2500'

45sx Cement Plug  
Class G Neat

Cut-Off Casing  
4-1/2" 10.5#

6500'

TOC (estimated)

6653'

6825'

45sx Cement Plug  
Class G Neat

7225'

J-Sand Perforations:

7978' to  
7995'

7896'

7950'

5sx Cement on top of Sand  
Casing loaded with sand across perms

4-1/2" Production Casing:  
(7-7/8" Hole)

8,096'

8,096'

TD

**WELL:** Mile-Hi Duck Club- Tracy #1

**LOCATION:** NENE 12 1S 65W  
990FNL 990 FEL (Planned)  
39.984170°N, -104.718106°E

**FORMATION:** JSND 6/13/1975

**API #:** 05-001-06996

**Field:** Wattenberg

**CURRENT STATUS:** PA

**Spud:** 3/18/1975

## Casing and Tubular Data

Type	Size	Weight	Top	Bottom	Hole Size
Surface	8-5/8"	24 ppf	0	165'	12-1/4"
Top Production	4-1/2"	10.5 ppf	0	8,096'	7-7/8"

## Elevation Data

GL	5029	feet
KB	5039	feet
Difference	10	feet

## Formation Tops Data

Formation	Depth	
Base of Fox Hills	1206'	MD
Base of Upper Pierre	1600'	MD
Sussex	4740'	MD
Niobrara	7066'	MD
Carlile	7525'	MD
D Sand	7906'	MD
J Sand	7949'	MD