

Location

Overall Good:

Signs/Marker:			
Type	WELLHEAD		
Comment:			
Corrective Action:			Date:

Emergency Contact Number:			
Comment:	Adequate		Date:
Corrective Action:			

Good Housekeeping:			
Type	OTHER		
Comment:	Stained soil around well needs to be removed. See attached photo		
Corrective Action:	"Properly dispose of oily waste in accordance with 905.e."		Date: 11/17/2021
Type	TRASH		
Comment:	Trash next to the well needs to be removed for good housekeeping. See attached photo.		
Corrective Action:	Comply with Rule 606.		Date: 11/17/2021

Overall Good:

Spills:			
Type	Area	Volume	

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:			
Type	WELLHEAD		
Comment:	Panel		
Corrective Action:			Date:

Equipment:			corrective date
Type: Bradenhead	# 1		
Comment:	Appears to be plumbed to surface		
Corrective Action:			Date:

Venting:			
Yes/No	NO		
Comment:			
Corrective Action:			Date:

Flaring:			
Type			
Comment:			
Corrective Action:			Date:

Inspected Facilities

Facility ID: 245963 Type: WELL API Number: 123-13759 Status: TA Insp. Status: TA

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

Comment: T/A

Corrective Action: _____ Date: _____

BradenHead

Date of Last Brhd Test: 09/30/2021 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: NONE

End Surf Csg Pressure: 0

Comment: _____

Corrective Action: _____ Date: _____

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On Monday 11/8/21 at approximately 0815hrs, I, Inspector Adam Burns, Conducted an on-site inspection at Victor C 19-10 of Noble Energy, at Location ID # 326842 in Weld County, Colorado. During this inspection the following possible compliance issues were observed: Stained soil around well needs to be removed. "Properly dispose of oily waste in accordance with 905.e."With a corrective action date of 11/17/21 Trash next to the well needs to be removed for good housekeeping. Comply with Rule 606. With a corrective action date of 11/17/21 See attached photos. A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p>	burnsa	11/08/2021

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402865038	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5575185
699104733	Inspection Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5575179