

FORM
5A

Rev
09/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

402828997

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322

2. Name of Operator: NOBLE ENERGY INC

3. Address: 1001 NOBLE ENERGY WAY

City: HOUSTON

State: TX

Zip: 77070

4. Contact Name: Mosiah Montoya

Phone: (303) 228-4200

Fax: _____

Email: denverregulatory@chevron.onmicrosoft.com

5. API Number 05-123-25057-00

7. Well Name: GUTTERSEN USX DD

8. Location: QtrQtr: NWNW

Section: 17

Township: 3N

Range: 63W

Meridian: 6

9. Field Name: WATTENBERG

Field Code: 90750

6. County: WELD

Well Number: 17-19

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: _____
Treatment Date: 05/16/2011 End Date: 05/16/2011 Date this Formation was Completed: 06/10/2011
Perforations Top: 6811 Bottom: 6820 No. Holes: 36 Hole size: 0.41 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: DAKOTA Status: ABANDONED WELLBORE/COMPLETION Treatment Type: _____
Treatment Date: _____ End Date: _____ Date this Formation was Completed: _____
Perforations Top: 7482 Bottom: 7568 No. Holes: 40 Hole size: 0.42 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: ☐ Yes ☒ No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: Dakota was perforated but never produced
Date formation Abandoned: 07/03/2007 Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: 7385 ** Sacks cement on top: 2 ** Wireline and Cement Job Summary must be attached.

FORMATION: J SAND Status: PRODUCING Treatment Type: _____
Treatment Date: _____ End Date: _____ Date this Formation was Completed: 07/25/2007
Perforations Top: 7264 Bottom: 7296 No. Holes: 72 Hole size: 0.42 Open Hole: ☐
Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: ☐ Yes ☒ No
Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: Cast Iron flowthrough plug
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: _____
Treatment Date: _____ End Date: _____ Date this Formation was Completed: 06/10/2011
Perforations Top: 6596 Bottom: 6820 No. Holes: 84 Hole size: _____ Open Hole: ☐
Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: _____
Treatment Date: 06/08/2011 End Date: 06/08/2011 Date this Formation was Completed: 06/10/2011
Perforations Top: 6596 Bottom: 6692 No. Holes: 48 Hole size: 0.72 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

227,558 lbs 20/40 Ottawa Sand

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): 6347 Disposition method for flowback: _____
Total proppant used (lbs): 227558

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Date: _____ Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

| | | | |
|--|---|--|------------------------|
| Test Method: _____ | Casing PSI: _____ | Tubing PSI: _____ | Choke Size: _____ |
| Gas Disposition: _____ | Gas Type: _____ | Btu Gas: _____ | API Gravity Oil: _____ |
| Tubing Size: _____ | Tubing Setting Depth: _____ | Tbg setting date: _____ | Packer Depth: _____ |
| Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div> | | | |
| Date formation Abandoned: _____ | Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No | If yes, number of sacks cmt _____ | |
| ** Bridge Plug Depth: _____ | ** Sacks cement on top: _____ | ** Wireline and Cement Job Summary must be attached. | |

Comment:

Fomr 5A is being submitted to report the historic Niobrara Codell recomple from 2011. There is not additional informaiton available.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Julie Webb

Title: Sr. Regulatory Analyst Date: _____ Email julie.webb@chevron.com

Attachment List

| Att Doc Num | Name |
|-------------|------|
| | |

Total Attach: 0 Files

General Comments

| User Group | Comment | Comment Date |
|------------|--|--------------|
| Permit | According to docnum: 1977258, the top perf of the Dakota should be 7482. | 11/04/2021 |

Total: 1 comment(s)