

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|--------------------------------------|----|----|----|
| DE | ET | OE | ES |
| Document Number: <u>402869162</u> | | | |
| Date Received: <u>11/12/2021</u> | | | |

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

| | |
|--|--|
| OGCC Operator Number: <u>10651</u> | Contact Name <u>Erin Bailey</u> |
| Name of Operator: <u>VERDAD RESOURCES LLC</u> | Phone: <u>(301) 3959638</u> |
| Address: <u>1125 17TH STREET SUITE 550</u> | Fax: <u>()</u> |
| City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u> | Email: <u>e Bailey@quandaryconsultants.com</u> |

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 123 00 ID Number: 472202

Name: Timbro Fed Number: 1931

Location QtrQtr: SESW Section: 19 Township: 9N Range: 58W Meridian: 6

County: WELD Field Name:

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

| Location ID | Location Name and Number |
|-------------|--------------------------|
| 472202 | Timbro Fed 1931 |

OGDP(s)

No OGDP

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.
- 0 Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).
- 4 Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.

- ☐ Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |

COMMENTS

An exception is requested because no suitable water wells are within 1/2 mile of the Timbro Fed 1931 location.
This exception request applies to the following wells:

Timbro Fed 1931 #01H 05-123-51202
Timbro Fed 1931 #06H 05-123-51203
Timbro Fed 1931 #07H 05-123-51204
Timbro Fed 1931 #04H 05-123-51205
Timbro Fed 1931 #08H 05-123-51206
Timbro Fed 1931 #03H 05-123-51207
Timbro Fed 1931 #05H 05-123-51208
Timbro Fed 1931 #02H 05-123-51209

Operator Comments:

An exception is requested because no suitable water wells are within 1/2 mile of the Timbro Fed 1931 location.
This exception request applies to the following wells:

Timbro Fed 1931 #01H 05-123-51202
Timbro Fed 1931 #06H 05-123-51203
Timbro Fed 1931 #07H 05-123-51204
Timbro Fed 1931 #04H 05-123-51205
Timbro Fed 1931 #08H 05-123-51206
Timbro Fed 1931 #03H 05-123-51207
Timbro Fed 1931 #05H 05-123-51208
Timbro Fed 1931 #02H 05-123-51209

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Erin Bailey
Title: Environmental Specialist Email: e Bailey@quandaryconsultants.com Date: 11/12/2021

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 11/15/2021

CONDITIONS OF APPROVAL, IF ANY:

Condition of Approval

COA Type

Description

| | |
|-------|--|
| | |
| 0 COA | |

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|--|---------------------|
| Environmental | A review of information available on the COGIS Map System indicates that there are no water features within 1/2 mile of the oil and gas location that meet the 100 series rule definition of a water source. | 11/15/2021 |

Total: 1 comment(s)

Attachment List

| <u>Att Doc Num</u> | <u>Name</u> |
|---------------------------|---------------------------|
| 402869162 | SUNDRY NOTICE APPROVED-GW |
| 402869201 | HYDROLOGY MAP |
| 402869235 | OTHER |
| 402870908 | FORM 4 SUBMITTED |
| Total Attach: 4 Files | |