



Friday, June 25, 2021

Max Trehus
Great Western Operating Company, LLC
4093 Specialty Place, Unit B
Longmont, CO 80504

Re: ALS Workorder: 2105146
Project Name: Sharp 2635-1-15 HC
Project Number:

Dear Mr. Trehus:

Two water samples were received from Great Western Operating Company, LLC, on 5/6/2021. The samples were scheduled for the following analyses:

- Dissolved Gasses
- GC/MS Volatiles
- Inorganics
- Metals
- Total Extractable Petroleum Hydrocarbons (Diesel)
- Total Volatile Petroleum Hydrocarbons (Gasoline)
- Chloride and Sulfate - Subcontracted to ALS MI

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

ALS Environmental
Katie M. OBrien
Project Manager

Accreditations: ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
California (CA)	2926
Colorado (CO)	CO01099
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
PJ-LA (DoD ELAP/ISO 170250)	95377
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO010992018-1
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	TN02976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280

40 CFR Part 136: All analyses for Clean Water Act samples are analyzed using the 40 CFR Part 136 specified method and include all the QC requirements.



2105146

GC/MS Volatiles:

The sample was analyzed using GC/MS following the current revision of SOP 525 based on SW-846 Method 8260C.

All acceptance criteria were met.

Dissolved Gasses:

The sample was prepared and analyzed according to method RSK-175 procedures and the current revision of SOP 449.

All acceptance criteria were met.

GRO:

The sample was analyzed following the current revision of SOP 425 generally based on SW-846 Methods 8000C and 8015D. TVPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C6 to C10.

The sample was analyzed at a 10x dilution due to matrix.

All acceptance criteria were met.

DRO:

The sample was analyzed following the current revision of SOP 406 generally based on SW-846 Methods 8000C and 8015D. TEPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C10 to C28.

All acceptance criteria were met.

Metals:

The samples were analyzed following Methods for the Determination of Metals in Environmental Samples – Supplement 1 procedures. Analysis by Trace ICP followed method 200.7 and the current revision of SOP 834.

Sample 2105146-2 was to be analyzed for dissolved metals. The sample was filtered through a 0.45 micron filter and preserved with nitric acid to a pH less than two prior to analysis.



All acceptance criteria were met.

Inorganics:

The sample was analyzed following EMSL and Standard Method procedures for the current revisions of the following SOPs and methods:

<u>Analyte</u>	<u>Method</u>	<u>SOP #</u>
Alkalinity	SM2320B	1106
Bicarbonate	SM2320B	1106
Carbonate	SM2320B	1106
TDS	SM2540C	1101

All acceptance criteria were met.

ALS -- Fort Collins

Sample Number(s) Cross-Reference Table

OrderNum: 2105146

Client Name: Great Western Operating Company, LLC

Client Project Name: Sharp 2635-1-15 HC

Client Project Number:

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
2635-1-15 HC A	2105146-1		WATER	05-May-21	11:00
2635-1-15 HC B	2105146-2		WATER	05-May-21	11:00



ALS Environmental

225 Commerce Drive, Fort Collins, Colorado 80524
 TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Turnaround time for samples received after 2 p.m. will be calculated beginning from the next business day.
 Turnaround time for samples received Saturday will be calculated beginning from the next business day.

ALS WORKORDER #

2105146

TURNAROUND TIME	SAMPLER	SITE ID	EDD FORMAT	PARAMETER/METHOD REQUEST FOR ANALYSIS	PAGE	DISPOSAL	BY LAB	of	RETURN									
		Sharp 2635-1-15 HCA		A Dissolved Gases														
		Great Western		B BTEX														
		Mxy Trehus		C DRD														
				D GRD														
				E Anions Alk TDS														
				F DS Metals														
				G TR Metals														
				H														
				I														
				J														
LAB ID	FIELD ID	MATRIX	SAMPLE DATE	SAMPLE TIME	# OF BOTTLES	PRESERVATIVE	QC	A	B	C	D	E	F	G	H	I	J	SEE NOTES SECTION
1	2635-1-15 HCA	W	5-5-21	11:00	3	-		K										
	2635-1-15 HCA				3	HCL			X									
	2635-1-15 HCA				3	HCL			X									
	2635-1-15 HCA				3	HCL				X								
	2635-1-15 HCA				1	-					X							
2	2635-1-15 HCA B				1	-							X					
1	2635-1-15 HCA				1	HNO3												

Form 2029

RELINQUISHED BY: *[Signature]* SIGNATURE: *[Signature]* PRINTED NAME: *Kenny Pyatt* DATE: 5-6-21 TIME: 11:05

RECEIVED BY: *[Signature]* SIGNATURE: *[Signature]* PRINTED NAME: *Eric Elly* DATE: 5-6-21 TIME: 17:06

RELINQUISHED BY: _____ SIGNATURE: _____ PRINTED NAME: _____ DATE: _____ TIME: _____

RECEIVED BY: _____ SIGNATURE: _____ PRINTED NAME: _____ DATE: _____ TIME: _____

RELINQUISHED BY: _____ SIGNATURE: _____ PRINTED NAME: _____ DATE: _____ TIME: _____

RECEIVED BY: _____ SIGNATURE: _____ PRINTED NAME: _____ DATE: _____ TIME: _____

REPORT LEVEL / QC REQUIRED

Summary (Standard QC)

LEVEL II (Standard QC)

LEVEL III (Std QC + forms)

LEVEL IV (Std QC + forms + raw)

Facility ID: 10-1 5.4

5454230

of 26

WSP AND

PRESERVATION KEY: 1-HCI 2-HNO3 3-H2SO4 4-NaOH 5-NaOH/ZnAcetate 6-NaHSO4 7-4°C 8-Other

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: GWOC Workorder No: 2105146
 Project Manager: KMO Initials: JME Date: 05/06/2021

		N/A	YES	NO
1.	Are airbills / shipping documents present and/or removable?	X		
	Tracking number:			
2.	Are custody seals on shipping containers intact?		X	
3.	Are custody seals on sample containers intact?	X		
4.	Is there a COC (chain-of-custody) present?		X	
5.	Is the COC in agreement with samples received? (IDs, dates, times, # of samples, # of containers, matrix, requested analyses, etc.)		X	
6.	Are short-hold samples present?			X
7.	Are all samples within holding times for the requested analyses?		X	
8.	Were all sample containers received intact? (not broken or leaking)		X	
9.	Is there sufficient sample for the requested analyses?		X	
10.	Are samples in proper containers for requested analyses? (form 250, <i>Sample Handling Guidelines</i>)		X	
11.	Are all aqueous samples preserved correctly, if required? (excluding volatiles)		X	
12.	Are all samples requiring no headspace (VOC, GRO, RSK/MEE, radon) free of bubbles > 6 mm (1/4 inch) diameter? (i.e. size of green pea)		X	
13.	Were the samples shipped on ice?		X	
14.	Were cooler temperatures measured at 0.1-6.0°C?	IR gun used*:	#5	RAD ONLY
Cooler #: <u>1</u>				
Temperature (°C): <u>5.4</u>				
# of custody seals on cooler: <u>1</u>				
External µR/hr reading: <u>NA</u>				
Background µR/hr reading: <u>11</u>				
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <u>NA</u> (If no, see Form 008.)				

* Please provide details here for NO responses to boxes above - for 2 thru 5 & 7 thru 12, notify PM & continue w/ login.

Were unpreserved bottles pH checked? NA All client bottle ID's vs ALS lab ID's double-checked JE
 If applicable, was the client contacted? YES / NO / NA Contact: _____ Date/Time: 5/07/21
 Project Manager Signature / Date: [Signature]

Client: Great Western Operating Company, LLC
Project: Sharp 2635-1-15 HC
Sample ID: 2635-1-15 HC A
Legal Location:
Collection Date: 5/5/2021 11:00

Date: 16-Jun-21
Work Order: 2105146
Lab ID: 2105146-1
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Alkalinity as Calcium Carbonate			SM2320B		Prep Date: 5/19/2021	PrepBy: BMK
BICARBONATE AS CaCO3	290		20	MG/L	1	5/19/2021
CARBONATE AS CaCO3	ND		20	MG/L	1	5/19/2021
TOTAL ALKALINITY AS CaCO3	290		20	MG/L	1	5/19/2021
Diesel Range Organics			SW8015M		Prep Date: 5/7/2021	PrepBy: JRS
Diesel Range Organics	45		1	MG/L	1	5/20/2021 17:25
Surr: O-TERPHENYL	81		69-120	%REC	1	5/20/2021 17:25
Dissolved Gasses			RSK175		Prep Date: 5/12/2021	PrepBy: DMS
METHANE	260		1	UG/L	1	5/12/2021 17:00
ETHANE	42		2	UG/L	1	5/12/2021 17:00
PROPANE	15		1	UG/L	1	5/12/2021 17:00
Gasoline Range Organics			SW8015		Prep Date: 5/17/2021	PrepBy: JRS
GASOLINE RANGE ORGANICS	ND		1	MG/L	10	5/17/2021 19:37
Surr: 2,3,4-TRIFLUOROTOLUENE	103		80-120	%REC	10	5/17/2021 19:37
GC/MS Volatiles			SW8260_25		Prep Date: 5/18/2021	PrepBy: AEW
BENZENE	31		10	UG/L	10	5/18/2021 18:36
TOLUENE	260		10	UG/L	10	5/18/2021 18:36
ETHYLBENZENE	91		10	UG/L	10	5/18/2021 18:36
M+P-XYLENE	290		10	UG/L	10	5/18/2021 18:36
O-XYLENE	180		10	UG/L	10	5/18/2021 18:36
TOTAL XYLENES	470		1	UG/L	1	5/18/2021 18:36
Surr: 4-BROMOFLUOROBENZENE	106		80-120	%REC	10	5/18/2021 18:36
Surr: DIBROMOFLUOROMETHANE	101		80-120	%REC	10	5/18/2021 18:36
Surr: TOLUENE-D8	108		80-120	%REC	10	5/18/2021 18:36
Total Recoverable Metals by 200.7			EPA200.7		Prep Date: 5/20/2021	PrepBy: TXS
CALCIUM	3400		10	MG/L	10	5/21/2021 12:35
POTASSIUM	310		10	MG/L	10	5/21/2021 12:35
MAGNESIUM	ND		10	MG/L	10	5/21/2021 12:35
SODIUM	940		10	MG/L	10	5/21/2021 12:35
Total Dissolved Solids			SM2540C		Prep Date: 5/12/2021	PrepBy: BMK
TOTAL DISSOLVED SOLIDS	17000		400	MG/L	1	5/13/2021

Client: Great Western Operating Company, LLC

Date: 16-Jun-21

Project: Sharp 2635-1-15 HC

Work Order: 2105146

Sample ID: 2635-1-15 HC B

Lab ID: 2105146-2

Legal Location:

Matrix: WATER

Collection Date: 5/5/2021 11:00

Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Dissolved Metals by 200.7			EPA200.7		Prep Date: 5/20/2021	PrepBy: TXS
CALCIUM	3500		10	MG/L	10	5/21/2021 12:36
POTASSIUM	320		10	MG/L	10	5/21/2021 12:36
MAGNESIUM	ND		10	MG/L	10	5/21/2021 12:36
SODIUM	980		10	MG/L	10	5/21/2021 12:36

Client: Great Western Operating Company, LLC
Project: Sharp 2635-1-15 HC
Sample ID: 2635-1-15 HC B
Legal Location:
Collection Date: 5/5/2021 11:00

Date: 16-Jun-21
Work Order: 2105146
Lab ID: 2105146-2
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

- "Report Limit" is the MDC
- U or ND - Result is less than the sample specific MDC.
- Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
- Y2 - Chemical Yield outside default limits.
- W - DER is greater than Warning Limit of 1.42
- * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
- # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
- G - Sample density differs by more than 15% of LCS density.
- D - DER is greater than Control Limit
- M - Requested MDC not met.
- M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
- L - LCS Recovery below lower control limit.
- H - LCS Recovery above upper control limit.
- P - LCS, Matrix Spike Recovery within control limits.
- N - Matrix Spike Recovery outside control limits
- NC - Not Calculated for duplicate results less than 5 times MDC
- B - Analyte concentration greater than MDC.
- B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

- B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
- U or ND - Indicates that the compound was analyzed for but not detected.
- E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
- M - Duplicate injection precision was not met.
- N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
- Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
- * - Duplicate analysis (relative percent difference) not within control limits.
- S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

- U or ND - Indicates that the compound was analyzed for but not detected.
- B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
- E - Analyte concentration exceeds the upper level of the calibration range.
- J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
- A - A tentatively identified compound is a suspected aldol-condensation product.
- X - The analyte was diluted below an accurate quantitation level.
- * - The spike recovery is equal to or outside the control criteria used.
- + - The relative percent difference (RPD) equals or exceeds the control criteria.
- G - A pattern resembling gasoline was detected in this sample.
- D - A pattern resembling diesel was detected in this sample.
- M - A pattern resembling motor oil was detected in this sample.
- C - A pattern resembling crude oil was detected in this sample.
- 4 - A pattern resembling JP-4 was detected in this sample.
- 5 - A pattern resembling JP-5 was detected in this sample.
- H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
- L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
- Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:
 - gasoline
 - JP-8
 - diesel
 - mineral spirits
 - motor oil
 - Stoddard solvent
 - bunker C

ALS -- Fort Collins

Date: 6/16/2021 12:13

Client: Great Western Operating Company, LLC

QC BATCH REPORT

Work Order: 2105146

Project: Sharp 2635-1-15 HC

Batch ID: **HC210507-81-1** Instrument ID **FUELS-1** Method: **SW8015M**

LCS Sample ID: **HC210507-81** Units: **MG/L** Analysis Date: **5/20/2021 15:16**

Client ID: Run ID: **HC210520-81A** Prep Date: **5/7/2021** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	5.98	1.07	8.33		72	53-120				20	
Surr: O-TERPHENYL	1.56		1.67		94	69-120					

LCSD Sample ID: **HC210507-81** Units: **MG/L** Analysis Date: **5/20/2021 15:37**

Client ID: Run ID: **HC210520-81A** Prep Date: **5/7/2021** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	5.68	1.07	8.33		68	53-120		5.98	5	20	
Surr: O-TERPHENYL	1.45		1.67		87	69-120			7		

MB Sample ID: **HC210507-81** Units: **MG/L** Analysis Date: **5/20/2021 14:54**

Client ID: Run ID: **HC210520-81A** Prep Date: **5/7/2021** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	ND	1.1									
Surr: O-TERPHENYL	1.31				78	69-120					

The following samples were analyzed in this batch:

Client: Great Western Operating Company, LLC
 Work Order: 2105146
 Project: Sharp 2635-1-15 HC

QC BATCH REPORT

Batch ID: **HC210512-91-2** Instrument ID **MEE-1** Method: **RSK175**

LCS		Sample ID: HC210512-91			Units: UG/L		Analysis Date: 5/12/2021 12:11				
Client ID:		Run ID: HC210512-91B			Prep Date: 5/12/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
METHANE	149	1	142		104	76-125				25	
ETHANE	281	2	267		105	70-120				25	
PROPANE	417	1	391		107	72-120				25	

LCSD		Sample ID: HC210512-91			Units: UG/L		Analysis Date: 5/12/2021 14:13				
Client ID:		Run ID: HC210512-91B			Prep Date: 5/12/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
METHANE	147	1	142		103	76-125		149	1	25	
ETHANE	276	2	267		103	70-120		281	2	25	
PROPANE	409	1	391		105	72-120		417	2	25	

MB		Sample ID: HC210512-91			Units: UG/L		Analysis Date: 5/12/2021 12:19					
Client ID:		Run ID: HC210512-91B			Prep Date: 5/12/2021		DF: 1					
Analyte	Result	ReportLimit										Qual
METHANE	ND	1										
ETHANE	ND	2										
PROPANE	ND	1										

The following samples were analyzed in this batch:

Client: Great Western Operating Company, LLC
 Work Order: 2105146
 Project: Sharp 2635-1-15 HC

QC BATCH REPORT

Batch ID: **HC210517-61-1** Instrument ID **FUELS-1** Method: **SW8015**

LCS Sample ID: **HC210517-61** Units: **MG/L** Analysis Date: **5/17/2021 13:40**
 Client ID: Run ID: **HC210517-61A** Prep Date: **5/17/2021** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	0.51	0.1	0.5		102	80-120				20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.108		0.1		108	80-120					

LCSD Sample ID: **HC210517-61** Units: **MG/L** Analysis Date: **5/17/2021 18:52**
 Client ID: Run ID: **HC210517-61A** Prep Date: **5/17/2021** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	0.507	0.1	0.5		101	80-120		0.51	1	20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.11		0.1		110	80-120			1		

MB Sample ID: **HC210517-61** Units: **MG/L** Analysis Date: **5/17/2021 14:03**
 Client ID: Run ID: **HC210517-61A** Prep Date: **5/17/2021** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	ND	0.1									
Surr: 2,3,4-TRIFLUOROTOLUENE	0.107				107	80-120					

The following samples were analyzed in this batch:

Client: Great Western Operating Company, LLC
 Work Order: 2105146
 Project: Sharp 2635-1-15 HC

QC BATCH REPORT

Batch ID: **IP210520-3-2** Instrument ID **ICPTrace2** Method: **EPA200.7**

LCS		Sample ID: IP210520-3			Units: MG/L		Analysis Date: 5/21/2021 12:33				
Client ID:		Run ID: IT210521-1A5			Prep Date: 5/20/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
CALCIUM	39.4	1	40		99	85-115				20	
MAGNESIUM	39.3	1	40		98	85-115				20	
POTASSIUM	40.6	1	40		102	85-115				20	
SODIUM	39.7	1	40		99	85-115				20	

LCSD		Sample ID: IP210520-3			Units: MG/L		Analysis Date: 5/21/2021 12:34				
Client ID:		Run ID: IT210521-1A5			Prep Date: 5/20/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
CALCIUM	39.3	1	40		98	85-115		39.4	0	20	
MAGNESIUM	39.3	1	40		98	85-115		39.3	0	20	
POTASSIUM	40.5	1	40		101	85-115		40.6	0	20	
SODIUM	39.5	1	40		99	85-115		39.7	0	20	

MB		Sample ID: FP210514-3			Units: MG/L		Analysis Date: 5/21/2021 12:31				
Client ID:		Run ID: IT210521-1A5			Prep Date: 5/20/2021		DF: 1				
Analyte	Result	ReportLimit	Qual								
CALCIUM	ND	1									
MAGNESIUM	ND	1									
POTASSIUM	ND	1									
SODIUM	ND	1									

MB		Sample ID: IP210520-3			Units: MG/L		Analysis Date: 5/21/2021 12:32				
Client ID:		Run ID: IT210521-1A5			Prep Date: 5/20/2021		DF: 1				
Analyte	Result	ReportLimit	Qual								
CALCIUM	ND	1									
MAGNESIUM	ND	1									
POTASSIUM	ND	1									
SODIUM	ND	1									

The following samples were analyzed in this batch:

2105146-1	2105146-2
-----------	-----------

Client: Great Western Operating Company, LLC
 Work Order: 2105146
 Project: Sharp 2635-1-15 HC

QC BATCH REPORT

Batch ID: VL210518-3-3 Instrument ID: HPV1 Method: SW8260_25

LCS		Sample ID: VL210518-3			Units: %REC		Analysis Date: 5/18/2021 11:06				
Client ID:		Run ID: VL210518-4A			Prep Date: 5/18/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Surr: 4-BROMOFLUOROBENZENE	26.7		25		107	80-120					
Surr: DIBROMOFLUOROMETHANE	26.2		25		105	80-120					
Surr: TOLUENE-D8	26.2		25		105	80-120					
BENZENE	9.27	1	10		93	80-120				20	
TOLUENE	9.33	1	10		93	80-120				20	
ETHYLBENZENE	9.83	1	10		98	80-120				20	
M+P-XYLENE	18.4	1	20		92	80-120				20	
O-XYLENE	9.25	1	10		92	80-120				20	

LCSD		Sample ID: VL210518-3			Units: %REC		Analysis Date: 5/18/2021 12:26				
Client ID:		Run ID: VL210518-4A			Prep Date: 5/18/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Surr: 4-BROMOFLUOROBENZENE	27		25		108	80-120			1		
Surr: DIBROMOFLUOROMETHANE	26.4		25		105	80-120			0		
Surr: TOLUENE-D8	26.5		25		106	80-120			1		
BENZENE	9.43	1	10		94	80-120		9.27	2	20	
TOLUENE	9.67	1	10		97	80-120		9.33	4	20	
ETHYLBENZENE	10.4	1	10		104	80-120		9.83	5	20	
M+P-XYLENE	18.7	1	20		94	80-120		18.4	2	20	
O-XYLENE	9.36	1	10		94	80-120		9.25	1	20	

MB		Sample ID: VL210518-3			Units: %REC		Analysis Date: 5/18/2021 13:05				
Client ID:		Run ID: VL210518-4A			Prep Date: 5/18/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Surr: 4-BROMOFLUOROBENZENE	28.1				113	80-120					
Surr: DIBROMOFLUOROMETHANE	25.8				103	80-120					
Surr: TOLUENE-D8	27.1				108	80-120					
BENZENE	ND	1									
TOLUENE	ND	1									
ETHYLBENZENE	ND	1									
M+P-XYLENE	ND	1									
O-XYLENE	ND	1									
TOTAL XYLENES	ND	1									

The following samples were analyzed in this batch:

Client: Great Western Operating Company, LLC
Work Order: 2105146
Project: Sharp 2635-1-15 HC

QC BATCH REPORT

Batch ID: **AK210519-1-1** Instrument ID **NONE** Method: **SM2320B**

LCS		Sample ID: AK210519-1			Units: MG/L		Analysis Date: 5/19/2021				
Client ID:		Run ID: AK210519-1A1			Prep Date: 5/19/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
TOTAL ALKALINITY AS CaCO3	98.4	5	100		98	85-115				15	

MB		Sample ID: AK210519-1			Units: MG/L		Analysis Date: 5/19/2021				
Client ID:		Run ID: AK210519-1A1			Prep Date: 5/19/2021		DF: 1				
Analyte	Result	ReportLimit	Qual								
BICARBONATE AS CaCO3	ND	5									
CARBONATE AS CaCO3	ND	5									
TOTAL ALKALINITY AS CaCO3	ND	5									

The following samples were analyzed in this batch:

2105146-1

Client: Great Western Operating Company, LLC
 Work Order: 2105146
 Project: Sharp 2635-1-15 HC

QC BATCH REPORT

Batch ID: TD210512-1-1 Instrument ID Balance Method: SM2540C

LCS		Sample ID: TD210512-1			Units: MG/L		Analysis Date: 5/13/2021				
Client ID:		Run ID: TD210512-1A1			Prep Date: 5/12/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
TOTAL DISSOLVED SOLIDS	400	20	400		100	85-115				14	

LCSD		Sample ID: TD210512-1			Units: MG/L		Analysis Date: 5/13/2021				
Client ID:		Run ID: TD210512-1A1			Prep Date: 5/12/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
TOTAL DISSOLVED SOLIDS	418	20	400		104	85-115		400	4	14	

MB		Sample ID: TD210512-1			Units: MG/L		Analysis Date: 5/13/2021				
Client ID:		Run ID: TD210512-1A1			Prep Date: 5/12/2021		DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
TOTAL DISSOLVED SOLIDS	ND	20									

The following samples were analyzed in this batch:



10-Jun-2021

Katie O'Brien
ALS Environmental
225 Commerce Dr
Ft. Collins, CO 80524

Re: **2105146**

Work Order: **21060257**

Dear Katie,

ALS Environmental received 1 sample on 02-Jun-2021 10:30 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 9.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA
PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Sincerely,

A handwritten signature in black ink that reads "Ehrland Bosworth".

Electronically approved by: Ehrland Bosworth

Ehrland Bosworth
Project Manager

Report of Laboratory Analysis

Certificate No: MN 026-999-449

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS Environmental logo icon consisting of a stylized flame inside a triangle.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: ALS Environmental
Project: 2105146
Work Order: 21060257

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
21060257-01	2635-1-15 HC A	Water		5/5/2021 11:00	6/2/2021 10:30	<input type="checkbox"/>

Client: ALS Environmental
Project: 2105146
WorkOrder: 21060257

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
**	Estimated Value
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
Hr	BOD/CBOD - Sample was reset outside Hold Time, value should be considered estimated.
J	Analyte is present at an estimated concentration between the MDL and Report Limit
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCS D	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
mg/L	Milligrams per Liter

Client: ALS Environmental
Project: 2105146
Work Order: 21060257

Case Narrative

Samples for the above noted Work Order were received on 06/02/2021. The attached "Sample Receipt Checklist" documents the status of custody seals, container integrity, preservation, and temperature compliance.

Samples were analyzed according to the analytical methodology previously transmitted in the "Work Order Acknowledgement". Methodologies are also documented in the "Analytical Result" section for each sample. Quality control results are listed in the "QC Report" section. Sample association for the reported quality control is located at the end of each batch summary. If applicable, results are appropriately qualified in the Analytical Result and QC Report sections. The "Qualifiers" section documents the various qualifiers, units, and acronyms utilized in reporting. A copy of the laboratory's scope of accreditation is available upon request.

With the following exceptions, all sample analyses achieved analytical criteria.

Wet Chemistry:

Batch R319012, Method E300.0, Sample 2635-1-15 HC A (21060257-01A): Sample analyzed after hold time due to being received after expiration date.

No deviations or anomalies were noted.

ALS Group USA, Corp

Date: 10-Jun-21

CLIENT: ALS Environmental
Project: 2105146

Work Order: 21060257

Lab ID: 21060257-01A
Client Sample ID: 2635-1-15 HC A

Collection Date: 5/5/2021 11:00:00 AM
Matrix: WATER

Analyses	Result	Report Limit	MDL	Qual	Units	Dilution Factor	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY			E300.0				Analyst: JDR
Chloride	5,800	500	160	H	mg/L	500	6/3/2021 03:56 PM
Sulfate	960	500	95	H	mg/L	500	6/3/2021 03:56 PM

Qualifiers: U - Analyzed for but Not Detected S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits P - Dual Column results RPD > 40%
 B - Analyte detected in the associated Method Blank E - Value above quantitation range
 * - Value exceeds Maximum Contaminant Level H - Analyzed outside of Hold Time

Client: ALS Environmental
 Work Order: 21060257
 Project: 2105146

QC BATCH REPORT

Batch ID: **R319012** Instrument ID **IC4** Method: **E300.0**

MBLK		Sample ID: MBLK-R319012				Units: mg/L		Analysis Date: 6/3/2021 01:30 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456729		Prep Date:		DF: 1	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	U	0.31	1.0								
Sulfate	U	0.19	1.0								

MBLK		Sample ID: MBLK-R319012				Units: mg/L		Analysis Date: 6/3/2021 07:02 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456748		Prep Date:		DF: 1	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	U	0.31	1.0								
Sulfate	U	0.19	1.0								

LCS		Sample ID: LCS-R319012				Units: mg/L		Analysis Date: 6/3/2021 01:12 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456728		Prep Date:		DF: 1	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.374	0.31	1.0	10	0	93.7	90-110	0			
Sulfate	9.774	0.19	1.0	10	0	97.7	90-110	0			

LCS		Sample ID: LCS-R319012				Units: mg/L		Analysis Date: 6/3/2021 06:43 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456747		Prep Date:		DF: 1	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.679	0.31	1.0	10	0	96.8	90-110	0			
Sulfate	9.781	0.19	1.0	10	0	97.8	90-110	0			

MS		Sample ID: 21060254-01A MS				Units: mg/L		Analysis Date: 6/3/2021 04:33 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456740		Prep Date:		DF: 40	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	675.5	12	40	400	265.6	102	80-120	0			
Sulfate	649.9	7.6	40	400	253.5	99.1	80-120	0			

MS		Sample ID: 21052336-03A MS				Units: mg/L		Analysis Date: 6/3/2021 11:51 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456763		Prep Date:		DF: 10	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	136.3	3.1	10	100	37.69	98.6	80-120	0			
Sulfate	124.1	1.9	10	100	25.21	98.9	80-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ALS Environmental
Work Order: 21060257
Project: 2105146

QC BATCH REPORT

Batch ID: **R319012** Instrument ID **IC4** Method: **E300.0**

MSD		Sample ID: 21060254-01A MSD				Units: mg/L		Analysis Date: 6/3/2021 05:28 PM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456743		Prep Date:		DF: 40	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	682.2	12	40	400	265.6	104	80-120	675.5	0.979	20	
Sulfate	658.7	7.6	40	400	253.5	101	80-120	649.9	1.35	20	

MSD		Sample ID: 21052336-03A MSD				Units: mg/L		Analysis Date: 6/4/2021 12:11 AM			
Client ID:		Run ID: IC4_210603A				SeqNo: 7456764		Prep Date:		DF: 10	
Analyte	Result	MDL	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	136.5	3.1	10	100	37.69	98.8	80-120	136.3	0.149	20	
Sulfate	124.5	1.9	10	100	25.21	99.3	80-120	124.1	0.344	20	

The following samples were analyzed in this batch:

21060257-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Sample Receipt Checklist

Client Name: **ALS - FORT COLLINS**

Date/Time Received: **02-Jun-21 10:30**

Work Order: **21060257**

Received by: **DS**

Checklist completed by Diane Shaw 03-Jun-21
eSignature Date

Reviewed by: Eheland Beaworth 03-Jun-21
eSignature Date

Matrices: Water

Carrier name: FedEx

Shipping container/cooler in good condition? Yes No Not Present

Custody seals intact on shipping container/cooler? Yes No Not Present

Custody seals intact on sample bottles? Yes No Not Present

Chain of custody present? Yes No

Chain of custody signed when relinquished and received? Yes No

Chain of custody agrees with sample labels? Yes No

Samples in proper container/bottle? Yes No

Sample containers intact? Yes No

Sufficient sample volume for indicated test? Yes No

All samples received within holding time? Yes No

Container/Temp Blank temperature in compliance? Yes No

Sample(s) received on ice? Yes No

Temperature(s)/Thermometer(s): 3.0/3.0 c IR1

Cooler(s)/Kit(s):

Date/Time sample(s) sent to storage: 6/3/2021 7:43:11 AM

Water - VOA vials have zero headspace? Yes No No VOA vials submitted

Water - pH acceptable upon receipt? Yes No N/A

pH adjusted? Yes No N/A

pH adjusted by:

Login Notes: Received with insufficient hold time to perform analysis

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction: