

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>402885947</u>			
Date Received: <u>12/06/2021</u>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10651</u>	Contact Name <u>Heather Mitchell</u>
Name of Operator: <u>VERDAD RESOURCES LLC</u>	Phone: <u>(720) 845-6917</u>
Address: <u>1125 17TH STREET SUITE 550</u>	Fax: ( )
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>regulatory@verdadresources.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 123 51179 00 ID Number: 477680

Name: County Line Number: 3107-07H

Location QtrQtr: SWSE Section: 31 Township: 1N Range: 65W Meridian: 6

County: WELD Field Name: WATTENBERG

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
474767	County Line Pad

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**      Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: HORIZONTAL (Vertical, Directional, Horizontal)

Change of <b>Surface</b> Footage <b>From:</b>		FNL/FSL	FEL/FWL
Change of <b>Surface</b> Footage <b>To:</b>			
Current <b>Surface</b> Location <b>From</b>	QtrQtr <u>SWSE</u> Sec <u>31</u>	Twp <u>1N</u> Range <u>65W</u> Meridian <u>6</u>	
New <b>Surface</b> Location <b>To</b>	QtrQtr _____ Sec _____	Twp _____ Range _____ Meridian _____	
Change of <b>Top of Productive Zone</b> Footage <b>From:</b>		FNL/FSL	FEL/FWL
Change of <b>Top of Productive Zone</b> Footage <b>To:</b>			
Current <b>Top of Productive Zone</b> Location	Sec <u>6</u>	Twp <u>1S</u> Range <u>65W</u>	
New <b>Top of Productive Zone</b> Location	Sec _____	Twp _____ Range _____	**

Change of **Base of Productive Zone** Footage **From:**

FNL

FWL

Change of **Base of Productive Zone** Footage **To:**

460 FSL

1387 FWL

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

460 FSL

1387 FWL

Change of **Bottomhole** Footage **To:**

360 FSL

1386 FWL

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: \_\_\_\_\_ Feet  
 Building Unit: \_\_\_\_\_ Feet  
 Public Road: \_\_\_\_\_ Feet  
 Above Ground Utility: \_\_\_\_\_ Feet  
 Railroad: \_\_\_\_\_ Feet  
 Property Line: \_\_\_\_\_ Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 460 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 590 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

Change BHL and BPZ

### CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

Objective Formation	Formation Code	Spacing Order Number	Unit Acreage	Unit Configuration	Add	Modify	No Change	Delete
NIOBRARA	NBRR	407-2957	2560	30-31E2 6-7ALL1-12E2			X	



Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below, as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_  
Has Production Equipment been removed from site? \_\_\_\_\_  
Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date 12/03/2021  
 SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- Bradenhead Plan
- Change Drilling Plan
- Gross Interval Change
- Underground Injection Control
- Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)
- Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.)
- Other
- Venting or Flaring (Rule 903)
- Repair Well
- E&P Waste Mangement
- Beneficial Reuse of E&P Waste

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_  
(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)  
(No Well Provided)

COMMENTS:

**CASING PROGRAM**

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
CONDUCTOR	26	16	ASTM	65	0	80	70	80	0
SURF	13+1/2	9+5/8	J55	36	0	1785	820	1785	0
1ST	8+1/2	5+1/2	P110	20	0	17327	2173	17327	0

**POTENTIAL FLOW AND CONFINING FORMATIONS**

<u>Zone Type</u>	<u>Formation /Hazard</u>	<u>Top M.D.</u>	<u>Top T.V.D.</u>	<u>Bottom M.D.</u>	<u>Bottom T.V.D.</u>	<u>TDS (mg/L)</u>	<u>Data Source</u>	<u>Comment</u>
Groundwater	Denver	0	0	969	966	501-1000	USGS	USGS-400012104431601, USGS-395958104433101

Groundwater	Fox Hills	969	966	1264	1251	501-1000	USGS	USGS-400138104404301
Confining Layer	Pierre	1264	1251	1764	1719			
Groundwater	Upper Porosity Pierre	1764	1719	2306	2223	>10000	Other	No data available
Confining Layer	Pierre	2306	2223	4600	4355			
Hydrocarbon	Parkman	4600	4355	4875	4610			
Confining Layer	Pierre	4875	4610	4936	4667			
Hydrocarbon	Sussex	4936	4667	5205	4917			
Confining Layer	Pierre	5205	4917	7466	7018			
Hydrocarbon	Sharon Springs	7466	7018	7538	7083			
Hydrocarbon	Niobrara	7538	7083	17327	7337			

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)                      Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells \_\_\_\_\_ Oil Tanks \_\_\_\_\_ Condensate Tanks \_\_\_\_\_ Water Tanks \_\_\_\_\_ Buried Produced Water Vaults \_\_\_\_\_  
 Drilling Pits \_\_\_\_\_ Production Pits \_\_\_\_\_ Special Purpose Pits \_\_\_\_\_ Multi-Well Pits \_\_\_\_\_ Modular Large Volume Tank \_\_\_\_\_

Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

**POTENTIAL OGDG UPDATES**

**PROPOSED CHANGES TO AN APPROVED OGDG**

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- |  |  |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s)                     | <input type="checkbox"/> Add Drilling and Spacing Unit(s)    |
| <input type="checkbox"/> Amend Oil and Gas Location(s)                   | <input type="checkbox"/> Amend Drilling and Spacing Unit(s)  |
| <input type="checkbox"/> Remove Oil and Gas Location(s)                  | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other   |  |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

**Best Management Practices**

**No BMP/COA Type**

**Description**

<u>No BMP/COA Type</u>	<u>Description</u>

**Operator Comments:**

Verdad is requesting to change the BHL and add BPZ on this location. This has changed the drilling plans slightly. The surface on this well has been set.

This well has a bottom hole location beyond the unit boundary setback. The bottom of the completed interval will be within the unit boundary setback 460' FSL and 1387' FWL of section 7. The wellbore beyond the unit boundary setback will be physically isolated and will not be completed.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Heather Mitchell  
 Title: Regulatory Manager Email: regulatory@verdadresources.com Date: 12/6/2021

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Haverkamp, Curtis Date: 12/16/2021

**CONDITIONS OF APPROVAL, IF ANY:****Condition of Approval****COA Type****Description**

	Operator acknowledges the proximity of the listed non-operated wells. Operator assures that this offset list will be remediated per the Horizontal Offset Policy (option 4). Operator will submit a Form 42 ("OFFSET MITIGATION COMPLETED") stating that appropriate mitigation will be completed, during the hydraulic stimulation of this well. This Form 42 shall be filed 48 hours prior to stimulation. Operator will ensure the wellbore has a 5,000 psi wellhead, avoid stimulation with 1500' of the offset well, and monitor casing (surface and production) pressures during the entire stimulation treatment. Putnam #41-18 (001-06783)
	COGCC COA: Operator will ensure the wellbore beyond the unit boundary setback is physically isolated and is not completed. In the Operator Comments on the Form 5A the operator will (1) report the footages from the section lines of the bottom of the completed interval (2) describe how the wellbore beyond the unit boundary setback is physically isolated and (3) certify that none of the wellbore beyond the setback was completed.

2 COAs

**General Comments****User Group****Comment****Comment Date**

Permit	Added the drilling beyond the setback COA with the operator consent Passed Permit Review	12/07/2021
--------	---	------------

Total: 1 comment(s)

**Attachment List****Att Doc Num****Name**

402885947	SUNDRY NOTICE APPROVED-LOC-MNRL-STBK-OBJ-DRLG-CSG
402886362	WELL LOCATION PLAT
402886363	DEVIATED DRILLING PLAN
402886364	DIRECTIONAL DATA
402901337	FORM 4 SUBMITTED

Total Attach: 5 Files