


STATE OF COLORADO
OIL AND GAS CONSERVATION COMMISSION

DEPARTMENT OF NATURAL RESOURCES

duplicate for Patented and Federal lands.
triplicate for State lands.

SUENDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.)

Use "APPLICATION FOR PERMIT—" for such proposals.

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Kenneth L. Tipps		8. FARM OR LEASE NAME Buczowskyj	
3. ADDRESS OF OPERATOR 1720 S. Bellaire #410, Denver, CO. 80222		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FSL & 660' FWL At proposed prod. zone SW SW		10. FIELD AND POOL, OR WILDCAT Sleeper	
14. PERMIT NO. 59223		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5149 GR	12. COUNTY Weld
			13. STATE Colorado

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☒
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON

REPAIR WELL.

CHANGE PLANS:

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

18. Date of work April 1, 1987


* Must be accompanied by a cement verification report.

Surface Pipe : 8 5/8" to 344' K.B.

T.D. - 6350' K.B. 5 1/2" csg. to 6345' K.B. PBTD = 6285' K.B.

Perforations: 6260-70' K.B.

Propose to fill with sand to 6245' K.B., dump bailer 10 sx. cement on top of sand, remove 5 1/2" csg. above Niobrara, 10 sx. cement in and out of bottom of surface pipe, 5 sx. cement in top of surface and cut off surface pipe below plow depth or weld plate on top.



COLO. OIL & GAS CONS. COMM.

19. I hereby certify that the foregoing is true and correct

SIGNED

K. L. Tipps

TITLE

Operator

DATE

2/16/87

(This space for Federal or State office use)

APPROVED BY

G. A. [Signature]

TITLE

SUPR. PETROLEUM ENGINEER

OIL & GAS CONS. COMM.

DATE

FEB 19 1987

CONDITIONS OF APPROVAL, IF ANY:

FEB 21 1987